

Laboratory Results

Lee County Environmental Laboratory

60-2 Danley Drive
Fort Myers, FL 33907
239-533-8600



To: Natural Resources Management
1500 Monroe St
Fort Myers FL 33901
RE: Tidal Caloosa

Report Date: 12/7/2022

Below are the results of samples submitted to this laboratory on 11/16/2022

Laboratory ID	AF42276	Collection date and time	11/16/2022 9:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #418		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.73	I	mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Pheophytin	9.14		mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	92.1		%	0.1		11/16/2022	9:50 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	1.1	I J3	mg/L	0.3	1.2	11/17/2022	10:44 AM	SM 5210 B
Color	82.2		CU	1.25	5.00	11/16/2022	2:49 PM	SM21 2120 C
Specific Conductance, By Client	9700		µmhos/cm			11/16/2022	9:50 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	7.31		mg/L			11/16/2022	9:50 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		11/16/2022	2:15 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	11/17/2022	9:14 AM	EPA 350.1
Nitrite as N	0.010	I	mg/L as N	0.003	0.012	11/16/2022	2:20 PM	EPA 353.2
Nitrate as N	0.295		mg/L as N	0.01	0.04	11/16/2022	12:53 PM	EPA 353.2
Nitrate + Nitrite as N	0.305		mg/L as N	0.01	0.04	11/16/2022	2:20 PM	EPA 353.2
Nitrogen, Organic	0.69		mg/L as N	0.10	0.4	11/22/2022	9:02 AM	TKN - NH3
Phosphorus, Ortho as P	0.073		mg/L as P	0.005	0.020	11/17/2022	4:11 PM	EPA 365.1
pH, Field (electrometric) by Client	7.97		units			11/16/2022	9:50 AM	FDEP FT1100
Salinity by meter by Client	5.42		SU			11/16/2022	9:50 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.15		meters			11/16/2022	9:50 AM	FDEP FT 1700
Silica, dissolved as SiO2	6.6		mg/L as SiO2	0.1	0.4	11/17/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	1.7		Meters			11/16/2022	9:50 AM	FS2100
Field Temperature by client	25.6		°C			11/16/2022	9:50 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.69		mg/L as N	0.10	0.4	11/22/2022	9:02 AM	EPA 351.2
Nitrogen, Total	1.00		mg/L as N	0.10	0.4	11/22/2022	9:02 AM	TKN + NOX
Total Organic Carbon (NPOC)	13		mg/L	1	4	12/1/2022	1:45 PM	SM 5310 B

Report Format: NELAC

DOH #E45049



Laboratory ID	AF42276	Collection date and time	11/16/2022 9:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #418		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Phosphorus, Total as P	0.13		mg/L as P	0.006	0.024	11/22/2022	9:04 AM	EPA 365.1
Total Suspended Solids	1.55	I	mg/L	0.6	2.4	11/17/2022	7:26 AM	SM 2540 D
Turbidity (Nephelometric)	2.10		NTU	0.2	0.8	11/17/2022	6:27 AM	EPA 180.1

Laboratory ID	AF42277	Collection date and time	11/16/2022 11:25 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #448		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.34	I	mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Pheophytin	12.70		mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	82.8		%	0.1		11/16/2022	11:25 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	1.1	I J3	mg/L	0.3	1.2	11/17/2022	10:44 AM	SM 5210 B
Color	103		CU	1.25	5.00	11/16/2022	2:49 PM	SM21 2120 C
Specific Conductance, By Client	1000		µmhos/cm			11/16/2022	11:25 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	6.62		mg/L			11/16/2022	11:25 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		11/16/2022	2:15 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	11/17/2022	9:14 AM	EPA 350.1
Nitrite as N	0.014		mg/L as N	0.003	0.012	11/16/2022	2:20 PM	EPA 353.2
Nitrate as N	0.353		mg/L as N	0.01	0.04	11/16/2022	12:53 PM	EPA 353.2
Nitrate + Nitrite as N	0.367		mg/L as N	0.01	0.04	11/16/2022	2:20 PM	EPA 353.2
Nitrogen, Organic	0.80		mg/L as N	0.10	0.4	11/28/2022	8:21 AM	TKN - NH3
Phosphorus, Ortho as P	0.084		mg/L as P	0.005	0.020	11/17/2022	4:11 PM	EPA 365.1
pH, Field (electrometric) by Client	7.98		units			11/16/2022	11:25 AM	FDEP FT1100
Salinity by meter by Client	0.5		SU			11/16/2022	11:25 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.75		meters			11/16/2022	11:25 AM	FDEP FT 1700
Silica, dissolved as SiO2	8.4		mg/L as SiO2	0.1	0.4	11/17/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	1.8		Meters			11/16/2022	11:25 AM	FS2100
Field Temperature by client	26.6		°C			11/16/2022	11:25 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.80		mg/L as N	0.10	0.4	11/28/2022	8:21 AM	EPA 351.2
Nitrogen, Total	1.2		mg/L as N	0.10	0.4	11/28/2022	8:21 AM	TKN + NOX
Total Organic Carbon (NPOC)	16		mg/L	1	4	12/1/2022	1:45 PM	SM 5310 B
Phosphorus, Total as P	0.14		mg/L as P	0.006	0.024	11/28/2022	8:23 AM	EPA 365.1
Total Suspended Solids	0.650	I	mg/L	0.6	2.4	11/17/2022	7:26 AM	SM 2540 D
Turbidity (Nephelometric)	1.96		NTU	0.2	0.8	11/17/2022	6:27 AM	EPA 180.1



Laboratory ID	AF42278	Collection date and time	11/16/2022 10:15 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #417		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.70		mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Pheophytin	5.40		mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	94.9		%	0.1		11/16/2022	10:15 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	1.1	I J3	mg/L	0.3	1.2	11/17/2022	10:44 AM	SM 5210 B
Color	85.8		CU	1.25	5.00	11/16/2022	2:49 PM	SM21 2120 C
Specific Conductance, By Client	8100		µmhos/cm			11/16/2022	10:15 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	7.56		mg/L			11/16/2022	10:15 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		11/16/2022	2:15 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	11/17/2022	9:14 AM	EPA 350.1
Nitrite as N	0.011	I	mg/L as N	0.003	0.012	11/16/2022	2:20 PM	EPA 353.2
Nitrate as N	0.298		mg/L as N	0.01	0.04	11/16/2022	12:53 PM	EPA 353.2
Nitrate + Nitrite as N	0.309		mg/L as N	0.01	0.04	11/16/2022	2:20 PM	EPA 353.2
Nitrogen, Organic	0.81		mg/L as N	0.10	0.4	11/28/2022	8:21 AM	TKN - NH3
Phosphorus, Ortho as P	0.076		mg/L as P	0.005	0.020	11/17/2022	4:11 PM	EPA 365.1
pH, Field (electrometric) by Client	8.02		units			11/16/2022	10:15 AM	FDEP FT1100
Salinity by meter by Client	4.47		SU			11/16/2022	10:15 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.15		meters			11/16/2022	10:15 AM	FDEP FT 1700
Silica, dissolved as SiO2	6.9		mg/L as SiO2	0.1	0.4	11/17/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	1.5		Meters			11/16/2022	10:15 AM	FS2100
Field Temperature by client	25.6		°C			11/16/2022	10:15 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.81		mg/L as N	0.10	0.4	11/28/2022	8:21 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.10	0.4	11/28/2022	8:21 AM	TKN + NOX
Total Organic Carbon (NPOC)	14		mg/L	1	4	12/1/2022	1:45 PM	SM 5310 B
Phosphorus, Total as P	0.13		mg/L as P	0.006	0.024	11/28/2022	8:23 AM	EPA 365.1
Total Suspended Solids	1.80	I	mg/L	0.6	2.4	11/17/2022	7:26 AM	SM 2540 D
Turbidity (Nephelometric)	1.96		NTU	0.2	0.8	11/17/2022	6:27 AM	EPA 180.1

Laboratory ID	AF42279	Collection date and time	11/16/2022 10:40 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #435		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.04		mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Pheophytin	3.86		mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	92.7		%	0.1		11/16/2022	10:40 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	1.1	I J3	mg/L	0.3	1.2	11/17/2022	10:44 AM	SM 5210 B

Report Format: NELAC

DOH #E45049



Laboratory ID	AF42279	Collection date and time	11/16/2022 10:40 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #435		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Color	95.3		CU	1.25	5.00	11/16/2022	2:49 PM	SM21 2120 C
Specific Conductance, By Client	4500		µmhos/cm			11/16/2022	10:40 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	7.42		mg/L			11/16/2022	10:40 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		11/16/2022	2:15 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	11/17/2022	9:14 AM	EPA 350.1
Nitrite as N	0.012		mg/L as N	0.003	0.012	11/16/2022	2:20 PM	EPA 353.2
Nitrate as N	0.332		mg/L as N	0.01	0.04	11/16/2022	12:53 PM	EPA 353.2
Nitrate + Nitrite as N	0.344		mg/L as N	0.01	0.04	11/16/2022	2:20 PM	EPA 353.2
Nitrogen, Organic	0.76		mg/L as N	0.10	0.4	11/28/2022	8:21 AM	TKN - NH3
Phosphorus, Ortho as P	0.084		mg/L as P	0.005	0.020	11/17/2022	4:11 PM	EPA 365.1
pH, Field (electrometric) by Client	8.05		units			11/16/2022	10:40 AM	FDEP FT1100
Salinity by meter by Client	2.39		SU			11/16/2022	10:40 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.85		meters			11/16/2022	10:40 AM	FDEP FT 1700
Silica, dissolved as SiO2	7.8		mg/L as SiO2	0.1	0.4	11/17/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	2.3		Meters			11/16/2022	10:40 AM	FS2100
Field Temperature by client	26.0		°C			11/16/2022	10:40 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.76		mg/L as N	0.10	0.4	11/28/2022	8:21 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.10	0.4	11/28/2022	8:21 AM	TKN + NOX
Total Organic Carbon (NPOC)	15		mg/L	1	4	12/1/2022	1:45 PM	SM 5310 B
Phosphorus, Total as P	0.13		mg/L as P	0.006	0.024	11/28/2022	8:23 AM	EPA 365.1
Total Suspended Solids	1.40	I	mg/L	0.6	2.4	11/17/2022	7:26 AM	SM 2540 D
Turbidity (Nephelometric)	1.84		NTU	0.2	0.8	11/17/2022	6:27 AM	EPA 180.1

Laboratory ID	AF42280	Collection date and time	11/16/2022 9:20 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #404		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	4.15		mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Pheophytin	1.30	I	mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	89.1		%	0.1		11/16/2022	9:20 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	1.2	I J3	mg/L	0.3	1.2	11/17/2022	10:44 AM	SM 5210 B
Color	70.7		CU	1.25	5.00	11/16/2022	2:49 PM	SM21 2120 C
Specific Conductance, By Client	16000		µmhos/cm			11/16/2022	9:20 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	6.89		mg/L			11/16/2022	9:20 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		11/16/2022	2:15 PM	Enterolert®

Report Format: NELAC

DOH #E45049



Laboratory ID	AF42280	Collection date and time	11/16/2022 9:20 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #404		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	11/17/2022	9:14 AM	EPA 350.1
Nitrite as N	0.010	I	mg/L as N	0.003	0.012	11/16/2022	2:20 PM	EPA 353.2
Nitrate as N	0.248		mg/L as N	0.01	0.04	11/16/2022	12:53 PM	EPA 353.2
Nitrate + Nitrite as N	0.258		mg/L as N	0.01	0.04	11/16/2022	2:20 PM	EPA 353.2
Nitrogen, Organic	0.81		mg/L as N	0.10	0.4	11/29/2022	8:47 AM	TKN - NH3
Phosphorus, Ortho as P	0.070		mg/L as P	0.005	0.020	11/17/2022	4:11 PM	EPA 365.1
pH, Field (electrometric) by Client	7.85		units			11/16/2022	9:20 AM	FDEP FT1100
Salinity by meter by Client	9.29		SU			11/16/2022	9:20 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.05		meters			11/16/2022	9:20 AM	FDEP FT 1700
Silica, dissolved as SiO2	5.8		mg/L as SiO2	0.1	0.4	11/17/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	2.5		Meters			11/16/2022	9:20 AM	FS2100
Field Temperature by client	25.7		°C			11/16/2022	9:20 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.81		mg/L as N	0.10	0.4	11/29/2022	8:47 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.10	0.4	11/29/2022	8:47 AM	TKN + NOX
Total Organic Carbon (NPOC)	12		mg/L	1	4	12/1/2022	1:45 PM	SM 5310 B
Phosphorus, Total as P	0.12		mg/L as P	0.006	0.024	11/29/2022	8:49 AM	EPA 365.1
Total Suspended Solids	2.20	I	mg/L	0.6	2.4	11/17/2022	7:26 AM	SM 2540 D
Turbidity (Nephelometric)	1.94		NTU	0.2	0.8	11/17/2022	6:27 AM	EPA 180.1

Laboratory ID	AF42281	Collection date and time	11/16/2022 12:35 PM
Location Code	CRNEP_EQ	Sample Collector	REISTAD/JAEGER
Sample Description	EB Site #448		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Pheophytin	0.50	U	mg/M3	0.5	2.0	11/23/2022	7:23 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.3	U J3	mg/L	0.3	1.2	11/17/2022	10:44 AM	SM 5210 B
Color	1.25	U	CU	1.25	5.00	11/16/2022	2:49 PM	SM21 2120 C
Enterococci	10	U	MPN/100mL	10		11/16/2022	2:15 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	11/17/2022	9:14 AM	EPA 350.1
Nitrite as N	0.003	U	mg/L as N	0.003	0.012	11/16/2022	2:20 PM	EPA 353.2
Nitrate as N	0.011	I	mg/L as N	0.01	0.04	11/18/2022	8:47 AM	EPA 353.2
Nitrate + Nitrite as N	0.011	I	mg/L as N	0.01	0.04	11/18/2022	8:47 AM	EPA 353.2
Nitrogen, Organic	0.100	U	mg/L as N	0.10	0.4	11/22/2022	9:02 AM	TKN - NH3
Phosphorus, Ortho as P	0.005	U	mg/L as P	0.005	0.020	11/17/2022	4:11 PM	EPA 365.1
Silica, dissolved as SiO2	0.1	U	mg/L as SiO2	0.1	0.4	11/17/2022	2:20 PM	SM4500-SiO2 C

Report Format: NELAC

DOH #E45049



Laboratory ID AF42281
 Location Code CRNEP_EQ
 Sample Description EB Site #448

Collection date and time 11/16/2022 12:35 PM
 Sample Collector REISTAD/JAEGER

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrogen, Kjeldahl, Total	0.10	U	mg/L as N	0.10	0.4	11/22/2022	9:02 AM	EPA 351.2
Nitrogen, Total	0.110	U	mg/L as N	0.10	0.4	11/22/2022	9:02 AM	TKN + NOX
Total Organic Carbon (NPOC)	1.000	U	mg/L	1	4	12/1/2022	1:45 PM	SM 5310 B
Phosphorus, Total as P	0.006	U	mg/L as P	0.006	0.024	11/22/2022	9:04 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	11/17/2022	7:26 AM	SM 2540 D
Turbidity (Nephelometric)	0.20	U	NTU	0.2	0.8	11/17/2022	6:27 AM	EPA 180.1

Qualifiers:

- I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).
- I J3 The value is < or = to the PQL and > the MDL. The reported value failed to meet the established quality control criteria for either precision or accuracy.
- U Indicates that the compound was analyzed for but not detected.
- U J3 Indicates that the compound was analyzed for but not detected. Value failed to meet QC criteria for precision or accuracy.

Unless noted otherwise, these test results meet all the requirements of the 2016 NELAC/ TNI Standards.
 The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.


 Rick Armstrong
 Lab Manager
 Lee County Environmental Lab



LCEL

Lee County Environmental Laboratory
60 S Danley Dr Unit 2
Fort Myers, FL 33907
Phone: (239) 533-8600

Analysis Request & Chain of Custody Record

Lab Certification: E45049
LCEL F COC 20150828R1

LCEL does not accept any samples used for evidentiary purposes

Page 1 of 1

Report/Result Information				Billing/Invoice Information															
Name: FDEP - South				Name: DNRM				Matrix Codes: DW-Drinking water GW- Ground water WW-Waste water SW-Surface water WWS-Wastewater Sludge S-Sediment O-Other				Preservative Codes: NP-No Preservative N-Nitric Acid S-Sulfuric Acid H-Hydrochloric Acid SH-Sodium Hydroxide ST-Sodium Thiosulfate O-Other							
ATTN: Kirby Wolfe <i>Nicole Reistad</i>				RE: CCHMN-Tidal Caloosa															
Address: 2295 Victoria Ave, Suite 364 PO Box 2549 Ft Myers FL 33901				Address: 1500 Monroe St Ft Myers, FL 33901															
Phone: (239) 344-5719				Phone: (239) 533-8109															
Sample Collector(s) (please print): Nicole Reistad/Monica Jaeger				Sample Collector Signature: <i>Nicole Reistad</i>				Analyses Required \$Chloro, _prep O-PO4, Color, NOX TOC NH3, TKN, TN, T-PO4, NO3, ONIT Turb, NO2, TSS, Silica, Bod, Bodi Mug2QT, Entero											
Relinquished By: (signature) <i>Nicole Reistad</i>		Date 11/16/22		Time 1352		Received By: (signature) <i>MP</i>													
Relinquished By: (signature)		Date		Time		Received By: (signature)													
Relinquished By: (signature)		Date		Time		Received By: (signature)													
Sample(s) on ice ☒ Yes or ☐ No? Temperature °C: 4.0°C								NP		NPF		S		S		NP		ST	
Collection Date Time		Sample Description & Location		Matrix (see codes)		# of Sample Containers Submitted								Lab ID #					
11/16/2022 0950		CRNEP_RS #418		SWE		1		1		1		1		2		1		AF42276	
11/16/2022 1125		CRNEP_RS #448		SWE		1		1		1		1		2		1		AF42277	
11/16/2022 1015		CRNEP_RS #417		SWE		1		1		1		1		2		1		AF42278	
11/16/2022 1040		CRNEP_RS #435		SWE		1		1		1		1		2		1		AF42279	
11/16/2022 0920		CRNEP_RS #404		SWE		1		1		1		1		2		1		AF42280	
11/16/2022 1235		CRNEP_EQ # 448		SWE		1		1		1		1		2		1		AF42281	
11/16/2022																			

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)
OR THEY MAYBE QUALIFIED***

*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.