

Login Checklist

RQ- 2022-03-07-57

Login Station ID: #5

Shipping Method: RedEx | UPS | HD | Greyhound

Date/Time of Receipt: 3/ 11 /22 @ 9:20

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.9 1.8				10 15		✓ ✓			5225 5544 6652 5225 5544 6641

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No ✓

CONTAINER CHECK

Evidence Tape on Bottles? Yes _____ No _____ NA ✓ Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken? Yes _____ No _____ Containers intact? Yes ✓ No _____

Caps on tight? Yes ✓ No _____

Sufficient Sample Volume: Yes ✓ No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes _____ No ✓ Init: KK

Chlorine detected? (One container checked per Field ID) Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0? Yes ✓ No _____ NA _____ Init: KK

**W-1-4-DIOX (Green dot on container) preserved to pH<4.0? Yes _____ No _____ NA ✓ Init: KK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: KK Date: 3/ 11 /22 Event contains NCRs (Y/N)? N

Event ID: Caloosa Creeks
SO-DIST-2022-03-11-01 (BMAP)
Date Received: 11-MAR-2022 09:20

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #5 EXP:10-19-22
pH Test Strips 0 – 6	Lot#223819 EXP:8-30-23
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#207621 EXP:3-15-24
Chlorine Test Strips	Lot#0070 EXP:2-23

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Caloosa Creeks

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Gary Snorek

Field Report Prepared By: Gary Snorek

Project ID: BMAP

Collected By: Gary Snorek

Sampling Agency: BOSC SREC

Field ID/WIN ID G3SD0128	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/10/22 Time 0901	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Location Orange River @ BoatRamp	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 85.1	☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)		A
Temp (C) 28.2	pH 7.32	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 503		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.24	Comments			
Field ID/WIN ID G3SD0146	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/16/22 Time 0950	Eastern Central	Composite end Date	Time	Bottle Group(s)
Location Roberts Canal @ SR 80	Matrix (type, e.g., Salt, Fresh, etc) fresh	Diss. Oxygen 72.0	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)		A
Temp (C) 24.3	pH 7.67	Sample Depth 0.25	☐ ft ☒ m	Sp. Conductance (umho/cm) 641		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.31	Comments			
Field ID/WIN ID G3SD0088	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/10/22 Time 1038	Eastern Central	Composite end Date	Time	Bottle Group(s)
Location Nine Mile Canal @ SR 80	Matrix (type, e.g., Salt, Fresh, etc) fresh	Diss. Oxygen 49.1	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)		A
Temp (C) 24.7	pH 7.36	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 414.7		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.20	Comments			
Field ID/WIN ID G3SD0085	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/16/22 Time 1125	Eastern Central	Composite end Date	Time	Bottle Group(s)
Location Bee Branch @ Loblolly Bay	Matrix (type, e.g., Salt, Fresh, etc) fresh	Diss. Oxygen 27.9	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)		A
Temp (C) 22.5	pH 6.67	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 326.6		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.15	Comments			

Relinquished By: [Signature]	Date/Time 3/16/22	Shipping Method Filer	Number of Coolers Shipped: 2	Received By: [Signature]	Date/Time 3-11-22 / 0920
------------------------------	----------------------	--------------------------	---------------------------------	--------------------------	-----------------------------

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Caloosa Creeks

Customer: SO-DIST

Project ID: BMAP

Requester: Gary Snorek

Field Report Prepared By:

Collected By:

Sampling Agency:

Field ID/WIN ID				☐ Comp ☐ Grab		Collection (comp begin or grab)		☒ Eastern ☐ Central		Composite end		Bottle Group(s)	
Location		G3SD0129		Date		Time		Date		Time		(See pg 2)	
 Telegraph Creek @ USGS		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☒ % sat		Total Res. Chlorine (mg/L)					
Temp (C)		pH		Sample Depth		☐ ft ☒ m		Sp. Conductance (umho/cm)					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments			
Location				☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)	
Field ID				Date		Time		Date		Time			
WIN/STORET #				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments			
Location				☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)	
Field ID				Date		Time		Date		Time			
WIN/STORET #				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments			
Location				☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)	
Field ID				Date		Time		Date		Time			
WIN/STORET #				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments			
Location				☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)	
Field ID				Date		Time		Date		Time			
WIN/STORET #				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
				HK	3-11-22 / 0920

Date of Request: 21-FEB-2022
 Created By: SNOREK_G On: 21-FEB-2022
 Modified By: JASROTIA_P On: 22-FEB-2022
 Customer: SO-DIST
 Project: BMAP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Event Description: Caloosa Creeks

Send Coolers To:

Phone: 239-344-5683
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Gary Snorek
 Cooler Ship EMail: Gary.Snorek@dep.state.fl.us

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 22-FEB-2022
 Biology Request Reviewed By: JASROTIA_P On: 22-FEB-2022
 Sampling Kit Required: YES Ship on: 25-FEB-2022
 Sampling Kit Shipped: YES On: 24-FEB-2022
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 07-MAR-2022
 Logged In By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Gary Snorek
 Report Notification EMail:
 Gary.Snorek@Dep.State.fl.us;kirby.Wolfe@Dep.state.fl.us;Nicole
 .reistad@floridaDEP.gov

Comments: caloosa creeks sampling

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-1L	Number of Bottles: 5	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 5	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-125ML	Number of Bottles: 5	Preserved With: FILTER-H ₂ SO ₄ -ICE
W-DOC	Template: DEFAULT	(SM 5310 B-2011) Dissolved Nonpurgeable Organic Carbon in filtered, aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 5	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.