

## Document Reference # 05.1 0

Project: FDEP

Laboratory: Wetlands Research Laboratory

Sampler's initials: *MR*

Method of transport: on ice by hand

Page 1 of 1

Samples delivered by: Mike King of EDEP

Date/Time: 9/14/22 1 1455

Sample received by: John D. H... of WRI

Date/Time: 09/19/22 1455

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

[illegible]

Comments: Sample Container lot# 421347#

PO # C01214

Surface water, no chlorine expected

RQ - 2022-08-15-64

Contact organization FDEP

Contact name: **Mike King**

Phone: 850-595-8300

Address 160 Governmental Center, suite 308, Pensacola, FL 32502

Sampler's name: MIKE KIN

1 Matrix examples: SW = surface water, PW = pore water, GW = ground water, FW = Freshwater, MW = Marine Water, BW = Brackish Water, S = soil/sediment, Other X = DI WATER

<sup>3</sup> Recorded using IRT-2

## Document Reference # 05.1.0

Laboratory: Wetlands Research Laboratory

MK

Page 1 of 1

Date/Time: 9/14/22 1:45 PM

Date/Time: 09/14/22 1:14:55 17:15

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

| Lab ID   | Sample ID       | Matrix <sup>1</sup> | Type <sup>2</sup> | Container Type  | Analyses Requested     | Preservative                                      | Sample (°C) <sup>3</sup> | Sampling Date/Time |
|----------|-----------------|---------------------|-------------------|-----------------|------------------------|---------------------------------------------------|--------------------------|--------------------|
| 22-S0224 | 1.1             | FW                  | G                 | Sterile plastic | Escherichia coli 18-QT | ice/Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> | 2.2                      | 9/14 8:47          |
| 22-S0225 | 3.3             | FW                  | G                 | Sterile plastic | Escherichia coli 18-QT | ice/Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> | 5.0                      | 9:08               |
| 22-S0226 | 3.4             | FW                  | G                 | Sterile plastic | Escherichia coli 18-QT | ice/Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> | 4.3                      | 9:36               |
| 22-S0227 | 3.5             | FW                  | G                 | Sterile plastic | Escherichia coli 18-QT | ice/Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> | 4.6                      | 10:02              |
| 22-S0228 | 5.2             | FW                  | G                 | Sterile plastic | Escherichia coli 18-QT | ice/Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> | 4.9                      | 10:06              |
| 22-S0229 | 4.4             | FW                  | G                 | Sterile plastic | Escherichia coli 18-QT | ice/Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> | 3.9                      | 11:10              |
| 22-S0230 | 4.1             | FW                  | G                 | Sterile plastic | Escherichia coli 18-QT | ice/Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> | 5.3                      | 10:54              |
| 22-S0231 | 4.2             | FW                  | G                 | Sterile plastic | Escherichia coli 18-QT | ice/Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> | 6.8                      | 11:42              |
| 22-S0232 | Equipment blank | "                   | "                 | "               | "                      | "                                                 | 11.3                     | 0945               |

PO# 601214

Surface water, no chlorine expected

RQ - 2022-08-15-64

Contact name: **Mike King**

Phone: 850-595-8300

Sampler's name: MIKE KING

<sup>1</sup>Matrix examples: SW = surface water, PW = pore water, GW = ground water, FW = Freshwater, MW = Marine Water, BW = Brackish Water, S = soil/sediment, Other X =

<sup>3</sup> Recorded using IRT-2