

## SAMPLE TRANSMITTAL FORM

Document Reference # 05 1 0

Project: FDEP (Green Shores)

Laboratory: Wetlands Research Laboratory

Sampler's initials JS

Method of transport: \_\_\_\_\_ on ice by automobile \_\_\_\_\_

Page 1 of 1Samples delivered by: Cora Armbinst of FDEPDate/Time: 5/11/15, 1300Sample received by: John Oller of WRLDate/Time: 5/11/2015, 1300

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a water-proof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

| Lab ID                    | Sample ID                                   | Matrix <sup>1</sup> | Type <sup>2</sup> | Container Type  | Analyses Requested  | Preservative | Sample (°C) <sup>3</sup> | Sampling Date/Time |
|---------------------------|---------------------------------------------|---------------------|-------------------|-----------------|---------------------|--------------|--------------------------|--------------------|
| <del>40142</del> 15 40142 | #1-Pensacola Bay-3302H3GS1                  | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O3  | 6.3                      | 5/11/2014 0915     |
| 40143                     | #2-Pensacola Bay-3302J8GS2                  | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O4  | 5.0                      | 5/11/2014 0930     |
| 40144                     | #3-Pensacola Bay-3302J2GS3                  | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O5  | 5.0                      | 5/11/2014 0940     |
| 40145                     | #4-Pensacola Bay-3302J2GS4                  | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O6  | 6.4                      | 5/11/2014 0946     |
| <del>40146</del>          | #5-Pensacola Bay-3302J2GS5                  | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O7  | 6.9                      | 5/11/2014 0953     |
| 40147                     | #6-Pensacola Bay-3302J1GS6                  | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O8  | 4.4                      | 5/11/2014 1006     |
| 40148                     | #7-Pensacola Bay-3302J8GS7                  | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O9  | 5.1                      | 5/11/2014 1013     |
| 40149                     | #8-Pensacola Bay-3302J2GS8                  | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O10 | 5.3                      | 5/11/2014 1003     |
| 40150                     | #9-Pensacola Bay-3302J1GS9                  | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O11 | 5.9                      | 5/11/2014 1040     |
| 40151                     | #10-Pensacola Bay-3302J7GS10                | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O12 | 4.3                      | 5/11/2014 1035     |
| 40152                     | #11-Pensacola Bay-3302J7GS11                | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O13 | 5.4                      | 5/11/2014 1028     |
| 40153                     | #12-Pensacola Bay-3302J7GS12                | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O14 | 4.3                      | 5/11/2014 1021     |
| 40154                     | #13-Pensacola Bay/Hawkshaw Lagoon-3302J1HL1 | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O15 | 6.3                      | 5/11/2014 1100     |
| 40155                     | #14-Pensacola Bay-3302J1GS7                 | SW                  | G                 | Sterile plastic | EPA 1600 & SM 9222D | ice/Na2S2O16 | 5.1                      | 5/11/2014 1105     |
|                           |                                             |                     |                   |                 |                     |              |                          |                    |
|                           |                                             |                     |                   |                 |                     |              |                          |                    |
|                           |                                             |                     |                   |                 |                     |              |                          |                    |
|                           |                                             |                     |                   |                 |                     |              |                          |                    |
|                           |                                             |                     |                   |                 |                     |              |                          |                    |
|                           |                                             |                     |                   |                 |                     |              |                          |                    |
|                           |                                             |                     |                   |                 |                     |              |                          |                    |
|                           |                                             |                     |                   |                 |                     |              |                          |                    |
|                           |                                             |                     |                   |                 |                     |              |                          |                    |

Comments: sample container lot# L1421RQ 2015-05-11-32Contact organization: FDEPContact name: Zach Schang

Phone: (850) 595-8300

Address: 160 Governmental Center, suite 308, Pensacola, FL 32502

Sampler's name: \_\_\_\_\_

<sup>1</sup>Matrix: SW = surface water, PW = pore water, GW = ground water, S = soil/sediment, X = SW<sup>2</sup>Type codes: G = grab, C = composite, X = Grab<sup>3</sup>Recorded using IRT-2