

Biological Analysis Report

NW-DIST-2016-03-01-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Project Greenshores**
Request ID: **RQ-2016-02-22-17**
Customer: **NW-DIST**
Project ID: **DISTRICT**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Loretta Wolfe - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Daisys Matthews - Molecular Biology
Cheryl Swanson - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Environmental Manager

Date Certified: 30-MAR-2016 08:51



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Range Marker East of Texar

Collection Date/Time: 02/29/2016 11:24

Field ID: 1

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775396	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.6	I J	mg/L	P299874	LCS
1775412	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.0		ug/L	P300179	
		Phaeophytin-a	0.40	U	ug/L	P300179	
		Chlorophyll/Phaeophytin Ratio	1.7			P300179	
		Chlorophyll-a, Uncorrected	3.1		ug/L	P300179	
1775428	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	34	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/2 Bridge and Muscogee

Collection Date/Time: 02/29/2016 11:39

Field ID: 2

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775397	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.0	J	mg/L	P299874	LCS
1775413	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.9	A	ug/L	P300179	
		Phaeophytin-a	0.55	U	ug/L	P300179	
		Chlorophyll/Phaeophytin Ratio	1.7	A		P300179	
		Chlorophyll-a, Uncorrected	3.1	A	ug/L	P300179	
1775429	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	26	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Laboratory duplicate result is 0.55 U for Phaeophytin-a. Precision data is unavailable due to the small amount of analyte in the QC sample.

Sample Location: E. of Primary Stormdrain inside PGS1

Collection Date/Time: 02/29/2016 11:47

Field ID: 3

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775398	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.2	I J	mg/L	P299874	LCS
1775414	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.4		ug/L	P300179	
		Phaeophytin-a	0.48	I	ug/L	P300179	
		Chlorophyll/Phaeophytin Ratio	1.6			P300179	
		Chlorophyll-a, Uncorrected	2.7		ug/L	P300179	
1775430	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	11	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 100 ft South of Outfall

Collection Date/Time: 02/29/2016 11:53

Field ID: 4

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Field ID: 4

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775399	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.4	I J	mg/L	P299874	LCS
1775415	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.0		ug/L	P300179	
		Phaeophytin-a	0.40	U	ug/L	P300179	
		Chlorophyll/Phaeophytin Ratio	1.6			P300179	
		Chlorophyll-a, Uncorrected	3.3		ug/L	P300179	
1775431	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	13	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: End of Chase Street

Collection Date/Time: 02/29/2016 11:59

Field ID: 5

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775400	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.5	I J	mg/L	P299874	LCS
1775416	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.8		ug/L	P300187	
		Phaeophytin-a	0.50	U	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	
		Chlorophyll-a, Uncorrected	4.1		ug/L	P300187	
1775432	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	8	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/2 Muscogee & Hawkshaw (400ft.from Shore)

Collection Date/Time: 02/29/2016 12:15

Field ID: 6

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775401	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.2	J	mg/L	P299874	LCS
1775417	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.5		ug/L	P300187	
		Phaeophytin-a	0.60	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	
		Chlorophyll-a, Uncorrected	5.0		ug/L	P300187	
1775433	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	14	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/2 Bridge & Port

Collection Date/Time: 02/29/2016 12:48

Field ID: 7

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775402	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.1	I J	mg/L	P299874	LCS
1775418	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.6		ug/L	P300187	

Field ID: 7

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775418	SM 10200 H (mod.)	Phaeophytin-a	0.43	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	
		Chlorophyll-a, Uncorrected	5.0		ug/L	P300187	
1775434	EPA 1600 (MF)	Enterococci-Membrane Filter	4	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	11	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: West of Stromdrain, inside Rocks

Collection Date/Time: 02/29/2016 12:04

Field ID: 8

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775403	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.2	I J	mg/L	P299874	LCS
1775419	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.5		ug/L	P300187	
		Phaeophytin-a	0.48	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	
		Chlorophyll-a, Uncorrected	2.9		ug/L	P300187	
1775435	EPA 1600 (MF)	Enterococci-Membrane Filter	8	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	21	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: West End of Hawkshaw

Collection Date/Time: 02/29/2016 13:16

Field ID: 9

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775404	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.8	I J	mg/L	P299874	LCS
1775420	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.8		ug/L	P300187	
		Phaeophytin-a	0.48	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	
		Chlorophyll-a, Uncorrected	4.2		ug/L	P300187	
1775436	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	9	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Between Marina and Outfall

Collection Date/Time: 02/29/2016 13:09

Field ID: 10

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775405	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.2	J	mg/L	P299874	LCS
1775421	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.4		ug/L	P300187	
		Phaeophytin-a	0.49	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	

Field ID: 10

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775421	SM 10200 H (mod.)	Chlorophyll-a, Uncorrected	3.8		ug/L	P300187	
1775437	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	6	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Entrance of Marina

Collection Date/Time: 02/29/2016 13:00

Field ID: 11

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775406	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.0	I	mg/L	P299875	RPD
1775422	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.4		ug/L	P300187	
		Phaeophytin-a	0.51	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	
		Chlorophyll-a, Uncorrected	3.9		ug/L	P300187	
1775438	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	11	B	cfu/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/4 Between Bridge and Port (400ft from Shore) **Collection Date/Time: 02/29/2016 12:52**

Field ID: 12

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775407	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.1		mg/L	P299875	RPD
1775423	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.8	A	ug/L	P300187	
		Phaeophytin-a	0.63	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6	A		P300187	
		Chlorophyll-a, Uncorrected	5.3	A	ug/L	P300187	
1775439	EPA 1600 (MF)	Enterococci-Membrane Filter	4	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	19	B	cfu/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Laboratory duplicate result is 0.61 I for Phaeophytin-a. Precision data is unavailable due to the small amount of analyte in the QC sample.

Sample Location: Inside Hawkshaw Lagoon

Collection Date/Time: 02/29/2016 13:31

Field ID: 13

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775408	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.9	I	mg/L	P299875	RPD
1775424	SM 10200 H (mod.)	Chlorophyll-a, Corrected	9.0		ug/L	P300187	
		Phaeophytin-a	0.72	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	
		Chlorophyll-a, Uncorrected	9.7		ug/L	P300187	
1775440	EPA 1600 (MF)	Enterococci-Membrane Filter	4	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	5	B	cfu/100 mL		

Field ID: 13

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: East of Stormdrain inside PGS 2

Collection Date/Time: 02/29/2016 13:43

Field ID: 14

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

1775409	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.8	I	mg/L	P299875	RPD
1775425	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.6		ug/L	P300187	
		Phaeophytin-a	0.58	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	
		Chlorophyll-a, Uncorrected	4.0		ug/L	P300187	
1775441	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		
	SM 9222 D	Fecal Coliforms-Membrane Filter	12	B	cfu/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Hawkshaw Lagoon-Field Blank

Collection Date/Time: 02/29/2016 13:31

Field ID: 13

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

1775410	SM 5210 B	Biochemical Oxygen Demand-5 Day	0.20	U	mg/L	P299875	RPD
1775426	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.55	U	ug/L	P300187	
		Phaeophytin-a	0.40	U	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	0.65			P300187	
		Chlorophyll-a, Uncorrected	0.40	U	ug/L	P300187	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Entrance of Marina

Collection Date/Time: 02/29/2016 12:52

Field ID: 11-DUPLICATE

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

1775411	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.6		mg/L	P299875	RPD
1775427	SM 10200 H (mod.)	Chlorophyll-a, Corrected	5.5		ug/L	P300187	
		Phaeophytin-a	0.46	I	ug/L	P300187	
		Chlorophyll/Phaeophytin Ratio	1.6			P300187	
		Chlorophyll-a, Uncorrected	6.0		ug/L	P300187	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report

Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P300179

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P300187

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 5210 B
Batch ID: P299874

Component	Result	Code	Units
Biochemical Oxygen Demand-5 Day	0.20	U	mg/L

Reference Method: SM 5210 B
Batch ID: P299875

Component	Result	Code	Units
Biochemical Oxygen Demand-5 Day	0.20	U	mg/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P300179

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	98.6		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P300187

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	101		P	84 - 116

Reference Method: SM 5210 B
Batch ID: P299874

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Biochemical Oxygen Demand-5 Day	129		F	84 - 116

Reference Method: SM 5210 B
Batch ID: P299875

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Biochemical Oxygen Demand-5 Day	99.5		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P300179

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775413	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1775413	Chlorophyll-a, Corrected	5.13	Sample	P	0 - 25
1775413	Chlorophyll-a, Uncorrected	4.88	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P300187

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775423	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1775423	Chlorophyll-a, Corrected	1.58	Sample	P	0 - 25
1775423	Chlorophyll-a, Uncorrected	1.22	Sample	P	0 - 25

Reference Method: SM 5210 B
Batch ID: P299875

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775566	Biochemical Oxygen Demand-5 Day	27.4	Sample	F	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio				0.0	
	Chlorophyll/Phaeophytin Ratio				0.0	
	Chlorophyll-a, Corrected	98.6			5.13	
	Chlorophyll-a, Corrected	101			1.58	
	Chlorophyll-a, Uncorrected				4.88	
	Chlorophyll-a, Uncorrected				1.22	
SM 5210 B	Biochemical Oxygen Demand-5 Day	129				
	Biochemical Oxygen Demand-5 Day	99.5			27.4	

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 1600 (MF) / E71969	Enterococci by membrane filter method by UWF Overflow Laboratory for NWD	1775428, 1775429, 1775430, 1775431, 1775432, 1775433, 1775434, 1775435, 1775436, 1775437, 1775438, 1775439, 1775440, 1775441
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry	1775412, 1775413, 1775414, 1775415, 1775416, 1775417, 1775418, 1775419, 1775420, 1775421, 1775422, 1775423, 1775424, 1775425, 1775426, 1775427

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 5210 B / E31780	BOD, NOT nitrogen-inhibited	1775396, 1775397, 1775398, 1775399, 1775400, 1775401, 1775402, 1775403, 1775404, 1775405, 1775406, 1775407, 1775408, 1775409, 1775410, 1775411
SM 9222 D / E71969	Fecal coliforms by membrane filter method by UWF Overflow Laboratory for NWD	1775428, 1775429, 1775430, 1775431, 1775432, 1775433, 1775434, 1775435, 1775436, 1775437, 1775438, 1775439, 1775440, 1775441

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 1600 (MF)	02/29/2016			02/29/2016 16:07	UWF Lab	1775441
	02/29/2016			02/29/2016 16:10	UWF Lab	1775440
	02/29/2016			02/29/2016 16:13	UWF Lab	1775439
	02/29/2016			02/29/2016 16:16	UWF Lab	1775438
	02/29/2016			02/29/2016 16:19	UWF Lab	1775437
	02/29/2016			02/29/2016 16:25	UWF Lab	1775436
	02/29/2016			02/29/2016 16:30	UWF Lab	1775428
	02/29/2016			02/29/2016 16:33	UWF Lab	1775429
	02/29/2016			02/29/2016 16:36	UWF Lab	1775430
	02/29/2016			02/29/2016 16:39	UWF Lab	1775431
	02/29/2016			02/29/2016 16:42	UWF Lab	1775432
	02/29/2016			02/29/2016 16:45	UWF Lab	1775433
	02/29/2016			02/29/2016 16:51	UWF Lab	1775434
	02/29/2016			02/29/2016 16:54	UWF Lab	1775435
SM 10200 H (mod.)	03/01/2016	03/01/2016 15:00	Meiqin Chen	03/10/2016	Amelia G. Rankin	1775412, 1775413, 1775414, 1775415, 1775416, 1775417, 1775418, 1775419, 1775420, 1775421, 1775422, 1775423, 1775424, 1775425, 1775426, 1775427
SM 5210 B	03/01/2016			03/02/2016 07:05	Kim M. Spencer	1775396, 1775397, 1775398, 1775399, 1775400, 1775401, 1775402, 1775403, 1775404, 1775405, 1775406, 1775407, 1775408, 1775409, 1775410, 1775411
SM 9222 D	02/29/2016			02/29/2016 16:12	UWF Lab	1775428
	02/29/2016			02/29/2016 16:16	UWF Lab	1775429
	02/29/2016			02/29/2016 16:21	UWF Lab	1775430
	02/29/2016			02/29/2016 16:25	UWF Lab	1775431
	02/29/2016			02/29/2016 16:29	UWF Lab	1775432
	02/29/2016			02/29/2016 16:33	UWF Lab	1775433
	02/29/2016			02/29/2016 16:44	UWF Lab	1775434
	02/29/2016			02/29/2016 16:51	UWF Lab	1775435
	02/29/2016			02/29/2016 16:56	UWF Lab	1775436
	02/29/2016			02/29/2016 17:00	UWF Lab	1775437
	02/29/2016			02/29/2016 17:08	UWF Lab	1775438
	02/29/2016			02/29/2016 17:12	UWF Lab	1775439
	02/29/2016			02/29/2016 17:16	UWF Lab	1775440
	02/29/2016			02/29/2016 17:21	UWF Lab	1775441