

SAMPLE TRANSMITTAL FORM
Document Reference # 05.1.0

Project: Project GreenShores FDEP

Laboratory: Wetlands Research Laboratory

Sampler's initials: JJ

Method of transport: _____ on ice by automobile _____

Page 1 of 1

Samples delivered by: Sarah Beth Orloff FDEP

Date/Time: 11/16/16 1:14/2

Sample received by: Guanyao of WRL

Date/Time: 11/16/16 1:14/2

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

Lab ID	Sample ID	Matrix ¹	Type ²	Container Type	Analyses Requested	Preservative	Sample (°C) ³	Sampling Date/Time
<u>14-41966</u>	#1-Pensacola Bay-3302H32GS1	SW	G	Sterile plastic	Enterococcus	ice/Na2S2O3	<u>4.2</u>	11/16/2016 <u>9:33</u>
<u>41967</u>	#2-Pensacola Bay-3302J8GS2	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>1.7</u>	11/16/2016 <u>9:44</u>
<u>41968</u>	#3-Pensacola Bay-3302J2GS3	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>1.9</u>	11/16/2016 <u>9:52</u>
<u>41969</u>	#4-Pensacola Bay-3302J2GS4	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>2.2</u>	11/16/2016 <u>9:59</u>
<u>41970</u>	#5-Pensacola Bay-3302J2GS5	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>1.6</u>	11/16/2016 <u>10:16</u>
<u>41971</u>	#6-Pensacola Bay-3302J1GS6	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>2.3</u>	11/16/2016 <u>10:23</u>
<u>41972</u>	#7-Pensacola Bay-3302J8GS7	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>3.7</u>	11/16/2016 <u>10:30</u>
<u>41973</u>	#8-Pensacola Bay-3302J2GS8	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>1.7</u>	11/16/2016 <u>10:06</u>
<u>41974</u>	#9-Pensacola Bay-3302J1GS9	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>2.9</u>	11/16/2016 <u>11:01</u>
<u>41975</u>	#10-Pensacola Bay-3302J7GS10	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>3.3</u>	11/16/2016 <u>10:55</u>
<u>41976</u>	#11-Pensacola Bay-3302J7GS11	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>6.6</u>	11/16/2016 <u>10:46</u>
<u>41977</u>	#12-Pensacola Bay-3302J7GS12	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>3.6</u>	11/16/2016 <u>10:38</u>
<u>41978</u>	#13-Pen Bay/Hawkshaw Lagoon-3302J1HL1	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>1.4</u>	11/16/2016 <u>11:09</u>
<u>41979</u>	#14-Pensacola Bay-3302J1GS7	SW	G	Sterile plastic	Enterococcus MF	ice/Na2S2O3	<u>2.4</u>	11/16/2016 <u>11:24</u>

Comments sample container lot# L14034 "Samples are ambient water and not suspected to contain chlorine."

RQ-2016-11-14-41

Contact organization FDEP

Contact name Zach Schang

Phone: (850) 595-0599

Address 160 Governmental Center, suite 308, Pensacola, FL 32502

Sampler's name: _____

¹Matrix: SW = surface water, PW = pore water, GW = ground water, S = soil/sediment, X = _____

²Type codes: G = grab, C = composite, X = _____

³ Recorded using IRT-2