

Biological Analysis Report

NW-DIST-2018-03-22-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969


Event Description: **Project Greenshores**
Request ID: **RQ-2018-02-26-14**
Customer: **NW-DIST**
Project ID: **DISTRICT**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Puja Jasrotia, Ph.D. - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 09-MAY-2018 15:57



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Range Marker E. of Texar

Collection Date/Time: 03/21/2018 11:12

Field ID: #1 - Pensacola Bay-3302H32GS1

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976557	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.7		ug/L	P342218	
		Phaeophytin-a	0.49	I	ug/L	P342218	
		Chlorophyll-a, Uncorrected	4.2		ug/L	P342218	
1976572	Enterolert/QT	Enterococci-Quanti-Tray	10		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/2 Bridge and Muscogee

Collection Date/Time: 03/21/2018 11:29

Field ID: #2 - Pensacola Bay-3302J8GS2

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976558	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.4		ug/L	P342218	
		Phaeophytin-a	0.40	U	ug/L	P342218	
		Chlorophyll-a, Uncorrected	3.6		ug/L	P342218	
1976573	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: East of Primary Stormdrain PGS1

Collection Date/Time: 03/21/2018 11:39

Field ID: #3 - Pensacola Bay-3302J2GS3

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976559	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.6		ug/L	P342218	
		Phaeophytin-a	0.40	U	ug/L	P342218	
		Chlorophyll-a, Uncorrected	2.8		ug/L	P342218	
1976574	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 100 ft. South of Stormdrain

Collection Date/Time: 03/21/2018 11:46

Field ID: #4 - Pensacola Bay-3302J2GS4

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976560	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.2		ug/L	P342218	
		Phaeophytin-a	0.40	U	ug/L	P342218	
		Chlorophyll-a, Uncorrected	3.4		ug/L	P342218	
1976575	Enterolert/QT	Enterococci-Quanti-Tray	10		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: End of Chase Street

Collection Date/Time: 03/21/2018 12:04

Field ID: #5 - Pensacola Bay-3302J2GS5

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976561	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.8		ug/L	P342218	

Field ID: #5 - Pensacola Bay-3302J2GS5

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976561	SM 10200 H (mod.)	Phaeophytin-a	0.40	U	ug/L	P342218	
		Chlorophyll-a, Uncorrected	4.1		ug/L	P342218	
1976576	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/2 Muscogee and Hawkshaw 400ft from Shore **Collection Date/Time: 03/21/2018 12:11**

Field ID: #6 - Pensacola Bay-3302J1GS6

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976562	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.5		ug/L	P342218	
		Phaeophytin-a	0.40	U	ug/L	P342218	
		Chlorophyll-a, Uncorrected	2.6		ug/L	P342218	
1976577	Enterolert/QT	Enterococci-Quanti-Tray	121		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/2 Bridge and Port

Collection Date/Time: 03/21/2018 12:18

Field ID: #7 - Pensacola Bay-3302J8GS7

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976563	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.0		ug/L	P342218	
		Phaeophytin-a	0.40	U	ug/L	P342218	
		Chlorophyll-a, Uncorrected	3.2		ug/L	P342218	
1976578	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: West of Stormdrain, Inside Rocks

Collection Date/Time: 03/21/2018 11:54

Field ID: #8 - Pensacola Bay-3302J2GS8

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976564	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.3		ug/L	P342218	
		Phaeophytin-a	0.40	U	ug/L	P342218	
		Chlorophyll-a, Uncorrected	2.6		ug/L	P342218	
1976579	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: West End of Hawkshaw 100ft S. of Outfall

Collection Date/Time: 03/21/2018 12:53

Field ID: #9 - Pensacola Bay-3302J1GS9

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976565	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.1		ug/L	P342218	
		Phaeophytin-a	0.40	U	ug/L	P342218	
		Chlorophyll-a, Uncorrected	3.4		ug/L	P342218	

Field ID: #9 - Pensacola Bay-3302J1GS9

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976580	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Between Marina and Outfall

Collection Date/Time: 03/21/2018 12:45

Field ID: #10 - Pensacola Bay-3302J7GS10

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976566	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.1		ug/L	P342218	
		Phaeophytin-a	0.40	U	ug/L	P342218	
		Chlorophyll-a, Uncorrected	3.2		ug/L	P342218	
1976581	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Entrance of Marina

Collection Date/Time: 03/21/2018 12:38

Field ID: #11 - Pensacola Bay-3302J7GS11

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976567	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.7	A	ug/L	P342218	
		Phaeophytin-a	0.54	I	ug/L	P342218	
		Chlorophyll-a, Uncorrected	4.1	A	ug/L	P342218	
1976582	Enterolert/QT	Enterococci-Quanti-Tray	74		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Laboratory duplicate result is 0.40 U for Phaeophytin-a. Precision data is unavailable due to the small amount of analyte in the QC sample.

Sample Location: 1/4 Between Bridge and Port 400ft from Shore

Collection Date/Time: 03/21/2018 12:27

Field ID: #12 - Pensacola Bay-3302J7GS12

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976568	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.4		ug/L	P342219	
		Phaeophytin-a	0.40	U	ug/L	P342219	
		Chlorophyll-a, Uncorrected	3.6		ug/L	P342219	
1976583	Enterolert/QT	Enterococci-Quanti-Tray	10		MPN/100 mL		

Sample Location: 1/4 Between Bridge and Port 400ft from Shore

Collection Date/Time: 03/21/2018 12:29

Field ID: Blank

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976571	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.55	U	ug/L	P342219	
		Phaeophytin-a	0.40	U	ug/L	P342219	
		Chlorophyll-a, Uncorrected	0.40	U	ug/L	P342219	

Sample Location: Inside Hawkshaw Lagoon

Collection Date/Time: 03/21/2018 13:05

Field ID: #13-PenBay/Hawkshaw-3302J1HL1

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976569	SM 10200 H (mod.)	Chlorophyll-a, Corrected	5.6		ug/L	P342219	
		Phaeophytin-a	0.40	U	ug/L	P342219	
		Chlorophyll-a, Uncorrected	5.9		ug/L	P342219	
1976584	Enterolert/QT	Enterococci-Quanti-Tray	41		MPN/100 mL		

Sample Location: East or Stormdrain Inside PGS Site 2

Collection Date/Time: 03/21/2018 13:16

Field ID: #14 - Pensacola Bay -3302J1GS7

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1976570	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.1		ug/L	P342219	
		Phaeophytin-a	0.40	U	ug/L	P342219	
		Chlorophyll-a, Uncorrected	3.4		ug/L	P342219	
1976585	Enterolert/QT	Enterococci-Quanti-Tray	85		MPN/100 mL		

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P342218

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P342219

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P342218

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	95.9		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P342219

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	101		P	84 - 116

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P342218

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1976567	Chlorophyll-a, Corrected	3.58	Sample	P	0 - 25
1976567	Chlorophyll-a, Uncorrected	6.02	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P342219

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1976654	Chlorophyll-a, Corrected	7.03	Sample	P	0 - 25
1976654	Chlorophyll-a, Uncorrected	7.16	Sample	P	0 - 25
1976654	Phaeophytin-a	8.48	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision
				LCS SMP MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	95.9		3.58
	Chlorophyll-a, Corrected	101		7.03
	Chlorophyll-a, Uncorrected			6.02
	Chlorophyll-a, Uncorrected			7.16
	Phaeophytin-a			8.48

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
Enterolert/QT / E71969	Enterococci by Enterolert Quanti-Tray method by UWF Overflow Laboratory for NWD	1976572, 1976573, 1976574, 1976575, 1976576, 1976577, 1976578, 1976579, 1976580, 1976581, 1976582, 1976583, 1976584, 1976585
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	1976557, 1976558, 1976559, 1976560, 1976561, 1976562, 1976563, 1976564, 1976565, 1976566, 1976567, 1976568, 1976569, 1976570, 1976571

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	03/21/2018	03/21/2018 17:15		03/22/2018 17:40	UWF Lab	1976572, 1976573, 1976574, 1976575, 1976576, 1976577, 1976578, 1976579, 1976580, 1976581, 1976582, 1976583, 1976584, 1976585
SM 10200 H (mod.)	03/22/2018	03/22/2018 13:01	Cathy Sherrer	03/26/2018 13:15	Kim M. Spencer	1976557, 1976558, 1976559, 1976560, 1976561, 1976562, 1976563, 1976564, 1976565, 1976566, 1976567
	03/22/2018	03/22/2018 13:01	Cathy Sherrer	03/26/2018 13:35	Kim M. Spencer	1976568, 1976569, 1976570, 1976571