

Date of Request: 29-APR-2021
 Created By: BUNCH_CA On: 29-APR-2021
 Modified By: BUNCH_CA On: 29-APR-2021
 Customer: NW-DIST
 Project: DISTRICT
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Event Description: Project Greenshores

Send Coolers To:

Phone: SC-695-8300
 160 Government Center
 Suite 308
 Pensacola, FL 32502-5794
 Attn: Michael King
 Cooler Ship EMail: Michael.King@dep.state.fl.us

Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 30-AUG-2021
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: YES
 Date to Receive Samples: 13-SEP-2021
 Logged In By:

Send Final Report To:

160 Government Center
 Suite 308
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch
 Report Notification EMail:
 Michael.King@dep.state.fl.us; Heather.Schmuki@floridadep.gov;
 Myranda.K.Butler@FloridaDEP.gov

Comments: 1 Case H2SO4

Bottle Group A (Water) With 14 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by UWF in Pensacola
Enterococci-Quanti-Tray		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		