

SAMPLE TRANSMITTAL FORM

Document Reference # 05.1.0

Project: FDEP (Greenshores)

Laboratory: Wetlands Research Laboratory

Sampler's initials: 2S

Method of transport: on ice by automobile

Page 1 of 1

Samples delivered by: [Signature] of FDEPDate/Time: 12/2/13 1 1410Sample received by: [Signature] of WRLDate/Time: 12/2/13 1 1410

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

Lab ID	Sample ID	Matrix ¹	Type ²	Container Type	Analyses Requested	Preservative	Sample (°C) ³	Sampling Date/Time
<u>38171</u>	#1-Pensacola Bay-3302H32GS1	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>9.9</u>	12/2/2013 <u>953</u>
<u>38172</u>	#2-Pensacola Bay-3302J8GS2	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>11.6</u>	12/2/2013 <u>1005</u>
<u>38173</u>	#3-Pensacola Bay-3302J2GS3	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>9.4</u>	12/2/2013 <u>1013</u>
<u>38174</u>	#4-Pensacola Bay-3302J2GS4	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>9.3</u>	12/2/2013 <u>1019</u>
<u>38175</u>	#5-Pensacola Bay-3302J2GS5	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>7.9</u>	12/2/2013 <u>1039</u>
<u>38176</u>	#6-Pensacola Bay-3302J1GS6	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>8.3</u>	12/2/2013 <u>1048</u>
<u>38177</u>	#7-Pensacola Bay-3302J8GS7	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>8.1</u>	12/2/2013 <u>1100</u>
<u>38178</u>	#8-Pensacola Bay-3302J2GS8	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>7.6</u>	12/2/2013 <u>1036</u>
<u>38179</u>	#9-Pensacola Bay-3302J1GS9	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>8.6</u>	12/2/2013 <u>1127</u>
<u>38180</u>	#10-Pensacola Bay-3302J7GS10	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>8.0</u>	12/2/2013 <u>1121</u>
<u>38181</u>	#11-Pensacola Bay-3302J7GS11	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>8.1</u>	12/2/2013 <u>1112</u>
<u>38182</u>	#12-Pensacola Bay-3302J7GS12	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>8.7</u>	12/2/2013 <u>1106</u>
<u>38183</u>	#13-Pensacola Bay/Hawkshaw Lagoon-3302J1HL1	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>9.3</u>	12/2/2013 <u>1140</u>
<u>38184</u>	#14-Pensacola Bay-3302J1GS7	SW	G	Sterile plastic	EPA 1600 & SM 9222D	ice/Na2S2O3	<u>9.3</u>	12/2/2013 <u>1147</u>

Comments: sample container lot# L12311N

RQ-2013-11-25-11

Contact organization FDEP

Contact name Zach Schang

Phone: 595-8300

Address 160 Governmental Center, suite 308, Pensacola, FL 32502

Sampler's name: Zachary Schang

¹Matrix: SW = surface water, PW = pore water, GW = ground water, S = soil/sediment, X =²Type codes: G = grab, C = composite, X =³Recorded using IRT-2