

Laboratory Results

Lee County Environmental Laboratory

60-2 Danley Drive
Fort Myers, FL 33907
239-533-8600



To: Natural Resources Management
1500 Monroe St
Fort Myers FL 33901
RE: Tidal Caloosa

Report Date: 10/17/2023

Below are the results of samples submitted to this laboratory on 10/4/2023

Laboratory ID	AF71088	Collection date and time	10/4/2023 10:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #412		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	10/12/2023	8:00 AM	SM21 10200 H
Pheophytin	4.76		mg/M3	0.5	2.0	10/12/2023	8:00 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	92.0		%	0.1		10/4/2023	10:50 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	1.0	I	mg/L	0.3	1.2	10/5/2023	8:04 AM	SM 5210 B
Color	139		CU	1.25	5.00	10/5/2023	9:11 AM	SM21 2120 C
Specific Conductance, By Client	800		µmhos/cm			10/4/2023	10:50 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	7.27		mg/L			10/4/2023	10:55 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		10/4/2023	3:08 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	10/6/2023	9:11 AM	EPA 350.1
Nitrite as N	0.007	I	mg/L as N	0.003	0.012	10/5/2023	1:44 PM	EPA 353.2
Nitrate as N	0.309		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrate + Nitrite as N	0.316		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrogen, Organic	0.87		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN - NH3
Phosphorus, Ortho as P	0.106		mg/L as P	0.005	0.020	10/5/2023	8:56 AM	EPA 365.1
pH, Field (electrometric) by Client	8.17		units			10/4/2023	10:50 AM	FDEP FT1100
Salinity by meter by Client	0.39		SU			10/4/2023	10:50 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.55		meters			10/4/2023	10:50 AM	FDEP FT 1700
Depth of Water Body	3.7		Meters			10/4/2023	10:50 AM	FS2100
Field Temperature by client	27.4		°C			10/4/2023	10:50 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.87		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	EPA 351.2
Nitrogen, Total	1.2		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN + NOX
Total Organic Carbon (NPOC)	18		mg/L	1	4	10/10/2023	3:35 PM	SM 5310 B
Phosphorus, Total as P	0.16		mg/L as P	0.006	0.024	10/11/2023	8:36 AM	EPA 365.1

Report Format: NELAC

DOH #E45049



Laboratory ID	AF71088	Collection date and time	10/4/2023 10:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #412		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Total Suspended Solids	6.50		mg/L	0.6	2.4	10/5/2023	9:10 AM	SM 2540 D
Turbidity (Nephelometric)	6.57		NTU	0.2	0.8	10/5/2023	6:44 AM	EPA 180.1

Laboratory ID	AF71089	Collection date and time	10/4/2023 11:05 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #412 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	10/12/2023	8:00 AM	SM21 10200 H
Pheophytin	4.14		mg/M3	0.5	2.0	10/12/2023	8:00 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	85.6		%	0.1		10/4/2023	11:05 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.7	I	mg/L	0.3	1.2	10/5/2023	8:04 AM	SM 5210 B
Color	148		CU	1.25	5.00	10/5/2023	9:11 AM	SM21 2120 C
Specific Conductance, By Client	5200		µmhos/cm			10/4/2023	11:05 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	6.67		mg/L			10/4/2023	10:55 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		10/4/2023	3:08 PM	Enterolert®
Ammonia as N	0.020	I	mg/L as N	0.014	0.056	10/6/2023	9:11 AM	EPA 350.1
Nitrite as N	0.010	I	mg/L as N	0.003	0.012	10/5/2023	1:44 PM	EPA 353.2
Nitrate as N	0.301		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrate + Nitrite as N	0.311		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrogen, Organic	1.1		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN - NH3
Phosphorus, Ortho as P	0.108		mg/L as P	0.005	0.020	10/5/2023	8:56 AM	EPA 365.1
pH, Field (electrometric) by Client	7.89		units			10/4/2023	10:55 AM	FDEP FT1100
Salinity by meter by Client	2.76		SU			10/4/2023	10:55 AM	FDEP FT 1300
Depth of Water Body	3.7		Meters			10/4/2023	10:55 AM	FS2100
Field Temperature by client	27.4		°C			10/4/2023	11:05 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	1.1		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	EPA 351.2
Nitrogen, Total	1.4		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN + NOX
Total Organic Carbon (NPOC)	17		mg/L	1	4	10/10/2023	3:35 PM	SM 5310 B
Phosphorus, Total as P	0.16		mg/L as P	0.006	0.024	10/11/2023	8:36 AM	EPA 365.1
Total Suspended Solids	6.95		mg/L	0.6	2.4	10/5/2023	9:10 AM	SM 2540 D
Turbidity (Nephelometric)	6.69		NTU	0.2	0.8	10/5/2023	6:44 AM	EPA 180.1



Laboratory ID	AF71090	Collection date and time	10/4/2023 11:30 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #424		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	10/12/2023	8:00 AM	SM21 10200 H
Pheophytin	5.53		mg/M3	0.5	2.0	10/12/2023	8:00 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	83.9		%	0.1		10/4/2023	11:30 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.8	I	mg/L	0.3	1.2	10/5/2023	8:04 AM	SM 5210 B
Color	137		CU	1.25	5.00	10/5/2023	9:11 AM	SM21 2120 C
Specific Conductance, By Client	600		µmhos/cm			10/4/2023	11:30 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	6.61		mg/L			10/4/2023	11:30 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		10/4/2023	3:08 PM	Enterolert®
Ammonia as N	0.039	I	mg/L as N	0.014	0.056	10/6/2023	9:11 AM	EPA 350.1
Nitrite as N	0.012		mg/L as N	0.003	0.012	10/5/2023	1:44 PM	EPA 353.2
Nitrate as N	0.320		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrate + Nitrite as N	0.332		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrogen, Organic	0.96		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN - NH3
Phosphorus, Ortho as P	0.119		mg/L as P	0.005	0.020	10/5/2023	8:56 AM	EPA 365.1
pH, Field (electrometric) by Client	8.12		units			10/4/2023	11:30 AM	FDEP FT1100
Salinity by meter by Client	0.27		SU			10/4/2023	11:30 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.65		meters			10/4/2023	11:30 AM	FDEP FT 1700
Depth of Water Body	1.1		Meters			10/4/2023	11:30 AM	FS2100
Field Temperature by client	27.5		°C			10/4/2023	11:30 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	1.0		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	EPA 351.2
Nitrogen, Total	1.3		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN + NOX
Total Organic Carbon (NPOC)	18		mg/L	1	4	10/10/2023	3:35 PM	SM 5310 B
Phosphorus, Total as P	0.16		mg/L as P	0.006	0.024	10/11/2023	8:36 AM	EPA 365.1
Total Suspended Solids	3.70		mg/L	0.6	2.4	10/5/2023	9:10 AM	SM 2540 D
Turbidity (Nephelometric)	4.31		NTU	0.2	0.8	10/5/2023	6:44 AM	EPA 180.1

Laboratory ID	AF71091	Collection date and time	10/4/2023 9:45 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #394		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.19	I	mg/M3	0.5	2.0	10/16/2023	7:30 AM	SM21 10200 H
Pheophytin	2.56		mg/M3	0.5	2.0	10/16/2023	7:30 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	80.4		%	0.1		10/4/2023	9:45 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.8	I	mg/L	0.3	1.2	10/5/2023	8:04 AM	SM 5210 B
Color	103		CU	1.25	5.00	10/5/2023	9:11 AM	SM21 2120 C

Report Format: NELAC

DOH #E45049



Laboratory ID	AF71091	Collection date and time	10/4/2023 9:45 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #394		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Specific Conductance, By Client	18100		µmhos/cm			10/4/2023	9:45 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	6.04		mg/L			10/4/2023	9:45 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		10/4/2023	3:08 PM	Enterolert®
Ammonia as N	0.050	I	mg/L as N	0.014	0.056	10/6/2023	9:11 AM	EPA 350.1
Nitrite as N	0.022		mg/L as N	0.003	0.012	10/5/2023	1:44 PM	EPA 353.2
Nitrate as N	0.253		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrate + Nitrite as N	0.275		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrogen, Organic	0.91		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN - NH3
Phosphorus, Ortho as P	0.098		mg/L as P	0.005	0.020	10/5/2023	8:56 AM	EPA 365.1
pH, Field (electrometric) by Client	7.78		units			10/4/2023	9:45 AM	FDEP FT1100
Salinity by meter by Client	10.66		SU			10/4/2023	9:45 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.75		meters			10/4/2023	9:45 AM	FDEP FT 1700
Depth of Water Body	1.9		Meters			10/4/2023	9:45 AM	FS2100
Field Temperature by client	27.6		°C			10/4/2023	9:45 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.96		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	EPA 351.2
Nitrogen, Total	1.2		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN + NOX
Total Organic Carbon (NPOC)	14		mg/L	1	4	10/10/2023	3:35 PM	SM 5310 B
Phosphorus, Total as P	0.13		mg/L as P	0.006	0.024	10/11/2023	8:36 AM	EPA 365.1
Total Suspended Solids	3.90		mg/L	0.6	2.4	10/5/2023	9:10 AM	SM 2540 D
Turbidity (Nephelometric)	4.44		NTU	0.2	0.8	10/5/2023	6:44 AM	EPA 180.1

Laboratory ID	AF71092	Collection date and time	10/4/2023 12:20 PM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #454		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.26	I	mg/M3	0.5	2.0	10/16/2023	7:30 AM	SM21 10200 H
Pheophytin	4.17		mg/M3	0.5	2.0	10/16/2023	7:30 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	58.2		%	0.1		10/4/2023	12:20 PM	FDEP FT1500
Biochemical Oxygen Demand 5 day	1.1	I	mg/L	0.3	1.2	10/5/2023	8:04 AM	SM 5210 B
Color	209		CU	2.50	10.00	10/5/2023	9:11 AM	SM21 2120 C
Specific Conductance, By Client	300		µmhos/cm			10/4/2023	12:20 PM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	4.49		mg/L			10/4/2023	12:20 PM	FDEP FT1500
Enterococci	10		MPN/100mL	10		10/4/2023	3:08 PM	Enterolert®
Ammonia as N	0.017	I	mg/L as N	0.014	0.056	10/6/2023	9:11 AM	EPA 350.1
Nitrite as N	0.037		mg/L as N	0.003	0.012	10/5/2023	1:44 PM	EPA 353.2

Report Format: NELAC

DOH #E45049



Laboratory ID	AF71092	Collection date and time	10/4/2023 12:20 PM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #454		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrate as N	0.184		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrate + Nitrite as N	0.221		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrogen, Organic	1.1		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN - NH3
Phosphorus, Ortho as P	0.078		mg/L as P	0.005	0.020	10/5/2023	8:56 AM	EPA 365.1
pH, Field (electrometric) by Client	7.57		units			10/4/2023	12:20 PM	FDEP FT1100
Salinity by meter by Client	0.15		SU			10/4/2023	12:20 PM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.55		meters			10/4/2023	12:20 PM	FDEP FT 1700
Depth of Water Body	1.5		Meters			10/4/2023	12:20 PM	FS2100
Field Temperature by client	28.7		°C			10/4/2023	12:20 PM	FDEP FT1400
Nitrogen, Kjeldahl, Total	1.1		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	EPA 351.2
Nitrogen, Total	1.3		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN + NOX
Total Organic Carbon (NPOC)	20		mg/L	1	4	10/10/2023	3:35 PM	SM 5310 B
Phosphorus, Total as P	0.13		mg/L as P	0.006	0.024	10/11/2023	8:36 AM	EPA 365.1
Total Suspended Solids	5.95		mg/L	0.6	2.4	10/5/2023	9:10 AM	SM 2540 D
Turbidity (Nephelometric)	3.96		NTU	0.2	0.8	10/5/2023	6:44 AM	EPA 180.1

Laboratory ID	AF71093	Collection date and time	10/4/2023 10:25 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #395		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	10/16/2023	7:30 AM	SM21 10200 H
Pheophytin	5.00		mg/M3	0.5	2.0	10/16/2023	7:30 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	89.5		%	0.1		10/4/2023	10:25 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.7	I	mg/L	0.3	1.2	10/5/2023	8:04 AM	SM 5210 B
Color	129		CU	1.25	5.00	10/5/2023	9:11 AM	SM21 2120 C
Specific Conductance, By Client	4000		µmhos/cm			10/4/2023	10:25 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	7.02		mg/L			10/4/2023	10:25 AM	FDEP FT1500
Enterococci	10		MPN/100mL	10		10/4/2023	3:08 PM	Enterolert®
Ammonia as N	0.021	I	mg/L as N	0.014	0.056	10/6/2023	9:11 AM	EPA 350.1
Nitrite as N	0.011	I	mg/L as N	0.003	0.012	10/5/2023	1:44 PM	EPA 353.2
Nitrate as N	0.292		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrate + Nitrite as N	0.303		mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrogen, Organic	1.1		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN - NH3
Phosphorus, Ortho as P	0.107		mg/L as P	0.005	0.020	10/5/2023	8:56 AM	EPA 365.1
pH, Field (electrometric) by Client	8.02		units			10/4/2023	10:25 AM	FDEP FT1100

Report Format: NELAC

DOH #E45049



Laboratory ID	AF71093	Collection date and time	10/4/2023 10:25 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #395		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Salinity by meter by Client	2.10		SU			10/4/2023	10:25 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.65		meters			10/4/2023	10:25 AM	FDEP FT 1700
Depth of Water Body	2.3		Meters			10/4/2023	10:25 AM	FS2100
Field Temperature by client	27.2		°C			10/4/2023	10:25 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	1.1		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	EPA 351.2
Nitrogen, Total	1.4		mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN + NOX
Total Organic Carbon (NPOC)	17		mg/L	1	4	10/10/2023	3:35 PM	SM 5310 B
Phosphorus, Total as P	0.16		mg/L as P	0.006	0.024	10/11/2023	8:36 AM	EPA 365.1
Total Suspended Solids	4.95		mg/L	0.6	2.4	10/5/2023	9:10 AM	SM 2540 D
Turbidity (Nephelometric)	6.09		NTU	0.2	0.8	10/5/2023	6:44 AM	EPA 180.1

Laboratory ID	AF71095	Collection date and time	10/4/2023 2:10 PM
Location Code	CRNEP_EQ	Sample Collector	REISTAD/JAEGER
Sample Description	EB Site #454		


Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	10/12/2023	8:00 AM	SM21 10200 H
Pheophytin	0.50	U	mg/M3	0.5	2.0	10/12/2023	8:00 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.3	U	mg/L	0.3	1.2	10/5/2023	8:04 AM	SM 5210 B
Color	1.25	U	CU	1.25	5.00	10/5/2023	9:11 AM	SM21 2120 C
Enterococci	1	U	MPN/100mL	1		10/4/2023	3:08 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	10/6/2023	9:11 AM	EPA 350.1
Nitrite as N	0.003	U	mg/L as N	0.003	0.012	10/5/2023	1:44 PM	EPA 353.2
Nitrate as N	0.010	U	mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrate + Nitrite as N	0.010	U	mg/L as N	0.01	0.04	10/5/2023	1:44 PM	EPA 353.2
Nitrogen, Organic	0.1000	U	mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN - NH3
Phosphorus, Ortho as P	0.005	U	mg/L as P	0.005	0.020	10/5/2023	8:56 AM	EPA 365.1
Nitrogen, Kjeldahl, Total	0.10	U	mg/L as N	0.10	0.4	10/11/2023	8:34 AM	EPA 351.2
Nitrogen, Total	0.1000	U	mg/L as N	0.10	0.4	10/11/2023	8:34 AM	TKN + NOX
Total Organic Carbon (NPOC)	1.000	U	mg/L	1	4	10/10/2023	3:35 PM	SM 5310 B
Phosphorus, Total as P	0.006	U	mg/L as P	0.006	0.024	10/11/2023	8:36 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	10/5/2023	9:10 AM	SM 2540 D
Turbidity (Nephelometric)	0.2	U	NTU	0.2	0.8	10/5/2023	6:44 AM	EPA 180.1



Qualifiers:

- I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).
- U Indicates that the compound was analyzed for but not detected.

Unless noted otherwise, these test results meet all the requirements of the 2016 NELAC/ TNI Standards. The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.


Rick Armstrong
Lab Manager
Lee County Environmental Lab



LCEL

Lee County Environmental Laboratory
60 S Danley Dr Unit 2
Fort Myers, FL 33907
Phone: (239) 533-8600

Analysis Request & Chain of Custody Record

LCEL does not accept any samples used for evidentiary purposes



Lab Certification: E45049
LCEL F COC 20150828R1

Page 1 of 1

Report/Result Information

Billing/Invoice Information

Name: Tidal Caloosa	Name: DNRM	Matrix Codes: DW-Drinking water GW- Ground water WW-Waste water SW-Surface water WWS-Wastewater Sludge S-Sediment O-Other	Preservative Codes: NP-No Preservative N-Nitric Acid S-Sulfuric Acid H-Hydrochloric Acid SH-Sodium Hydroxide ST-Sodium Thiosulfate O-Other
Distrib List: FDEP - South	RE: CCHMN-Tidal Caloosa		
Address: 2295 Victoria Ave, Suite 364 PO Box 2549 Ft Myers FL 33901	Address: 1500 Monroe St Ft Myers, FL 33901		
Phone: (239) 344-5719	Phone: (239) 533-8109		

Sample Collector(s) (please print): Nicole Reistad/Monica Jaeger		Sample Collector Signature: 		Analyses Required						
Relinquished By: (signature) 	Date 10/04/23	Time 1440	Received By: (signature) 	\$Chloroa, _prep	O-P04, Color , NOX	TOC	NH3, TKN, TN, T-P04, NO3, ONIT	Turb, NO2, TSS, , Bod, Bodi	Entero	
Relinquished By: (signature)	Date	Time	Received By: (signature)							
Relinquished By: (signature)	Date	Time	Received By: (signature)							
Preservatives (see codes)										

Sample(s) on ice ☒ Yes or ☐ No? Temperature °C: 4.7°C	NP	NPF	S	S	NP	ST
--	----	-----	---	---	----	----

Collection Date	Time	Sample Description & Location	Matrix (see codes)	# of Sample Containers Submitted						Lab ID #
10/04/23	1050	CRNEP_RS #412	SWE	1	1	1	1	2	1	AF71088
10/04/23	1105	CRNEP_RSBOT #412 Bottom	SWE	1	1	1	1	2	1	AF71089
10/04/23	1130	CRNEP_RS #424	SWE	1	1	1	1	2	1	AF71090
10/04/23	0945	CRNEP_RS #394	SWE	1	1	1	1	2	1	AF71091
10/04/23	1220	CRNEP_RS #454	SWE	1	1	1	1	2	1	AF71092
10/04/23	1025	CRNEP_RS #395	SWE	1	1	1	1	2	1	AF71093
		CRNEP_RSBOT #395 Bottom <i>DID NOT SAMPLE</i>	SWE	1	1	1	1	2	1	AF71094
10/04/23	1410	CRNEP_EQ # 454	SWE	1	1	1	1	2	1	AF71095

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)
OR THEY MAYBE QUALIFIED***

*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.