

Laboratory Results

Lee County Environmental Laboratory

60-2 Danley Drive
Fort Myers, FL 33907
239-533-8600



To: Natural Resources Management
1500 Monroe St
Fort Myers FL 33901
RE: Tidal Caloosa

Report Date: 1/16/2024

Below are the results of samples submitted to this laboratory on 1/3/2024

Laboratory ID	AF78560	Collection date and time	1/3/2024 10:35 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #413		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.62	I	mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Pheophytin	3.11		mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Dissolved Oxygen % Saturation by Client	105.0		%	0.1		1/3/2024	10:35 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	1.0	I	mg/L	0.3	1.2	1/4/2024	7:40 AM	SM5210B-2016
Color	61.6		CU	1.25	5.00	1/4/2024	12:52 PM	SM21 2120 C
Specific Conductance, By Client	10700		µmhos/cm			1/3/2024	10:35 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	9.62		mg/L			1/3/2024	10:35 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		1/3/2024	1:44 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	1/5/2024	11:12 AM	EPA 350.1
Nitrite as N	0.008	I	mg/L as N	0.003	0.012	1/3/2024	1:30 PM	EPA 353.2
Nitrate as N	0.109		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrate + Nitrite as N	0.117		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrogen, Organic	0.72		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN - NH3
Phosphorus, Ortho as P	0.047		mg/L as P	0.005	0.020	1/4/2024	1:12 PM	EPA 365.1
pH, Field (electrometric) by Client	8.03		units			1/3/2024	10:35 AM	FDEP FT1100
Salinity by meter by Client	6.10		SU			1/3/2024	10:35 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.55		meters			1/3/2024	10:35 AM	FDEP FT 1700
Depth of Water Body	2.6		Meters			1/3/2024	10:35 AM	FS2100
Field Temperature by client	17.8		°C			1/3/2024	10:35 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.72		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	EPA 351.2
Nitrogen, Total	0.84		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN + NOX
Total Organic Carbon (NPOC)	13		mg/L	1	4	1/8/2024	2:50 PM	SM5310B-2014
Phosphorus, Total as P	0.068		mg/L as P	0.006	0.024	1/9/2024	8:44 AM	EPA 365.1

Report Format: NELAC

DOH #E45049



Laboratory ID	AF78560	Collection date and time	1/3/2024	10:35 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER	
Sample Description	Grid #413			

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Total Suspended Solids	1.60	I	mg/L	0.6	2.4	1/3/2024	2:08 PM	SM2540D-2015
Turbidity (Nephelometric)	1.05		NTU	0.2	0.8	1/3/2024	2:03 PM	EPA 180.1

Laboratory ID	AF78561	Collection date and time	1/3/2024	9:40 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER	
Sample Description	Grid #394			

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Pheophytin	2.19		mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Dissolved Oxygen % Saturation by Client	103.8		%	0.1		1/3/2024	9:40 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.5	I	mg/L	0.3	1.2	1/4/2024	7:40 AM	SM5210B-2016
Color	51.2		CU	1.25	5.00	1/4/2024	12:52 PM	SM21 2120 C
Specific Conductance, By Client	18600		µmhos/cm			1/3/2024	9:40 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	9.24		mg/L			1/3/2024	9:40 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		1/3/2024	1:44 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	1/5/2024	11:12 AM	EPA 350.1
Nitrite as N	0.006	I	mg/L as N	0.003	0.012	1/3/2024	1:30 PM	EPA 353.2
Nitrate as N	0.086		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrate + Nitrite as N	0.092		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrogen, Organic	0.75		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN - NH3
Phosphorus, Ortho as P	0.042		mg/L as P	0.005	0.020	1/4/2024	1:12 PM	EPA 365.1
pH, Field (electrometric) by Client	7.97		units			1/3/2024	9:40 AM	FDEP FT1100
Salinity by meter by Client	11.05		SU			1/3/2024	9:40 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.75		meters			1/3/2024	9:40 AM	FDEP FT 1700
Depth of Water Body	2.2		Meters			1/3/2024	9:40 AM	FS2100
Field Temperature by client	17.7		°C			1/3/2024	9:40 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.75		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	EPA 351.2
Nitrogen, Total	0.84		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN + NOX
Total Organic Carbon (NPOC)	11		mg/L	1	4	1/8/2024	2:50 PM	SM5310B-2014
Phosphorus, Total as P	0.061		mg/L as P	0.006	0.024	1/9/2024	8:44 AM	EPA 365.1
Total Suspended Solids	3.10		mg/L	0.6	2.4	1/3/2024	2:08 PM	SM2540D-2015
Turbidity (Nephelometric)	1.27		NTU	0.2	0.8	1/3/2024	2:03 PM	EPA 180.1



Laboratory ID	AF78562	Collection date and time	1/3/2024	10:00 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER	
Sample Description	Grid #395			

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Pheophytin	3.06		mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Dissolved Oxygen % Saturation by Client	105.0		%	0.1		1/3/2024	10:00 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.6	I	mg/L	0.3	1.2	1/4/2024	7:40 AM	SM5210B-2016
Color	51.9		CU	1.25	5.00	1/4/2024	12:52 PM	SM21 2120 C
Specific Conductance, By Client	17600		µmhos/cm			1/3/2024	10:00 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	9.38		mg/L			1/3/2024	10:00 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		1/3/2024	1:44 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	1/5/2024	11:12 AM	EPA 350.1
Nitrite as N	0.007	I	mg/L as N	0.003	0.012	1/3/2024	1:30 PM	EPA 353.2
Nitrate as N	0.090		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrate + Nitrite as N	0.097		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrogen, Organic	0.81		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN - NH3
Phosphorus, Ortho as P	0.043		mg/L as P	0.005	0.020	1/4/2024	1:12 PM	EPA 365.1
pH, Field (electrometric) by Client	7.99		units			1/3/2024	10:00 AM	FDEP FT1100
Salinity by meter by Client	10.43		SU			1/3/2024	10:00 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.65		meters			1/3/2024	10:00 AM	FDEP FT 1700
Depth of Water Body	3.2		Meters			1/3/2024	10:00 AM	FS2100
Field Temperature by client	17.8		°C			1/3/2024	10:00 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.81		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	EPA 351.2
Nitrogen, Total	0.91		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN + NOX
Total Organic Carbon (NPOC)	12		mg/L	1	4	1/8/2024	2:50 PM	SM5310B-2014
Phosphorus, Total as P	0.064		mg/L as P	0.006	0.024	1/9/2024	8:44 AM	EPA 365.1
Total Suspended Solids	5.25		mg/L	0.6	2.4	1/3/2024	2:08 PM	SM2540D-2015
Turbidity (Nephelometric)	1.33		NTU	0.2	0.8	1/3/2024	2:03 PM	EPA 180.1

Laboratory ID	AF78563	Collection date and time	1/3/2024	10:15 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTAD/JAEGER	
Sample Description	Grid #395 Bottom			

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.63	I	mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Pheophytin	0.57	I	mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Dissolved Oxygen % Saturation by Client	104.3		%	0.1		1/3/2024	10:15 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.7	I	mg/L	0.3	1.2	1/4/2024	7:40 AM	SM5210B-2016
Color	52.0		CU	1.25	5.00	1/4/2024	12:52 PM	SM21 2120 C

Report Format: NELAC

DOH #E45049



Laboratory ID	AF78563	Collection date and time	1/3/2024 10:15 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #395 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Specific Conductance, By Client	20600		µmhos/cm			1/3/2024	10:15 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	9.11		mg/L			1/3/2024	10:15 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		1/3/2024	1:44 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	1/5/2024	11:12 AM	EPA 350.1
Nitrite as N	0.006	I	mg/L as N	0.003	0.012	1/3/2024	1:30 PM	EPA 353.2
Nitrate as N	0.090		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrate + Nitrite as N	0.096		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrogen, Organic	0.86		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN - NH3
Phosphorus, Ortho as P	0.043		mg/L as P	0.005	0.020	1/4/2024	1:12 PM	EPA 365.1
pH, Field (electrometric) by Client	7.97		units			1/3/2024	10:15 AM	FDEP FT1100
Salinity by meter by Client	12.37		SU			1/3/2024	10:15 AM	FDEP FT 1300
Depth of Water Body	3.2		Meters			1/3/2024	10:15 AM	FS2100
Field Temperature by client	18.3		°C			1/3/2024	10:15 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.86		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	EPA 351.2
Nitrogen, Total	0.96		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN + NOX
Total Organic Carbon (NPOC)	11		mg/L	1	4	1/8/2024	2:50 PM	SM5310B-2014
Phosphorus, Total as P	0.061		mg/L as P	0.006	0.024	1/9/2024	8:44 AM	EPA 365.1
Total Suspended Solids	2.25	I	mg/L	0.6	2.4	1/3/2024	2:08 PM	SM2540D-2015
Turbidity (Nephelometric)	1.13		NTU	0.2	0.8	1/3/2024	2:03 PM	EPA 180.1

Laboratory ID	AF78564	Collection date and time	1/3/2024 9:15 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #387		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Pheophytin	2.25		mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Dissolved Oxygen % Saturation by Client	104.5		%	0.1		1/3/2024	9:15 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.8	I	mg/L	0.3	1.2	1/4/2024	7:40 AM	SM5210B-2016
Color	46.9		CU	1.25	5.00	1/4/2024	12:52 PM	SM21 2120 C
Specific Conductance, By Client	21700		µmhos/cm			1/3/2024	9:15 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	9.22		mg/L			1/3/2024	9:15 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		1/3/2024	1:44 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	1/5/2024	11:12 AM	EPA 350.1
Nitrite as N	0.006	I	mg/L as N	0.003	0.012	1/3/2024	1:30 PM	EPA 353.2
Nitrate as N	0.071		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2

Report Format: NELAC

DOH #E45049



Laboratory ID	AF78564	Collection date and time	1/3/2024	9:15 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER	
Sample Description	Grid #387			

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrate + Nitrite as N	0.077		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrogen, Organic	0.72		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN - NH3
Phosphorus, Ortho as P	0.039		mg/L as P	0.005	0.020	1/4/2024	1:12 PM	EPA 365.1
pH, Field (electrometric) by Client	7.76		units			1/3/2024	9:15 AM	FDEP FT1100
Salinity by meter by Client	13.06		SU			1/3/2024	9:15 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.95		meters			1/3/2024	9:15 AM	FDEP FT 1700
Depth of Water Body	2.5		Meters			1/3/2024	9:15 AM	FS2100
Field Temperature by client	17.6		°C			1/3/2024	9:15 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.72		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	EPA 351.2
Nitrogen, Total	0.80		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN + NOX
Total Organic Carbon (NPOC)	11		mg/L	1	4	1/8/2024	2:50 PM	SM5310B-2014
Phosphorus, Total as P	0.058		mg/L as P	0.006	0.024	1/9/2024	8:44 AM	EPA 365.1
Total Suspended Solids	2.00	I	mg/L	0.6	2.4	1/3/2024	2:08 PM	SM2540D-2015
Turbidity (Nephelometric)	1.49		NTU	0.2	0.8	1/3/2024	2:03 PM	EPA 180.1

Laboratory ID	AF78566	Collection date and time	1/3/2024	10:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER	
Sample Description	Grid #418			

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	3.27		mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Pheophytin	0.50	U	mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Dissolved Oxygen % Saturation by Client	101.4		%	0.1		1/3/2024	10:50 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.8	I	mg/L	0.3	1.2	1/4/2024	7:40 AM	SM5210B-2016
Color	68.0		CU	1.25	5.00	1/4/2024	12:52 PM	SM21 2120 C
Specific Conductance, By Client	7800		µmhos/cm			1/3/2024	10:50 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	9.35		mg/L			1/3/2024	10:50 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		1/3/2024	1:44 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	1/5/2024	11:12 AM	EPA 350.1
Nitrite as N	0.009	I	mg/L as N	0.003	0.012	1/3/2024	1:30 PM	EPA 353.2
Nitrate as N	0.116		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrate + Nitrite as N	0.125		mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrogen, Organic	0.72		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN - NH3
Phosphorus, Ortho as P	0.051		mg/L as P	0.005	0.020	1/4/2024	1:12 PM	EPA 365.1
pH, Field (electrometric) by Client	8.01		units			1/3/2024	10:50 AM	FDEP FT1100
Salinity by meter by Client	4.33		SU			1/3/2024	10:50 AM	FDEP FT 1300

Report Format: NELAC

DOH #E45049



Laboratory ID	AF78566	Collection date and time	1/3/2024	10:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER	
Sample Description	Grid #418			

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Water Clarity Secchi Disk, by Client	1.45		meters			1/3/2024	10:50 AM	FDEP FT 1700
Depth of Water Body	1.6		Meters			1/3/2024	10:50 AM	FS2100
Field Temperature by client	8.01		°C			1/3/2024	10:50 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.72		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	EPA 351.2
Nitrogen, Total	0.85		mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN + NOX
Total Organic Carbon (NPOC)	14		mg/L	1	4	1/8/2024	2:50 PM	SM5310B-2014
Phosphorus, Total as P	0.070		mg/L as P	0.006	0.024	1/9/2024	8:44 AM	EPA 365.1
Total Suspended Solids	1.80	I	mg/L	0.6	2.4	1/3/2024	2:08 PM	SM2540D-2015
Turbidity (Nephelometric)	1.10		NTU	0.2	0.8	1/3/2024	2:03 PM	EPA 180.1

Laboratory ID	AF78567	Collection date and time	1/3/2024	12:05 PM
Location Code	CRNEP_EQ	Sample Collector	REISTAD/JAEGER	
Sample Description	EB Site #418			


Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Pheophytin	0.50	U	mg/M3	0.5	2.0	1/3/2024	7:38 AM	SM10200H-2011
Biochemical Oxygen Demand 5 day	0.3	U	mg/L	0.3	1.2	1/4/2024	7:40 AM	SM5210B-2016
Color	1.25	U	CU	1.25	5.00	1/4/2024	12:52 PM	SM21 2120 C
Enterococci	1	U	MPN/100mL	1		1/3/2024	1:44 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	1/5/2024	11:12 AM	EPA 350.1
Nitrite as N	0.003	U	mg/L as N	0.003	0.012	1/3/2024	1:30 PM	EPA 353.2
Nitrate as N	0.010	U	mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrate + Nitrite as N	0.010	U	mg/L as N	0.01	0.04	1/3/2024	1:30 PM	EPA 353.2
Nitrogen, Organic	0.100	U	mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN - NH3
Phosphorus, Ortho as P	0.005	U	mg/L as P	0.005	0.020	1/4/2024	1:12 PM	EPA 365.1
Nitrogen, Kjeldahl, Total	0.10	U	mg/L as N	0.10	0.4	1/9/2024	8:42 AM	EPA 351.2
Nitrogen, Total	0.100	U	mg/L as N	0.10	0.4	1/9/2024	8:42 AM	TKN + NOX
Total Organic Carbon (NPOC)	1.000	U	mg/L	1	4	1/8/2024	2:50 PM	SM5310B-2014
Phosphorus, Total as P	0.006	U	mg/L as P	0.006	0.024	1/9/2024	8:44 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	1/3/2024	2:08 PM	SM2540D-2015
Turbidity (Nephelometric)	0.20	U	NTU	0.2	0.8	1/3/2024	2:03 PM	EPA 180.1



Qualifiers:

- I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).
- U Indicates that the compound was analyzed for but not detected.

Unless noted otherwise, these test results meet all the requirements of the 2016 NELAC/ TNI Standards. The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.


Rick Armstrong
Lab Manager
Lee County Environmental Lab



LCEL

Lee County Environmental Laboratory
60 S Danley Dr Unit 2
Fort Myers, FL 33907
Phone: (239) 533-8600

Analysis Request & Chain of Custody Record

Lab Certification: E45049
LCEL_F_COC_20150828R1

LCEL does not accept any samples used for evidentiary purposes

Report/Result Information

Billing/Invoice Information

Page 1 of 1

Name: Tidal Caloosa Distrib List: FDEP - South Address: 2295 Victoria Ave, Suite 364 PO Box 2549 Ft Myers FL 33901 Phone: (239) 344-5719	Name: DNR RE: CCHMN-Tidal Caloosa Address: 1500 Monroe St Ft Myers, FL 33901 Phone: (239) 533-8109	Matrix Codes: DW-Drinking water GW- Ground water WW-Waste water SW-Surface water WWS-Wastewater Sludge S-Sediment O-Other	Preservative Codes: NP-No Preservative N-Nitric Acid S-Sulfuric Acid H-Hydrochloric Acid SH-Sodium Hydroxide ST-Sodium Thiosulfate O-Other
---	--	---	--

Sample Collector(s) (please print):
Nicole Reistad/Monica Jaeger

Sample Collector Signature:

Analyses Required

Relinquished By: (signature)	Date	Time	Received By: (signature)	\$Chloroa, _prep	O-PO4, Color, NOX	TOC	NH3, TKN, TN, T-PO4, NO3, ONIT	Turb, NO2, TSS, , Bod, Bodi	Enteroto	
Relinquished By: (signature)	Date	Time	Received By: (signature)							
Relinquished By: (signature)	Date	Time	Received By: (signature)							

Preservatives (see codes)

Sample(s) on ice ☒ Yes or ☐ No? Temperature °C: 13°C

NP NPF S S NP ST

Collection		Sample Description & Location	Matrix (see codes)	# of Sample Containers Submitted						Lab ID #
Date	Time									
01/03/24	1035	CRNEP_RS #413	SWE	1	1	1	1	2	1	AF78560
01/03/24	0940	CRNEP_RS #394	SWE	1	1	1	1	2	1	AF78561
01/03/24	1000	CRNEP_RS #395	SWE	1	1	1	1	2	1	AF78562
01/03/24	1015	CRNEP_RSBOT #395 Bottom	SWE	1	1	1	1	2	1	AF78563
01/03/24	0915	CRNEP_RS #387	SWE	1	1	1	1	2	1	AF78564
		CRNEP_RSBOT #387 Bottom <i>DID NOT SAMPLE</i>	SWE	1	1	1	1	2	1	AF78565
01/03/24	1050	CRNEP_RS #418	SWE	1	1	1	1	2	1	AF78566
01/03/24	1205	CRNEP_EQ # 418	SWE	1	1	1	1	2	1	AF78567

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)
OR THEY MAYBE QUALIFIED***

*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.