

Chemical Analysis Report

SO-DIST-2024-03-01-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **TMDL Gordon River**
Request ID: **RQ-2024-02-12-29**
Customer: **SO-DIST**
Project ID: **TMDL**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 314
Fort Myers, FL 33901-3381
Attn: Nicole Reistad

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Marek Topolski, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Environmental Consultant

Date Certified: 26-MAR-2024 11:31



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: GORDON RIVER AT ROCK CREEK

Collection Date/Time: 02/29/2024 10:50

Field ID: G1SD0131

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2472613	DEP SOP: NU-094-1	Color (true)	31		PCU	P442226	
	EPA 180.1 Rev. 2.0	Turbidity	2.4		NTU	P442219	
	EPA 300.0 Rev. 2.1	Chloride	6.4E+03		mg Cl/L	P442687	
		Sulfate	910		mg SO4/L	P442690	
	SM 2320 B-2011	Total Alkalinity	192		mg CaCO3/L	P442481	
	SM 2540 C-2015	TDS	1.10E+04		mg/L	P442811	
	SM 2540 D-2015	TSS	6	IA	mg/L	P442615	
	SM 4500-F- C-2011	Fluoride	0.54		mg F/L	P442483	
2472616	EPA 350.1 Rev. 2.0	Ammonia-N	0.005	I	mg N/L	P442392	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.58		mg N/L	P442295	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.008	I	mg N/L	P442417	
	EPA 365.1 Rev. 2.0	Total-P	0.019		mg P/L	P442286	
	SM 5310 B-2014	Organic Carbon	8.6		mg C/L	P442348	
2472619	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.005	I	mg P/L	P442221	

Ref. Method and Comment:
 SM 2540 C-2015: The reported result is consistent with the conductivity measured in the laboratory, 19870 umhos/cm.
 SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: GORDON RIVER AT BAKER PARK

Collection Date/Time: 02/29/2024 11:05

Field ID: G1SD0132

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2472614	DEP SOP: NU-094-1	Color (true)	28	J	PCU	P442227	CCV
	EPA 180.1 Rev. 2.0	Turbidity	3.5		NTU	P442219	
	EPA 300.0 Rev. 2.1	Chloride	6.8E+03		mg Cl/L	P442687	
		Sulfate	990		mg SO4/L	P442690	
	SM 2320 B-2011	Total Alkalinity	194	A	mg CaCO3/L	P442481	
	SM 2540 C-2015	TDS	1.23E+04		mg/L	P442811	
	SM 2540 D-2015	TSS	6	I	mg/L	P442615	
	SM 4500-F- C-2011	Fluoride	0.56		mg F/L	P442483	
2472617	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P442392	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.57		mg N/L	P442295	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P442417	
	EPA 365.1 Rev. 2.0	Total-P	0.022		mg P/L	P442286	
	SM 5310 B-2014	Organic Carbon	8.1		mg C/L	P442348	
2472620	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.006	I	mg P/L	P442221	

Ref. Method and Comment:
 DEP SOP: NU-094-1: Refer to the Lab Analysis Report for an explanation of QC Codes.
 SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: GORDON RIVER NEAR AVION PL

Collection Date/Time: 02/29/2024 11:20

Field ID: G1SD0133

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2472615	DEP SOP: NU-094-1	Color (true)	30	J	PCU	P442227	CCV
	EPA 180.1 Rev. 2.0	Turbidity	2.3		NTU	P442219	
	EPA 300.0 Rev. 2.1	Chloride	6.8E+03		mg Cl/L	P442687	
		Sulfate	990		mg SO4/L	P442690	
	SM 2320 B-2011	Total Alkalinity	194		mg CaCO3/L	P442481	
	SM 2540 C-2015	TDS	1.21E+04		mg/L	P442811	
	SM 2540 D-2015	TSS	6	I	mg/L	P442615	
2472618	SM 4500-F- C-2011	Fluoride	0.56		mg F/L	P442483	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.005		mg N/L	P442392	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.95		mg N/L	P442295	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P442417	
	EPA 365.1 Rev. 2.0	Total-P	0.065		mg P/L	P443107	
2472621	SM 5310 B-2014	Organic Carbon	9.3		mg C/L	P442348	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.006	I	mg P/L	P442221	

Ref. Method and Comment:
DEP SOP: NU-094-1: Refer to the Lab Analysis Report for an explanation of QC Codes.
SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report
Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P442226

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: DEP SOP: NU-094-1
Batch ID: P442227

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P442219

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442687

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442690

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442225

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442392

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442294

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442295

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442417

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442442

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442286

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442367

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P443107

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P442220

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P442221

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P442481

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-2011
Batch ID: P442482

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2540 C-2015
Batch ID: P442810

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-2015
Batch ID: P442811

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2015
Batch ID: P442612

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2015
Batch ID: P442615

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500-F- C-2011
Batch ID: P442483

Component	Result	Code	Units
Fluoride	0.025	U	mg F/L

Reference Method: SM 4500-F- C-2011
Batch ID: P442484

Component	Result	Code	Units
Fluoride	0.025	U	mg F/L

Reference Method: SM 5310 B-2014
Batch ID: P442347

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-2014
Batch ID: P442348

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P442226

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	90 - 110

Reference Method: DEP SOP: NU-094-1
Batch ID: P442227

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	98.8		P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P442219

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442687

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442690

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442225

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442392

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	93.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442294

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442295

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442417

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442442

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442286

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.9		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442367

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P443107

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P442220

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P442221

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P442481

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	92 - 105

Reference Method: SM 2320 B-2011
Batch ID: P442482

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	92 - 105

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 2540 C-2015
Batch ID: P442810

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TDS	92.8		P	85 - 115

Reference Method: SM 2540 C-2015
Batch ID: P442811

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TDS	90.4		P	85 - 115

Reference Method: SM 2540 D-2015
Batch ID: P442612

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	106		P	85 - 115

Reference Method: SM 2540 D-2015
Batch ID: P442615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	97.6		P	85 - 115

Reference Method: SM 4500-F- C-2011
Batch ID: P442483

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	94 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P442484

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	103		P	94 - 106

Reference Method: SM 5310 B-2014
Batch ID: P442347

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.3		P	85 - 115

Reference Method: SM 5310 B-2014
Batch ID: P442348

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.2		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442687

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472522	Chloride	94.1		P	90 - 110
2472557	Chloride	99.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442690

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472522	Sulfate	93.8		P	90 - 110
2472557	Sulfate	95.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442225

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472232	Ammonia-N	98.6	99.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442392

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472464	Ammonia-N	96.6	96.4	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442294

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472523	Kjeldahl Nitrogen	97.6	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442295

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472582	Kjeldahl Nitrogen	99.3	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442417

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472412	NO2NO3-N	99.6	99.1	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442442

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472596	NO2NO3-N	99.0	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442286

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472617	Total-P	96.3	101	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442367

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472636	Total-P	102	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P443107

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2475996	Total-P	99.7	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P442220

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472597	O-Phosphate-P	98.2	98.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P442221

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472584	O-Phosphate-P	98.3	97.6	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Batch ID: P442483

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2469610	Fluoride	99.6	101	P/P	94 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P442484

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472768	Fluoride	103	104	P/P	94 - 106

Reference Method: SM 5310 B-2014
Batch ID: P442347

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472641	Organic Carbon	97.8	98.9	P/P	85 - 115

Reference Method: SM 5310 B-2014
Batch ID: P442348

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2472603	Organic Carbon	88.3	90.5	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P442226

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472558	Color (true)	3.30	Sample	P	0 - 20

Reference Method: DEP SOP: NU-094-1
Batch ID: P442227

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472666	Color (true)	0.509	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P442219

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472546	Turbidity	3.27	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442687

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472522	Chloride	4.07	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P442690

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472522	Sulfate	4.56	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442225

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472232	Ammonia-N	0.323	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P442392

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472464	Ammonia-N	0.150	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442294

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472523	Kjeldahl Nitrogen	1.67	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P442295

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472582	Kjeldahl Nitrogen	2.17	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442417

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472412	NO2NO3-N	0.489	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P442442

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472596	NO2NO3-N	0.560	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442286

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472617	Total-P	4.94	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P442367

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472636	Total-P	0.583	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P443107

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2475996	Total-P	1.49	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P442220

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472597	O-Phosphate-P	0.203	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P442221

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472584	O-Phosphate-P	0.482	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-2011
Batch ID: P442481

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472614	Total Alkalinity	0.315	Sample	P	0 - 3.9

Reference Method: SM 2320 B-2011
Batch ID: P442482

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472768	Total Alkalinity	0.0568	Sample	P	0 - 3.9

Reference Method: SM 2540 C-2015
Batch ID: P442810

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472522	TDS	2.56	Sample	P	0 - 10

Reference Method: SM 2540 C-2015
Batch ID: P442811

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472536	TDS	8.85	Sample	P	0 - 10

Reference Method: SM 4500-F- C-2011
Batch ID: P442483

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2469610	Fluoride	0.947	Spike	P	0 - 1.9

Reference Method: SM 4500-F- C-2011
Batch ID: P442484

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472768	Fluoride	0.979	Spike	P	0 - 1.9

Reference Method: SM 5310 B-2014
Batch ID: P442347

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472641	Organic Carbon	1.08	Spike	P	0 - 15

Reference Method: SM 5310 B-2014
Batch ID: P442348

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2472603	Organic Carbon	1.80	Spike	P	0 - 15

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A124503

Included Lab Sample IDs: 2472613, 2472614, 2472615, 2472622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105
Turbidity	99.5	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A124504

Included Lab Sample IDs: 2472619, 2472620, 2472621, 2472624

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	101	P/P	90 - 110
O-Phosphate-P	99.5	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A124505

Included Lab Sample IDs: 2472623

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.7	100	P/P	90 - 110

Reference Method: DEP SOP: NU-094-1

Run ID: A124506

Included Lab Sample IDs: 2472614, 2472615, 2472622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	111*	100	F/P	90 - 110

Reference Method: DEP SOP: NU-094-1

Run ID: A124509

Included Lab Sample IDs: 2472613

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	99.3	101	P/P	90 - 110

Reference Method: SM 5310 B-2014

Run ID: A124556

Included Lab Sample IDs: 2472616, 2472617, 2472618, 2472623

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	98.2	98.5	P/P	85 - 115
Organic Carbon	98.5	114	P/P	85 - 115

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A124574

Included Lab Sample IDs: 2472616, 2472617

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110
Total-P	100	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A124575

Included Lab Sample IDs: 2472616, 2472617, 2472618, 2472623

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	99.0	P/P	90 - 110
Kjeldahl Nitrogen	99.0	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A124577

Included Lab Sample IDs: 2472616, 2472617, 2472618

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	102	P/P	90 - 110
Ammonia-N	98.1	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A124589

Included Lab Sample IDs: 2472616, 2472617, 2472618

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A124597

Included Lab Sample IDs: 2472623

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.5	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A124608

Included Lab Sample IDs: 2472623

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	99.5	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A124624

Included Lab Sample IDs: 2472613, 2472614, 2472615, 2472622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	96.9	101	P/P	90 - 110
Total Alkalinity	99.5	96.9	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A124624

Included Lab Sample IDs: 2472613, 2472614, 2472615, 2472622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	101	P/P	90 - 110
Fluoride	104	105	P/P	90 - 110

Quality Assurance Report
Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A124710
Included Lab Sample IDs: 2472613, 2472614, 2472615, 2472622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	97.9	99.9	P/P	90 - 110
Sulfate	97.6	99.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A124942
Included Lab Sample IDs: 2472618

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.5	98.2	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report

Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
DEP SOP: NU-094-1	Color (true)	101			3.30	
	Color (true)	98.8			0.509	
EPA 180.1 Rev. 2.0	Turbidity	102			3.27	
EPA 300.0 Rev. 2.1	Chloride	101	99.9	94.1	4.07	
	Sulfate	99.4	93.8	95.4	4.56	
EPA 350.1 Rev. 2.0	Ammonia-N	98.4	98.6	99.0		0.323
	Ammonia-N	93.6	96.6	96.4		0.150
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104	97.6	100		1.67
	Kjeldahl Nitrogen	101	99.3	102		2.17
EPA 353.2 Rev. 2.0	NO2NO3-N	102	99.6	99.1		0.489
	NO2NO3-N	102	99.0	100		0.560
EPA 365.1 Rev. 2.0	Total-P	96.9	96.3	101		4.94
	Total-P	99.2	102	101		0.583
	Total-P	103	99.7	101		1.49
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100	98.2	98.5		0.203
	O-Phosphate-P	100	98.3	97.6		0.482
SM 2320 B-2011	Total Alkalinity	102			0.315	
	Total Alkalinity	101			0.0568	
SM 2540 C-2015	TDS	92.8			2.56	
	TDS	90.4			8.85	
SM 2540 D-2015	TSS	106				
	TSS	97.6				
SM 4500-F- C-2011	Fluoride	101	99.6	101		0.947
	Fluoride	103	103	104		0.979
SM 5310 B-2014	Organic Carbon	99.3	97.8	98.9		1.08
	Organic Carbon	96.2	88.3	90.5		1.80

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2472613, 2472614, 2472615, 2472622
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2472613, 2472614, 2472615, 2472622
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2472613, 2472614, 2472615, 2472622
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2472613, 2472614, 2472615, 2472622
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2472616, 2472617, 2472618, 2472623
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2472616, 2472617, 2472618, 2472623
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2472616, 2472617, 2472618, 2472623
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2472616, 2472617, 2472618, 2472623
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2472619, 2472620, 2472621, 2472624
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2472613, 2472614, 2472615, 2472622
SM 2540 C-2015	Total Dissolved Solids in aqueous matrices	2472613, 2472614, 2472615, 2472622
SM 2540 D-2015	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2472613, 2472614, 2472615, 2472622
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2472613, 2472614, 2472615, 2472622
SM 5310 B-2014	Nonpurgeable Organic Carbon in aqueous matrices	2472616, 2472617, 2472618, 2472623

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	03/01/2024			03/01/2024 14:23	Jessica K Wilks	2472614, 2472615
	03/01/2024			03/01/2024 14:24	Jessica K Wilks	2472622
	03/01/2024			03/01/2024 14:58	Jessica K Wilks	2472613
EPA 180.1 Rev. 2.0	03/01/2024			03/01/2024 13:35	Khloe J Berg	2472613
	03/01/2024			03/01/2024 13:36	Khloe J Berg	2472614
	03/01/2024			03/01/2024 13:39	Khloe J Berg	2472615
EPA 300.0 Rev. 2.1	03/01/2024			03/01/2024 13:42	Khloe J Berg	2472622
	03/01/2024			03/12/2024 02:29	James L Waggeberby	2472613
	03/01/2024			03/12/2024 02:44	James L Waggeberby	2472614
EPA 350.1 Rev. 2.0	03/01/2024			03/12/2024 02:59	James L Waggeberby	2472615
	03/01/2024			03/12/2024 03:14	James L Waggeberby	2472622
	03/01/2024			03/01/2024 13:32	Kenneth H Lee	2472623
EPA 351.2 Rev. 2.0	03/01/2024			03/06/2024 14:52	Kenneth H Lee	2472617
	03/01/2024			03/06/2024 14:53	Kenneth H Lee	2472618
	03/01/2024			03/06/2024 15:57	Kenneth H Lee	2472616
EPA 353.2 Rev. 2.0	03/01/2024	03/05/2024 10:01	Samantha L Bates	03/06/2024 13:56	Samantha L Bates	2472623
	03/01/2024	03/05/2024 10:01	Samantha L Bates	03/06/2024 14:17	Samantha L Bates	2472616
	03/01/2024	03/05/2024 10:01	Samantha L Bates	03/06/2024 14:19	Samantha L Bates	2472617
EPA 365.1 Rev. 2.0	03/01/2024	03/05/2024 10:01	Samantha L Bates	03/06/2024 14:20	Samantha L Bates	2472618
	03/01/2024			03/05/2024 16:36	Fadila Guebre	2472616
	03/01/2024			03/05/2024 16:37	Fadila Guebre	2472617
EPA 365.1 Rev. 2.0 dissolved	03/01/2024			03/05/2024 16:38	Fadila Guebre	2472618
	03/01/2024			03/06/2024 15:01	Fadila Guebre	2472623
	03/01/2024	03/04/2024 15:03	Adam P Silver	03/06/2024 14:58	Simonne.V. Calhoun	2472617
SM 2320 B-2011	03/01/2024	03/04/2024 15:03	Adam P Silver	03/06/2024 15:08	Simonne.V. Calhoun	2472616
	03/01/2024	03/06/2024 14:05	Josephine W Gitau	03/07/2024 15:06	Elise M. Gillis	2472623
	03/01/2024	03/21/2024 15:05	Josephine W Gitau	03/22/2024 15:46	Elise M. Gillis	2472618
SM 2540 C-2015	03/01/2024			03/01/2024 13:59	Elise M. Gillis	2472624
	03/01/2024			03/01/2024 14:09	Elise M. Gillis	2472619
	03/01/2024			03/01/2024 14:10	Elise M. Gillis	2472620
SM 2540 D-2015	03/01/2024			03/01/2024 14:11	Elise M. Gillis	2472621
	03/01/2024			03/07/2024 00:16	Dale L. Simmons	2472613
	03/01/2024			03/07/2024 00:40	Dale L. Simmons	2472614
SM 4500-F- C-2011	03/01/2024			03/07/2024 00:53	Dale L. Simmons	2472615
	03/01/2024			03/07/2024 05:02	Dale L. Simmons	2472622
	03/01/2024			03/06/2024 14:09	Yijie Li	2472613, 2472614, 2472615, 2472622
	03/01/2024			03/06/2024 16:09	Yijie Li	2472613, 2472614, 2472615, 2472622
	03/01/2024			03/06/2024 20:15	Dale L. Simmons	2472613
	03/01/2024			03/06/2024 20:21	Dale L. Simmons	2472614
	03/01/2024			03/06/2024 20:26	Dale L. Simmons	2472615

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 4500-F- C-2011	03/01/2024			03/07/2024 05:02	Dale L. Simmons	2472622
SM 5310 B-2014	03/01/2024			03/06/2024 00:30	Elise M. Gillis	2472623
	03/01/2024			03/06/2024 04:24	Elise M. Gillis	2472616
	03/01/2024			03/06/2024 04:45	Elise M. Gillis	2472617
	03/01/2024			03/06/2024 05:00	Elise M. Gillis	2472618