

Biological Analysis Report

NW-DIST-2016-11-17-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Project Greenshores**
Request ID: **RQ-2016-11-14-41**
Customer: **NW-DIST**
Project ID: **DISTRICT**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Daisys Matthews - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8177

Certified by: Daisys Matthews,

Date Certified: 13-DEC-2016 08:22

A handwritten signature in black ink that reads "D Matthews". The signature is stylized, with a large, looped initial "D" and the name "Matthews" written in a cursive script.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Range Marker E. of Texar

Collection Date/Time: 11/16/2016 10:33

Field ID: 1

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851017	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.0	J	mg/L	P315574	LCS
1851032	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.4		ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.6			P315890	
		Chlorophyll-a, Uncorrected	3.7		ug/L	P315890	
1851047	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/2 Bridge and Muscogee

Collection Date/Time: 11/16/2016 10:44

Field ID: 2

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851018	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.5	J	mg/L	P315574	LCS
1851033	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.2		ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	3.4		ug/L	P315890	
1851048	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: East of Primary Storm Drain

Collection Date/Time: 11/16/2016 10:52

Field ID: 3

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851019	SM 5210 B	Biochemical Oxygen Demand-5 Day	3.0	J	mg/L	P315574	LCS
1851034	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.1		ug/L	P315890	
		Phaeophytin-a	0.45	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	3.3		ug/L	P315890	
1851049	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 100ft S of Storm Drain

Collection Date/Time: 11/16/2016 10:59

Field ID: 4

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851020	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.5	IJ	mg/L	P315574	LCS

Field ID: 4

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851035	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.7		ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	2.9		ug/L	P315890	
1851050	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: End of Chase St

Collection Date/Time: 11/16/2016 11:16

Field ID: 5

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851021	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.8	IJ	mg/L	P315574	LCS
1851036	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.0		ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	3.2		ug/L	P315890	
1851051	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/2 Muscogee and Hankshaw 400ft from Shore

Collection Date/Time: 11/16/2016 11:23

Field ID: 6

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851022	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.1	J	mg/L	P315574	LCS
1851037	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.1	A	ug/L	P315890	
		Phaeophytin-a	0.51	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7	A		P315890	
		Chlorophyll-a, Uncorrected	3.3	A	ug/L	P315890	
1851052	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Laboratory duplicate result is 0.51 U for Phaeophytin-a. Precision data is unavailable due to the small amount of analyte in the QC sample.

Sample Location: 1/2 Bridge and Port

Collection Date/Time: 11/16/2016 11:30

Field ID: 7

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851023	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.2	J	mg/L	P315574	LCS
1851038	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.5		ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	

Field ID: 7

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851038	SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	2.6		ug/L	P315890	
1851053	EPA 1600 (MF)	Enterococci-Membrane Filter	2	B	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: West of Stormdrain Inside Rocks

Collection Date/Time: 11/16/2016 11:06

Field ID: 8

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851024	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.6	IJ	mg/L	P315574	LCS
1851039	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.0		ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	2.0		ug/L	P315890	
1851054	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: West End of Hankshaw 100ft from Shore

Collection Date/Time: 11/16/2016 12:01

Field ID: 9

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851025	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.6	IJ	mg/L	P315574	LCS
1851040	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.4	I	ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	1.5		ug/L	P315890	
1851055	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Between Marina and Outfall

Collection Date/Time: 11/16/2016 11:55

Field ID: 10

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851026	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.1	J	mg/L	P315574	LCS
1851041	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.1		ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	2.3		ug/L	P315890	

Field ID: 10

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851056	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Entrance of Marina

Collection Date/Time: 11/16/2016 11:46

Field ID: 11

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851027	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.2	J	mg/L	P315574	LCS
1851042	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.2		ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	2.3		ug/L	P315890	
1851057	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Entrance of Marina Duplicate

Collection Date/Time: 11/16/2016 11:49

Field ID: 11 Dup

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851028	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.5	IJ	mg/L	P315574	LCS
1851043	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.2		ug/L	P315890	
		Phaeophytin-a	0.40	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	2.3		ug/L	P315890	

Ref. Method and Comment:

SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 1/4 Between Bridge and Port

Collection Date/Time: 11/16/2016 11:38

Field ID: 12

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851029	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.7	IJ	mg/L	P315574	LCS
1851044	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.4		ug/L	P315890	
		Phaeophytin-a	0.45	U	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.7			P315890	
		Chlorophyll-a, Uncorrected	2.5		ug/L	P315890	
1851059	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Field ID: 12

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
Ref. Method and Comment: SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits. SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.							

Sample Location: Inside Hankshaw Lagoon

Collection Date/Time: 11/16/2016 12:09

Field ID: 13

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851030	SM 5210 B	Biochemical Oxygen Demand-5 Day	2.5	J	mg/L	P315574	LCS
1851045	SM 10200 H (mod.)	Chlorophyll-a, Corrected	5.1		ug/L	P315890	
		Phaeophytin-a	1.2	I	ug/L	P315890	
		Chlorophyll/Phaeophytin Ratio	1.6			P315890	
		Chlorophyll-a, Uncorrected	6.0		ug/L	P315890	
1851060	EPA 1600 (MF)	Enterococci-Membrane Filter	60		cfu/100 mL		

Ref. Method and Comment:
 SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: E of Stormdrain inside PGS site II

Collection Date/Time: 11/16/2016 12:24

Field ID: 14

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1851031	SM 5210 B	Biochemical Oxygen Demand-5 Day	1.5	IJ	mg/L	P315574	LCS
1851046	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.4	I	ug/L	P315891	
		Phaeophytin-a	0.55	U	ug/L	P315891	
		Chlorophyll/Phaeophytin Ratio	1.8			P315891	
		Chlorophyll-a, Uncorrected	1.3	I	ug/L	P315891	
1851061	EPA 1600 (MF)	Enterococci-Membrane Filter	2	U	cfu/100 mL		

Ref. Method and Comment:
 SM 5210 B: Precision data is unavailable due to the small amount of analyte in the QC sample. Dilution water blank is within laboratory historical limit of 0.50 mg/L. Refer to QA report for QC exceeding limits.
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P315890

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 10200 H (mod.)

Batch ID: P315891

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P315891

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 5210 B
Batch ID: P315574

Component	Result	Code	Units
Biochemical Oxygen Demand-5 Day	0.34	I	mg/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P315890

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	85.3		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P315891

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	88.3		P	84 - 116

Reference Method: SM 5210 B
Batch ID: P315574

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Biochemical Oxygen Demand-5 Day	67.2		F	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P315890

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1851037	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1851037	Chlorophyll-a, Corrected	3.19	Sample	P	0 - 25
1851037	Chlorophyll-a, Uncorrected	6.31	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P315891

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1851170	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1851170	Chlorophyll-a, Corrected	1.99	Sample	P	0 - 25
1851170	Chlorophyll-a, Uncorrected	4.40	Sample	P	0 - 25

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio				0.0	
	Chlorophyll/Phaeophytin Ratio				0.0	
	Chlorophyll-a, Corrected	85.3			3.19	
	Chlorophyll-a, Corrected	88.3			1.99	
	Chlorophyll-a, Uncorrected				6.31	
	Chlorophyll-a, Uncorrected				4.40	
SM 5210 B	Biochemical Oxygen Demand-5 Day	67.2				

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 1600 (MF) / E71969	Enterococci by membrane filter method by UWF Overflow Laboratory for NWD	1851047, 1851048, 1851049, 1851050, 1851051, 1851052, 1851053, 1851054, 1851055, 1851056, 1851057, 1851059, 1851060, 1851061
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry	1851032, 1851033, 1851034, 1851035, 1851036, 1851037, 1851038, 1851039, 1851040, 1851041, 1851042, 1851043, 1851044, 1851045, 1851046
SM 5210 B / E31780	BOD, NOT nitrogen-inhibited	1851017, 1851018, 1851019, 1851020, 1851021, 1851022, 1851023, 1851024, 1851025, 1851026, 1851027, 1851028, 1851029, 1851030, 1851031

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 1600 (MF)	11/16/2016			11/16/2016 15:47	UWF Lab	1851047
	11/16/2016			11/16/2016 15:49	UWF Lab	1851048
	11/16/2016			11/16/2016 15:52	UWF Lab	1851049
	11/16/2016			11/16/2016 15:55	UWF Lab	1851050
	11/16/2016			11/16/2016 15:58	UWF Lab	1851051
	11/16/2016			11/16/2016 16:01	UWF Lab	1851052
	11/16/2016			11/16/2016 16:04	UWF Lab	1851053
	11/16/2016			11/16/2016 16:19	UWF Lab	1851054
	11/16/2016			11/16/2016 16:22	UWF Lab	1851055
	11/16/2016			11/16/2016 16:25	UWF Lab	1851056
	11/16/2016			11/16/2016 16:28	UWF Lab	1851057
	11/16/2016			11/16/2016 16:31	UWF Lab	1851059
	11/16/2016			11/16/2016 16:34	UWF Lab	1851060
	11/16/2016			11/16/2016 16:37	UWF Lab	1851061
SM 10200 H (mod.)	11/17/2016	11/17/2016 13:38	Morgan Lane	11/28/2016	Jennifer Mihalic	1851032, 1851033, 1851034, 1851035, 1851036, 1851037, 1851038, 1851039, 1851040, 1851041, 1851042, 1851043, 1851044, 1851045
	11/17/2016	11/17/2016 13:38	Morgan Lane	11/29/2016	Jennifer Mihalic	1851046
SM 5210 B	11/17/2016			11/17/2016 13:50	Kim M. Spencer	1851017, 1851018, 1851019, 1851020, 1851021, 1851022, 1851023, 1851024, 1851025, 1851026, 1851027, 1851028, 1851029, 1851030, 1851031