

Biological Analysis Report

NW-DIST-2023-02-14-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Project GreenShores Quarterly Sampling**
Request ID: **RQ-2023-02-13-02**
Customer: **NW-DIST**
Project ID: **DISTRICT**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Administrator

Date Certified: 10-MAR-2023 14:03



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Range Marker East of Bayou Texar

Collection Date/Time: 02/13/2023 10:21

Field ID: 1

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386935	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.9		ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	2.9		ug/L	P425965	
2386949	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Sample Location: Midpoint Between Bay Bridge and Muscogee Wharf

Collection Date/Time: 02/13/2023 10:36

Field ID: 2

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386936	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.9	I	ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	1.9		ug/L	P425965	
2386950	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Sample Location: East End of Primary Storm drain

Collection Date/Time: 02/13/2023 12:33

Field ID: 3

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386937	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.4		ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	3.4		ug/L	P425965	
2386951	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Sample Location: South of Primary Storm drain

Collection Date/Time: 02/13/2023 12:25

Field ID: 4

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386938	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.3		ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	3.3		ug/L	P425965	
2386952	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Sample Location: End of Chase St

Collection Date/Time: 02/13/2023 12:10

Field ID: 5

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386939	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.5		ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	2.6		ug/L	P425965	
2386953	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Sample Location: Midpoint between Muscogee and Hawkshaw

Collection Date/Time: 02/13/2023 12:04

Field ID: 6

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Field ID: 6

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386940	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.7		ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	2.7		ug/L	P425965	
2386954	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Sample Location: Midpoint between bridge and Port Spoil Pond **Collection Date/Time: 02/13/2023 10:44**

Field ID: 7

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386941	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.9	I	ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	1.8	I	ug/L	P425965	
2386955	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Sample Location: West of Primary Storm drain **Collection Date/Time: 02/13/2023 12:17**

Field ID: 8

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386942	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.6	I	ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	1.5	I	ug/L	P425965	
2386956	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Sample Location: West of Hawkshaw Lagoon **Collection Date/Time: 02/13/2023 11:22**

Field ID: 9

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386943	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.2	I	ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	2.2		ug/L	P425965	
2386957	Enterolert/QT	Enterococci-Quanti-Tray	10		MPN/100 mL		

Sample Location: South of Bayfront Storm drain **Collection Date/Time: 02/13/2023 11:14**

Field ID: 10

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386944	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.7		ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	
		Chlorophyll-a, Uncorrected	2.7		ug/L	P425965	
2386958	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Sample Location: Seville Marina Inlet **Collection Date/Time: 02/13/2023 11:03**

Field ID: 11

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386945	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.8	I	ug/L	P425965	
		Phaeophytin-a	0.90	U	ug/L	P425965	

Field ID: 11

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386945	SM 10200 H (mod.)	Chlorophyll-a, Uncorrected	1.7	I	ug/L	P425965	
2386959	Enterolert/QT	Enterococci-Quanti-Tray	10		MPN/100 mL		

Sample Location: East of Port Spoil Pond

Collection Date/Time: 02/13/2023 10:52

Field ID: 12

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386946	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.1	I	ug/L	P425966	
		Phaeophytin-a	1.0	U	ug/L	P425966	
		Chlorophyll-a, Uncorrected	2.1		ug/L	P425966	
2386960	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Hawkshaw Lagoon at Memorial Bridge

Collection Date/Time: 02/13/2023 11:38

Field ID: 13

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386947	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.1	I	ug/L	P425966	
		Phaeophytin-a	0.90	U	ug/L	P425966	
		Chlorophyll-a, Uncorrected	2.1		ug/L	P425966	
2386961	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: 150 ft South of Hawkshaw Lagoon East Storm drain

Collection Date/Time: 02/13/2023 11:53

Field ID: 14

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2386948	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.7	I	ug/L	P425966	
		Phaeophytin-a	1.0	U	ug/L	P425966	
		Chlorophyll-a, Uncorrected	2.7		ug/L	P425966	
2386962	Enterolert/QT	Enterococci-Quanti-Tray	20		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
 Batch ID: P425965

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P425966

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P425965

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	96.1		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P425966

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	97.0		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P425965

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2386884	Chlorophyll-a, Corrected	0.419	Sample	P	0 - 25
2386884	Chlorophyll-a, Uncorrected	2.51	Sample	P	0 - 25
2386884	Phaeophytin-a	13.9	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P425966

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2387018	Chlorophyll-a, Corrected	3.03	Sample	P	0 - 25
2387018	Chlorophyll-a, Uncorrected	5.21	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	96.1			0.419	
	Chlorophyll-a, Corrected	97.0			3.03	
	Chlorophyll-a, Uncorrected				2.51	

Quality Assurance Report
Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Uncorrected				5.21	
	Phaeophytin-a				13.9	

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert/QT by UWF in Pensacola	2386949, 2386950, 2386951, 2386952, 2386953, 2386954, 2386955, 2386956, 2386957, 2386958, 2386959, 2386960, 2386961, 2386962
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2386935, 2386936, 2386937, 2386938, 2386939, 2386940, 2386941, 2386942, 2386943, 2386944, 2386945, 2386946, 2386947, 2386948

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	02/13/2023	02/13/2023 16:40		02/14/2023 17:05	UWF Lab	2386949, 2386950, 2386951, 2386952, 2386953, 2386954, 2386955, 2386956, 2386957, 2386958, 2386959, 2386960, 2386961, 2386962
SM 10200 H (mod.)	02/14/2023	02/14/2023 14:03	Callie Williams	02/15/2023 15:35	Aidan Cronin	2386935, 2386936, 2386937, 2386938, 2386939, 2386940, 2386941, 2386942, 2386943, 2386944, 2386945
	02/14/2023	02/14/2023 14:03	Callie Williams	02/16/2023 08:50	Aidan Cronin	2386946, 2386947, 2386948