



Certificate of Analysis

1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

ThermoFisher Scientific's Quality System has been found to conform to Quality Management System
Standard ISO9001:2008 standard by SAI Global Certificate Number CERT - 0090918

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. ThermoFisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (USP/FCC/NF/EP/BP/JP grades) are sold for use in food, drug, or medical device manufacturing. ThermoFisher does not maintain DMF's with the FDA. The following are the actual analytical results obtained:

Catalog Number	SB107	Quality Test / Release Date	04/01/2018
Lot Number	181455	Expiration Date	Mar/2020
Description	BUFFER SOLUTION, CERTIFIED, PH 7.00		
Country of Origin	United States		
Chemical Origin	Organic - non animal		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		
Chemical Comment			

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear ,yellow liquid
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
NIST STD : pH 9.180	BORAX	= LOT 187E	LOT 187E
NIST STD USED: pH 7a	POT DIHYDRO PHOS	= LOT 186IG	LOT 186IG
PH AT 25 DEGREES C		Inclusive Between 6.99 - 7.01	7.01
TRACEABLE TO NIST		= PASS TEST	PASS TEST
OPTICAL ABSORBANCE	PASS/FAIL	= PASS TEST	PASS TEST
NIST STD USED: pH 7b	DISOD HYDRO PHOS	= LOT 186IIG	LOT 186IIG

Quality Assurance Specialist - Certificate of Analysis Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.
If there are any questions with this certificate, please call at (800) 227-6701.

*Based on suggested storage condition.