



1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Certificate of Analysis

Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2008 standard by SAI Global Certificate Number CERT - 0090918

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (USP/FCC/NF/EP/BP/JP grades) are sold for use in food, drug, or medical device manufacturing. Fisher does not claim regulatory coverage under 21 CFR nor maintain DMF's with the FDA. The following are the actual analytical results obtained:

Catalog Number	SB97	Quality Test / Release Date	8/4/2017
Lot Number	175685	Expiration Date	Aug/2019
Description	BUFFER SOLUTION, PH 3.00, CERTIFIED		
Country of Origin	United States		
Chemical Origin	Organic - non animal		

Result name	Units	Specifications	Test Value
APPEARANCE		REPORT	CLEAR,COLORLESS LIQUID
COLOR	APHA	<= 5	<5
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
NIST STD USED: pH 1.68		= REPORT	189C
NIST STD USED: pH 4	POT HYDROGEN PHTHAL	= LOT 185I	LOT 185I
PH AT 25 DEGREES C		Inclusive Between 2.98 - 3.02	2.99
TRACEABLE TO NIST	PASS/FAIL	= PASS TEST	PASS TEST



Jerusa Bailey-Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as a extension of this catalog number listed above. If there are any questions with this certificate, please call Chemical Services at (800) 227-6701.

*Based on suggested storage condition.