

DEP FORM FD 9000-31: LAKE OBSERVATION FIELD SHEET

SAMPLE ID: _____ MACROPHYTE ID: _____ LATITUDE: N 30.935722
 COUNTY: Escambia STORET #: _____ LONGITUDE: W 87.274186
 DATE: 10/20/2017 TIME: 11:00 SAMPLING AGENCY: FL DEP - NWROC
 SITE NAME: Z1-SL-11017. UnNamed Oxbow Lake WBID: 25
 FIELD ID/NAME: Z1-SL-11017 LAKE SIZE: 9 RQ: _____

WATERSHED / LAKESIDE FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category – from GIS) : Forest/Natural ☐ Silviculture ☐ Field/Pasture ☐ Agricultural ☐ Residential ☐ Commercial ☐ Industrial ☐ Other (Specify) ☐							LANDSCAPE DEVELOPMENT INTENSITY (100 m buffer) LDI:		
Local Watershed Erosion (select one) : ☐ None ☒ Slight ☒ Moderate ☐ Heavy					Artificially Impounded ☒ Yes ☐ No		Land Use Source & Year:		
Local Watershed NPS Pollution : ☐ No evidence ☐ Slight ☒ Moderate ☐ Heavy									
STORMWATER INPUTS <u>14</u>		Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation 20 19 18 17 16		Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place 15 14 13 12 11		Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place 10 9 8 7 6		Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place 5 4 3 2 1	
LAKESIDE ALTERATIONS <u>11</u>		Very few man-made structures, roads, or other disturbance adjacent to lake (<10% lakeside affected) 20 19 18 17 16		Moderate disturbance visible - structures, roads or other (10%-49% lakeside affected) 15 14 13 12 11		Many structures, roads or other human disturbance visible (50%-70% lakeside affected) 10 9 8 7 6		Highly developed or disturbed (>70% of lakeside affected) 5 4 3 2 1	
BUFFER ZONE <u>13</u>		Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer 20 19 18 17 16		89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer 15 14 13 12 11		50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer 10 9 8 7 6		<29% of shoreline with >18m buffer 5 4 3 2 1	

WATER / SUBSTRATE / BIOLOGICAL: SAMPLES AND OBSERVATIONS

Water: Nutrient Sample Taken? ☐ Yes ☒ No Preserved? ☐ Yes ☐ pH<2 ☐ No Color Sample Taken? ☐ Yes ☒ No Lot # _____ Exp. Date: _____ Alkalinity Sample Taken? ☐ Yes ☒ No Water, Level ☒ Low ☐ Normal ☐ High						Water Odors: ☒ Normal ☐ Sewage ☐ Petroleum ☐ Other _____					
Meter Readings: Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat. (%) Cond. (UMHO/CM) Salinity (PPT) Top: <u>.3</u> <u>23.5</u> <u>6.0</u> <u>2.9</u> <u>34</u> <u>55</u> <u>0.0</u> Mid-Depth: _____ Bottom: <u>2.5</u> <u>22.6</u> <u>6.0</u> <u>2.2</u> <u>26</u> <u>54</u> <u>0.0</u> Meter ID: <u>132237</u>						Water Surface Oils: ☐ None ☐ Sheen/Slick ☐ Glob ☒ Other <u>Clay</u>					
Sediment Type: (may check more than one) ☒ Sandy ☐ Organic fibrous (peaty, CPOM) ☒ Vegetated ☒ Sand/Silt ☒ Organic smooth (muck) ☒ Other (Specify): <u>Gravel</u>						Water Clarity: ☐ Clear ☒ Turbid ☐ Slightly Turbid Color: ☐ Clear ☐ Tannic ☐ Green ☒ Red/Brown					
Biological Communities: LVI Conducted? ☒ Yes ☐ No Phytoplankton Sample Taken? ☐ Yes ☒ No Sample Preserved? ☐ Yes ☐ No Lot #: _____ Exp Date: _____ Algal Bloom/Algal ID Sample Taken? ☐ Yes ☐ No Active Vegetation Mgmt? ☐ Yes ☐ No ☒ Don't Know						Abundance: Absent Rare Common Abundant Periphyton ☐ ☐ ☐ ☒ Nuisance Plants ☐ ☐ ☒ ☐ Submersed Plants ☐ ☐ ☒ ☒ Exotic Apple Snails ☒ ☐ ☐ ☐					
Sediment Odors: ☒ Normal ☐ Anaerobic ☐ Other (Specify): _____						Additional Notes: Bern for Road on South end of lake CLAY Turn 0.18 from Road along lake Lot of Clay in water.					
Weather Conditions: <u>D.O. depressed since 2015 sampling (89% on bottom)</u> <u>Lots of clay in water. 6' Rock line above water mark</u>											
SAMPLING TEAM: Frank Butera, Stopher Slade						SIGNATURE: <u>[Signature]</u>			DATE: <u>10/20/2017</u>		

STATE OF FLORIDA, DEPARTMENT OF ENVIRONMENTAL PROTECTION
Lake Habitat Assessment Field Sheet

STORET STATION NUMBER:	DATE (M/D/Y) <u>10/20/2017</u>	LAKE NAME: Z1-SL-11017. (UnNamed Oxbow Lake)		FIELD ID / NAME: Z1-SL-11017
WBID: 25	COUNTY: Escambia	SAMPLING LOCATION/DESCRIPTION: Century		LAKE SIZE: 9.3 ACRES
PARAMETER	No surface inflow or outflow present, very long water residence time, groundwater seepage dominates	Surface water inflow present, but flow is rare, moderate to long water residence time	Surface water inflow and outflow present (or outflow only), sometimes with visible flow, short water residence time	Impounded, hydrology of system artificially controlled
HYDROLOGY	☐	☐	☐	☒
Color	Very clear, uncolored water (benthic sampling appropriate) ☐	Water somewhat tannin stained (benthic sampling appropriate) ☐	Dark, discolored water (water color 20 PCU or higher) ☐	Visibility extremely reduced due to high color ☒ <u>Clay</u>
	Optimal	Suboptimal	Marginal	Poor
Secchi 10	Secchi >3 m Or VOB 20 19 18 17 16	3 2.6 2.2 1.8 1.4 15 14 13 12 11	1.0 0.9 0.8 0.7 0.6 10 9 8 7 6	0.5 0.4 0.3 0.2 0.1 5 4 3 2 1
Vegetation Quality 12	Diverse, expected native vegetation (emergent or submersed), less than 5% nuisance taxa	Mostly expected native plants, but moderate growths (6%-20% of lake) of nuisance macrophytes, or more than 50% of lake covered with plants	Large masses (21%-40%) of nuisance macrophytes (e.g., Hydrilla, hyacinth, cattail, etc.) or algal mats	Lake choked (>40%) with nuisance macrophytes (duckweed, hyacinth, etc.) or algal mats, or few plants present at all (e.g., plants removed)
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Stormwater Inputs 14	Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation	Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place	Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place	Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bottom Substrate Quality 16	Diverse mixture of sand, detritus, with small amounts of CPOM/mud/muck. SAV may be present	Mixture of sand or clay and detritus with higher % CPOM/mud/muck content. SAV may be present	Moderate layer of CPOM/mud/muck, or hardpacked sand only, or moderate algal growth (mats or Chara) on bottom	Thick deposits of CPOM, or fine detritus and anaerobic muck/mud/silt, or algal growth or nuisance plants (Hydrilla) cover bottom
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Lakeside Adverse Human Alterations 11	Very few man-made structures, roads, or other disturbance adjacent to lake (<10%)	Moderate disturbance visible (structures, roads or other), 10%-49% lakeside affected	Many structures, roads or other human disturbance visible (50%-70%) lakeside affected	Highly developed or disturbed (>70% of lakeside affected)
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Upland Buffer Zone 13	Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer	89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer	50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer	< 29% of shoreline with >18m buffer
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Adverse Watershed Land Use 13	Score the potential effects from adverse human land uses, based on a continuum of amount and type, with least to most adverse as follows: Native vegetation, Silviculture, Pasture or Citrus, Low Density Residential, Row Crops, Commercial, High Density Residential, Urban, Industrial			
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1

TOTAL SCORE	91	COMMENTS: <u>91/140 = 65%</u>
-------------	-----------	-------------------------------

ANALYSIS DATE: <u>10/20/17</u>	ANALYST: Frank Butera, Stopher Slade	SIGNATURE: 
--------------------------------	--------------------------------------	--

DEP FORM FD 9000-27 LAKE VEGETATION INDEX FIELD SHEET

Waterbody: Z1-SL-11017 (UnNamed Oxbow Lake)		County: Escambia		Date: 10/20/17							
Analyst: F. Butera		Signature: <i>[Signature]</i>		STORET:							
Except where noted as "sp." species level identification required. *Genera that may require lab verification* Plants in bold = FLEPPC invasive exotic.				Lake units sampled (circle one group): 1, 4, 7, 10 2, 5, 8, 11 3, 6, 9, 12							
It is important to note dominant or co-dominant taxa (by areal extent) for each unit. Use "D" to denote dominant taxon, or "C" for the 2 co-dominant taxa.											
SBIO ID SPECIES	1	4	7	10	Collect ed? (✓)	Macro ID SPECIES	1	4	7	10	Collect ed? (✓)
Acer rubrum						Habenaria repens					
Alternanthera philoxeroides						Hydrilla verticillata					
Andropogon sp.						Hydrocotyle sp.					
Azolla filiculoides (A. caroliniana)						Hygrophila polysperma					
Baccharis sp.						*Hypericum fasciculatum					
Bacopa caroliniana						*Hypericum hypericoides					
Bacopa monnieri						*Hypericum myrtifolium					
Bidens laevis						Ilex cassine					
Bidens mitis						Ipomoea aquatica					
Blechnum serrulatum						Ipomoea sagittata					
Boehmeria cylindrica						Itea virginica					
Brasenia schreberi						Juncus effusus					
Cabomba caroliniana						*Juncus marginatus					
Casuarina equisetifolia						*Juncus megacephalus					
Centella asiatica						Juncus repens					
Cephalanthus occidentalis						*Juncus scirpoides					
Ceratophyllum demersum						Lachnanthes caroliniana					
Chara sp.						Leersia hexandra					
Cladium jamaicense						Landoltia punctata (Spiro. punctata)					
Cliftonia monophylla						Lemna sp.					
Colocasia esculenta						Leucothoe racemosa (Eubotrys racemosa)					
*Commelina						Limnium spongia					
Crinum americanum						Limnophila sessiliflora					
*Cyperus alternifolius (C. involucratus)						Liquidambar styraciflua					
Cyperus articulatus						*Ludwigia arcuata					
Cyperus haspan						*Ludwigia leptocarpa					
*Cyperus lecontei						*Ludwigia linearis					
*Cyperus polystachyos						*Ludwigia octovalvis					
*Cyperus odoratus						*Ludwigia peruviana					
*Cyperus surinamensis						*Ludwigia repens					
Cyrtilla racemiflora						*Ludwigia					
Decodon verticillatus						Luziola fluitans (Hydrochloa carolinensis)					
Diodia virginiana						Lyonia lucida					
*Echinochloa crus-galli						Magnolia virginiana					
*Echinochloa muricatum						Mayaca fluviatilis					
Echinochloa walteri						Melaleuca quinquenervia					
Eclipta prostrata (E. alba)						Micranthemum glomeratum					
Egeria densa						Micranthemum umbrosum					
Eichhornia crassipes						Mikania scandens					
*Eleocharis baldwinii						Mimosa pigra					
*Eleocharis						Myrica cerifera					
Eleocharis cellulosa						Carex glaucescens					
Eleocharis equisetoides						Alnus serrulata					
Eleocharis interstincta						Liquidambar					
*Eriocaulon compressum						Leptochloa fasciculata					
*Eriocaulon decangulare						Lycopus					
Eupatorium capillifolium						Hypericum gaultherioides					
*Fuirena											
Fuirena scirpoidea											
Gordonia lasianthus											

[illegible]

DEP-SOP-001/01
FS 7000 General Biological Community Sampling

Form FD 9000-2: COMPOSITE LAKE SAMPLING SHEET (< 1000 ACRES)

Date:		Name of Lake: Z1-SL-11017 UnNamed Oxbow Lake		Gear used: <u>PONAR</u> <u>EKMAN</u> <u>OTHER</u>	
Comments:					
Drop #	Depth (m)	Sediment Type (circle all that apply)	Drop #	Depth (m)	Sediment Type (circle all that apply)
1		sand, silt/clay, CPOM, muck, SAV	7	3.2	sand, silt/clay, CPOM, muck, SAV
2		sand, silt/clay, CPOM, muck, SAV	8	3.0	sand, silt/clay, CPOM, muck, SAV
3		sand, silt/clay, CPOM, muck, SAV	9		sand, silt/clay, CPOM, muck, SAV
4	3.7	sand, silt/clay, CPOM, muck, SAV	10	3.0	sand, silt/clay, CPOM, muck, SAV
5		sand, silt/clay, CPOM, muck, SAV	11		sand, silt/clay, CPOM, muck, SAV
6		sand, silt/clay, CPOM, muck, SAV	12		sand, silt/clay, CPOM, muck, SAV

CPOM = coarse particulate organic matter; SAV = submerged aquatic vegetation

Storet _____

Field ID Z1SL11017 Project. Status Small 2017

SBIO ID: _____

WBID 25

Paste map here and show location of each dredge drop and where water chemistry parameters were collected.

Revision Date: February 1, 2004

Photo Log

Storet

Station Name: Z1-SL-11017. UnNamed Oxbow


Date:

Samplers. F. Butera, S. Slade

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	

Notes.

Z1-SL-11017. 9.3 Acres. WBID 25
GPS 30.93572238 x -87.2741855
Century, Escambia Co



(F3)
~~Z1-SE-9017~~ Z1-SC-911(17

Storet

Receiving Water Unnamed trib to Baggett Ck.

Basin Escambia River

City, County Century, Escambia Co.

Lake Acreage 9.3

Circumference (M) 1589

Seg. Length (M) 132.416667

Location	Dec Deg.	DMS
Status Lake	30.935722 x 87.274186	30°56' 08.60"N x 87°16' 27.07"W
A	30.937718 x 87.274801	30°56' 15.783"N x 87°16' 29.282"W
B	30.937507 x 87.274038	30°56' 15.026"N x 87°16' 26.536"W
C	30.936583 x 87.274082	30°56' 11.699"N x 87°16' 26.694"W
D	30.935757 x 87.273751	30°56' 08.724"N x 87°16' 25.502"W
E	30.935303 x 87.272939	30°56' 07.089"N x 87°16' 22.579"W
F	30.934663 x 87.273225	30°56' 04.785"N x 87°16' 23.609"W
G	30.934656 x 87.274276	30°56' 04.763"N x 87°16' 27.394"W
H	30.935337 x 87.274339	30°56' 07.214"N x 87°16' 27.619"W
I	30.935996 x 87.274784	30°56' 09.586"N x 87°16' 29.221"W
J	30.936919 x 87.274817	30°56' 12.907"N x 87°16' 29.342"W
K	30.936913 x 87.275672	30°56' 12.885"N x 87°16' 32.419"W
L	30.937728 x 87.275728	30°56' 15.819"N x 87°16' 32.621"W