

Chemical Analysis Report

NE-DIST-2016-03-23-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **HAWTHORNE LAKES**

Request ID: **RQ-2016-03-21-06**

Customer: **NE-DIST**


Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way
Jacksonville, FL 32256
Attn: J. Gruentzel

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Timothy Fitzpatrick, Program Administrator

Date Certified: 12-APR-2016 10:41

A handwritten signature in black ink, appearing to read 'Timothy W. Fitzpatrick', with a stylized flourish at the end.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: 21030027LkSampsonNrEShore

Collection Date/Time: 03/22/2016 11:05

Field ID: 21030027

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1782572	EPA 180.1 Rev. 2.0	Turbidity	4.0		NTU	P300942	
	EPA 300.0 Rev. 2.1	Chloride	19		mg Cl/L	P301038	
		Sulfate	7.7		mg SO4/L	P301040	
	SM 2120 B	Color (true)	110	A	PCU	P300895	
	SM 2320 B-97	Total Alkalinity	20		mg CaCO3/L	P301090	
	SM 2540 C-97	TDS	87		mg/L	P301227	
	SM 2540 D-97	TSS	5	I	mg/L	P301155	
	SM 4500 F-C-97	Fluoride	0.062	I	mg F/L	P301093	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.016		mg N/L	P301334	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.90		mg N/L	P301329	MS
1782574	EPA 353.2 Rev. 2.0	NO2NO3-N	0.034		mg N/L	P301117	
	EPA 365.1 Rev. 2.0	Total-P	0.037		mg P/L	P301319	
	SM 5310 B-00	Organic Carbon	20		mg C/L	P301239	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P300917	
	dissolved						

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: 21030027 DUPLICATE

Collection Date/Time: 03/22/2016 11:10

Field ID: 21030027 DUPLICATE

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1782573	EPA 180.1 Rev. 2.0	Turbidity	4.1		NTU	P300942	
	EPA 300.0 Rev. 2.1	Chloride	19		mg Cl/L	P301038	
		Sulfate	7.6		mg SO4/L	P301040	
	SM 2120 B	Color (true)	110		PCU	P300895	
	SM 2320 B-97	Total Alkalinity	20		mg CaCO3/L	P301090	
	SM 2540 C-97	TDS	95		mg/L	P301227	
	SM 2540 D-97	TSS	4	I	mg/L	P301155	
	SM 4500 F-C-97	Fluoride	0.061	I	mg F/L	P301093	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.015		mg N/L	P301334	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.94		mg N/L	P301329	MS
1782575	EPA 353.2 Rev. 2.0	NO2NO3-N	0.035		mg N/L	P301117	
	EPA 365.1 Rev. 2.0	Total-P	0.038		mg P/L	P301319	
	SM 5310 B-00	Organic Carbon	20		mg C/L	P301240	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P300917	
	dissolved						

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: FIELD BLANK

Collection Date/Time: 03/22/2016 11:15

Field ID: FIELD BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1782578	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P300942	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P301038	
		Sulfate	0.20	U	mg SO4/L	P301040	

Field ID: FIELD BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1782578	SM 2120 B	Color (true)	2.5	U	PCU	P300895	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P301090	
	SM 2540 C-97	TDS	15	U	mg/L	P301222	
	SM 2540 D-97	TSS	2	U	mg/L	P301150	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P301093	
1782579	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P301335	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P301329	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P301117	
	EPA 365.1 Rev. 2.0	Total-P	0.003	I	mg P/L	P301319	
	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P301240	
1782580	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P300917	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: The result was confirmed on 03/30/2016.

EPA 365.1 Rev. 2.0: Total-P: The result was confirmed on 04/08/2016.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P300942

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P301038

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P301040

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P301334

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P301335

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P301329

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301329

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301117

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301319

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P300917

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P300895

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P301090

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P301222

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P301227

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P301150

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 D-97
Batch ID: P301155

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P301093

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P301239

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
Batch ID: P301240

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301038

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301040

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301334

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301335

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301329

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301329

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	96.3		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301117

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301319

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	98.8		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P300917

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P301090

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P301093

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	94.8		P	94 - 108

Reference Method: SM 5310 B-00
Batch ID: P301239

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	92.4		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P301240

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	92.0		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301038

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301038

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782554	Chloride	101		P	90 - 110
1782734	Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301040

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782554	Sulfate	97.9		P	90 - 110
1782734	Sulfate	99.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301334

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782509	Ammonia-N	97.9	98.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301335

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782685	Ammonia-N	99.1	99.3	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301329

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782557	Kjeldahl Nitrogen	81.6	83.6	F/F	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301117

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782556	NO2NO3-N	102	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301319

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782540	Total-P	92.4	94.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P300917

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782559	O-Phosphate-P	98.5	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P301093

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782519	Fluoride	97.8	96.6	P/P	94 - 107

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 5310 B-00
Batch ID: P301239

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782439	Organic Carbon	92.7	92.3	P/P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P301240

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1782608	Organic Carbon	96.0		P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P300942

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782536	Turbidity	6.64	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301038

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782554	Chloride	0.183	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301040

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782554	Sulfate	0.00625	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301334

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782509	Ammonia-N	0.595	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301335

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782685	Ammonia-N	0.143	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301329

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301329

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782557	Kjeldahl Nitrogen	1.46	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301117

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782556	NO2NO3-N	1.48	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301319

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782540	Total-P	2.02	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P300917

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782559	O-Phosphate-P	2.16	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P300895

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782572	Color (true)	2.91	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P301090

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782519	Total Alkalinity	0.190	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P301222

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782004	TDS	5.71	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P301227

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782519	TDS	7.50	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-97
Batch ID: P301093

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782519	Fluoride	0.990	Spike	P	0 - 3.7

Reference Method: SM 5310 B-00
Batch ID: P301239

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782439	Organic Carbon	0.323	Spike	P	0 - 20

Reference Method: SM 5310 B-00
Batch ID: P301240

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1782608	Organic Carbon	0.461	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A68401
Included Lab Sample IDs: 1782572, 1782573, 1782578

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.8	98.8	P/P	90 - 110
Sulfate	98.3	95.0	P/P	90 - 110

Reference Method: SM 2120 B
Run ID: A68402
Included Lab Sample IDs: 1782572, 1782573, 1782578

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	102	P/P	90 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A68407
Included Lab Sample IDs: 1782576, 1782577, 1782580

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.3	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A68413
Included Lab Sample IDs: 1782572, 1782573, 1782578

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	99.5	P/P	95 - 105

Quality Assurance Report Calibration Verification

Reference Method: SM 2320 B-97

Run ID: A68457

Included Lab Sample IDs: 1782572, 1782573, 1782578

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.5	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A68457

Included Lab Sample IDs: 1782572, 1782573, 1782578

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.1	99.5	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A68471

Included Lab Sample IDs: 1782574, 1782575, 1782579

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A68516

Included Lab Sample IDs: 1782574, 1782575, 1782579

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	91.6	91.9	P/P	90 - 110
Organic Carbon	91.9	91.6	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A68548

Included Lab Sample IDs: 1782574, 1782575, 1782579

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	102	P/P	90 - 110
Ammonia-N	102	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A68579

Included Lab Sample IDs: 1782574, 1782575, 1782579

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	98.0	98.7	P/P	90 - 110
Kjeldahl Nitrogen	98.7	96.1	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A68618

Included Lab Sample IDs: 1782574, 1782575

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A68692

Included Lab Sample IDs: 1782579

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.0	98.8	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				6.64	
EPA 300.0 Rev. 2.1	Chloride	102	101 101		0.183	
	Sulfate	99.2	97.9 99.5		0.0062	
EPA 350.1 Rev. 2.0	Ammonia-N	101	97.9 98.5			0.595
	Ammonia-N	101	99.1 99.3			0.143
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	96.3	81.6 83.6			1.46
EPA 353.2 Rev. 2.0	NO2NO3-N	100	102 100			1.48
EPA 365.1 Rev. 2.0	Total-P	98.8	92.4 94.4			2.02
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	102	98.5 101			2.16
SM 2120 B	Color (true)				2.91	
SM 2320 B-97	Total Alkalinity	102			0.190	
SM 2540 C-97	TDS				5.71	
	TDS				7.50	
SM 4500 F-C-97	Fluoride	94.8	97.8 96.6			0.990
SM 5310 B-00	Organic Carbon	92.4	92.7 92.3			0.323
	Organic Carbon	92.0	96.0			0.461

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1782572, 1782573, 1782578
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1782572, 1782573, 1782578
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1782572, 1782573, 1782578
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1782574, 1782575, 1782579
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1782574, 1782575, 1782579
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1782574, 1782575, 1782579
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1782574, 1782575, 1782579
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1782576, 1782577, 1782580
SM 2120 B / E31780	True Color measured at 450 nm	1782572, 1782573, 1782578
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1782572, 1782573, 1782578
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1782572, 1782573, 1782578
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1782572, 1782573, 1782578

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1782572, 1782573, 1782578
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1782574, 1782575, 1782579

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	03/23/2016			03/23/2016 17:04	Blanca Fach	1782572, 1782573, 1782578
EPA 300.0 Rev. 2.1	03/23/2016			03/24/2016	Julia Storbeck	1782572, 1782573, 1782578
EPA 350.1 Rev. 2.0	03/23/2016			03/30/2016	Diana M. Turner	1782574, 1782575, 1782579
EPA 351.2 Rev. 2.0	03/23/2016	03/31/2016	Sofia Elnemr	04/01/2016	Christopher Armour	1782574, 1782575, 1782579
EPA 353.2 Rev. 2.0	03/23/2016			03/25/2016	Diana M. Turner	1782574, 1782575, 1782579
EPA 365.1 Rev. 2.0	03/23/2016	03/31/2016	Christopher Armour	04/04/2016	Rochelle Y Jackson	1782574, 1782575
	03/23/2016	03/31/2016	Christopher Armour	04/06/2016	Rochelle Y Jackson	1782579
EPA 365.1 Rev. 2.0 dissolved	03/23/2016			03/23/2016 14:54	Ping Hua	1782576
	03/23/2016			03/23/2016 14:55	Ping Hua	1782577
	03/23/2016			03/23/2016 14:56	Ping Hua	1782580
SM 2120 B	03/23/2016			03/23/2016 13:41	Rochelle Y Jackson	1782572
	03/23/2016			03/23/2016 13:42	Rochelle Y Jackson	1782573, 1782578
SM 2320 B-97	03/23/2016			03/26/2016	Dale L. Simmons	1782572, 1782573, 1782578
SM 2540 C-97	03/23/2016			03/24/2016	Yijie Li	1782572, 1782573, 1782578
SM 2540 D-97	03/23/2016			03/24/2016	Yijie Li	1782572, 1782573, 1782578
SM 4500 F-C-97	03/23/2016			03/26/2016	Dale L. Simmons	1782572, 1782573, 1782578
SM 5310 B-00	03/23/2016			03/29/2016	Sofia Elnemr	1782574, 1782575, 1782579