

Nass Mid West

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By:

A. Kalmbacher

Project ID: SMP

Collected By:

P. O'Connor

Sampling Agency:

DEAN

Loc	Field Id		G4NE0249 08302016	Thomas Creek at Lem Turner Rd.		19020058	☐ Comp ☐ Grab Collection (comp begin or grab) Date <u>08/30/16</u> Time <u>0925</u>	☒ Eastern ☐ Central Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)	
Field	Matrix (type, e.g., Salt, Fresh, etc.) <u>Surface Fresh</u>						Diss. Oxygen <u>2.67</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STC	Temp (C) <u>25.28</u>		pH <u>7.28</u>		Sample Depth <u>0.1</u>		☐ ft ☒ m	Sp. Conductance (umho/cm) <u>278</u>	A	
Latitude	☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt) <u>0.1</u>					Comments <u>DO% 30.2</u>
Loc	Field Id		G4NE0135 08302016	Unnamed Stream at CR121		19010127	☐ Comp ☐ Grab Collection (comp begin or grab) Date _____ Time _____	☒ Eastern ☐ Central Composite end Date _____ Time _____	Bottle Group(s)	
Field	Matrix (type, e.g., Salt, Fresh, etc.)						Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STC	Temp (C)		pH		Sample Depth		☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude	☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)					Comments
Loc	Field Id		G4NE0050 08302016	Calkins trib at Hamp Register Rd		19010042	☐ Comp ☒ Grab Collection (comp begin or grab) Date <u>8-30-2016</u> Time <u>1050</u>	☒ Eastern ☐ Central Composite end Date _____ Time _____	Bottle Group(s)	
Field	Matrix (type, e.g., Salt, Fresh, etc.)						Diss. Oxygen <u>2.39</u>	☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)	
STC	Temp (C) <u>24.5</u>		pH <u>7.15</u>		Sample Depth <u>0.1</u>		☐ ft ☒ m	Sp. Conductance (umho/cm) <u>89</u>	A	
Latitude	☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)					Comments
Location	Field ID						Matrix (type, e.g., Salt, Fresh, etc.)	Diss. Oxygen	☐ mg/L ☐ % sat	
STORET #							Temp (C)	pH	Sample Depth	
Latitude	☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)					Comments

Relinquished By:

Date/Time

1500

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

8.30.2016

Fed Ex

1

8.31.16/10.18

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>3</u> 2 10
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>3</u> 2 10
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>3</u> 2 10
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	<u>3</u> 2 10
	W-PO4-F						

Date of Request: 11-JUL-2016
 Created By: PARRISH_J On: 11-JUL-2016
 Modified By: MATTHEWS_D On: 30-AUG-2016
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: Nass Mid West

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 25-AUG-2016
 Biology Request Reviewed By: MATTHEWS_D On: 30-AUG-2016
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 29-AUG-2016
 Received By: SHAIK_A On: 31-AUG-2016

Send Final Report To:

8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ-2016-08-29-08

Date/Time of Receipt: 08-31-10.18

***If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.**

****Chain of Custody/ Field Sheet(s) Included?** Yes No

****Evidence Tape on Bottles?** Yes No ✓ **If yes, is it intact?** Yes No

****Caps on tight?** Yes ✓ No ****Containers intact?** Yes ✓ No

****Sufficient Sample Volume:** Yes ✓ No

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

**Acid Preserved Samples: pH $\leq$ 2.0? Yes ☒ No ☐ NA ☐ Init: ☒

**W-1-4-DIOX (Green dot on container) preserved to pH $<$ 4.0? Yes ☐ No ☐ NA ☒ Init: ☐

Coolers Unpacked/Checked by: ADD Date: 8-31-16 NCRs (Y/N)?

Event ID: Nass Mid West
NE-DIST-2016-08-31-02 (SMP) _____ NCR # _____

Page 1 of 2, 04/29/2016, Form LB-020-1.12

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments: