

Chemical Analysis Report

NE-DIST-2016-09-21-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Suwannee makeup**
Request ID: **RQ-2016-09-19-47**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Jacksonville, FL 32256-7577
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator Date Certified: 19-OCT-2016 16:28



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: MONTEOCHA AT CR340

Collection Date/Time: 09/20/2016 10:45

Field ID: G1NE0591 O9202016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1833095	EPA 180.1 Rev. 2.0	Turbidity	3.0	A	NTU	P311599	
	EPA 300.0 Rev. 2.1	Chloride	11		mg Cl/L	P311767	
		Sulfate	1.1		mg SO4/L	P311770	
	SM 2120 B	Color (true)	650		PCU	P311616	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P311803	
	SM 2540 C-97	TDS	102		mg/L	P312262	
	SM 2540 D-97	TSS	3	I	mg/L	P312266	
	SM 4500 F-C-97	Fluoride	0.069	I	mg F/L	P311805	
1833096	EPA 350.1 Rev. 2.0	Ammonia-N	0.69		mg N/L	P311757	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	2.4		mg N/L	P311986	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.018		mg N/L	P311898	
	EPA 365.1 Rev. 2.0	Total-P	0.21		mg P/L	P312224	
	SM 5310 B-00	Organic Carbon	74		mg C/L	P312547	
1833097	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.16		mg P/L	P311602	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P311599

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P311767

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P311770

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P311757

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P311986

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311898

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312224

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311602

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P311616

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P311803

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P312262

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P312266

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P311805

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P312547

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311767

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	99.2		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311770

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311757

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311986

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311898

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	97.0		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312224

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.3		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311602

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P311803

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P311805

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.2		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
 Batch ID: P312547

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	105		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P311767

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832801	Chloride	98.7		P	90 - 110
1832827	Chloride	99.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P311770

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832801	Sulfate	91.3		P	90 - 110
1832827	Sulfate	96.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P311757

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1833065	Ammonia-N	100	99.3	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P311986

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1833063	Kjeldahl Nitrogen	102	104	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P311898

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1833105	NO2NO3-N	96.0	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P312224

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1833063	Total-P	101	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P311602

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1833110	O-Phosphate-P	101	102	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P311805

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832801	Fluoride	98.6	98.0	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P312547

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1833096	Organic Carbon	113		P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P311599

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1833095	Turbidity	6.06	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311767

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832801	Chloride	0.622	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311770

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832801	Sulfate	2.54	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311757

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1833065	Ammonia-N	1.13	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311986

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1833063	Kjeldahl Nitrogen	1.74	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311898

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311898

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1833105	NO2NO3-N	1.28	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312224

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1833063	Total-P	0.626	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311602

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1833110	O-Phosphate-P	0.984	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P311616

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1833101	Color (true)	5.62	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P311803

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832801	Total Alkalinity	0.177	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P312262

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1833186	TDS	1.78	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P311805

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832801	Fluoride	0.525	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P312547

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1833096	Organic Carbon	0.673	Spike	P	0 - 20

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A71758

Included Lab Sample IDs: 1833095

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.0	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A71759

Included Lab Sample IDs: 1833097

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.9	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A71760

Included Lab Sample IDs: 1833095

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	99.1	96.9	P/P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A71789

Included Lab Sample IDs: 1833095

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	97.7	99.3	P/P	90 - 110
Sulfate	96.7	99.2	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A71807

Included Lab Sample IDs: 1833096

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	101	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A71811

Included Lab Sample IDs: 1833095

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	104	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A71811

Included Lab Sample IDs: 1833095

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A71854

Included Lab Sample IDs: 1833096

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	92.0	91.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A71982

Included Lab Sample IDs: 1833096

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A72004

Included Lab Sample IDs: 1833096

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	98.1	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A72041

Included Lab Sample IDs: 1833096

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	108	108	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				6.06	
EPA 300.0 Rev. 2.1	Chloride	99.2	98.7	99.7	0.622	
	Sulfate	97.7	91.3	96.5	2.54	
EPA 350.1 Rev. 2.0	Ammonia-N	101	100	99.3		1.13
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	100	102	104		1.74
EPA 353.2 Rev. 2.0	NO2NO3-N	97.0	96.0	98.0		1.28
EPA 365.1 Rev. 2.0	Total-P	97.3	101	102		0.626
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	101	101	102		0.984
SM 2120 B	Color (true)				5.62	
SM 2320 B-97	Total Alkalinity	103			0.177	
SM 2540 C-97	TDS				1.78	
SM 4500 F-C-97	Fluoride	99.2	98.6	98.0		0.525
SM 5310 B-00	Organic Carbon	105	113			0.673

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
---------------------	-------------	--------------------

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1833095
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1833095
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1833095
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1833096
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1833096
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1833096
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1833096
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1833097
SM 2120 B / E31780	True Color measured at 450 nm	1833095
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1833095
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1833095
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1833095
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1833095
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1833096

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/21/2016			09/21/2016 15:10	Sima Feizi	1833095
EPA 300.0 Rev. 2.1	09/21/2016			09/24/2016	Ping Hua	1833095
EPA 350.1 Rev. 2.0	09/21/2016			09/22/2016	Sofia Elnemr	1833096
EPA 351.2 Rev. 2.0	09/21/2016	09/28/2016	Adrian Shelby	10/04/2016	Joseph Suarez	1833096
EPA 353.2 Rev. 2.0	09/21/2016			09/27/2016	Peter D. Kaus	1833096
EPA 365.1 Rev. 2.0	09/21/2016	09/30/2016	Vijayalakshmi Reddy	10/03/2016	Lipi Saha	1833096
EPA 365.1 Rev. 2.0 dissolved	09/21/2016			09/21/2016 15:13	Julia Storbeck	1833097
SM 2120 B	09/21/2016			09/21/2016 19:31	Julie Michelle Frank	1833095
SM 2320 B-97	09/21/2016			09/24/2016	Dale L. Simmons	1833095
SM 2540 C-97	09/21/2016			09/23/2016	Yijie Li	1833095
SM 2540 D-97	09/21/2016			09/23/2016	Yijie Li	1833095
SM 4500 F-C-97	09/21/2016			09/24/2016	Dale L. Simmons	1833095
SM 5310 B-00	09/21/2016			10/04/2016	Julie Michelle Frank	1833096