

Ichetucknee

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: J Parrish

Project ID: SMP

Collected By: J Parrish

Sampling Agency: FDEP NE

Loc	Field Id		21030050 10262016	storet ID		21030050	Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	☐ Comp ☒ Grab Collection (comp begin or grab) Date 10/26/16 Time 1000 Eastern Central Composite end Date Time	Matrix (type, e.g., Salt, Fresh, etc) Diss. Oxygen ☒ mg/L ☐ % sat Temp (C) 21.56 pH 7.83 Sample Depth 0.3 ☐ ft ☒ m Sp. Conductance (umho/cm) 333	Total Res. Chlorine (mg/L) Bottle Group(s) (See pg 2) A
Field	Ichetucknee at US27												
ST	Ichetucknee at US27												
Loc	Field Id		21030104 10262016	storet ID		21030104	Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	☐ Comp ☒ Grab Collection (comp begin or grab) Date 10/26/16 Time 1045 Eastern Central Composite end Date Time	Matrix (type, e.g., Salt, Fresh, etc) Diss. Oxygen ☒ mg/L ☐ % sat Temp (C) 21.7 pH 7.75 Sample Depth 0.1 ☐ ft ☒ m Sp. Conductance (umho/cm) 295	Total Res. Chlorine (mg/L) Bottle Group(s) A
Field	Ichetucknee at Coffee Spring												
ST	Ichetucknee at Coffee Spring												
Loc	Field Id		21030081 10262016	storet ID		21030081	Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	☐ Comp ☒ Grab Collection (comp begin or grab) Date 10/26/16 Time 1110 Eastern Central Composite end Date Time	Matrix (type, e.g., Salt, Fresh, etc) Diss. Oxygen ☒ mg/L ☐ % sat Temp (C) 21.8 pH 7.66 Sample Depth 0.3 ☐ ft ☒ m Sp. Conductance (umho/cm) 337	Total Res. Chlorine (mg/L) Bottle Group(s) A
Field	Ichetucknee at Devils Eye Spring												
ST	Ichetucknee at Devils Eye Spring												
Loc	Field Id		FIELD BLANK	storet ID		FIELD BLANK	Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	☐ Comp ☒ Grab Collection (comp begin or grab) Date 10/26/16 Time 1015 Eastern Central Composite end Date Time	Matrix (type, e.g., Salt, Fresh, etc) Diss. Oxygen ☐ mg/L ☐ % sat Temp (C) ☐ pH ☐ Sample Depth ☐ ft ☐ m Sp. Conductance (umho/cm)	Total Res. Chlorine (mg/L) Bottle Group(s) B
Field	Field Blank												
ST	Field Blank												

Relinquished By: J Parrish	Date/Time: 10/26/16 1500	Shipping Method: FedEx	Number of Coolers Shipped: 1	Received By: [Signature]	Date/Time: 10-27-16 11530
----------------------------	--------------------------	------------------------	------------------------------	--------------------------	---------------------------

Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
CHLSUITE-W							
Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
TURBIDITY							
W-CL-IC							
W-COLOR							
W-F							
W-SO4-IC							
W-TDS							
W-TSS							
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
W-TOC							
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	3
W-PO4-F							
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
ALKALINITY							
TURBIDITY							
W-BR-IC							
W-CL-IC							
W-F							
W-SO4-IC							
W-TDS							
W-TSS							
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
W-TOC							
Group: B	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	1

Group: B

Bottle Type:

P-125ML

of Bottles: 1

Preservative:

ICE-FLTR

Enter Number of Bottles Sent to Lab

W-PO4-F

Date of Request: 13-SEP-2016
 Created By: PARRISH_J On: 13-SEP-2016
 Modified By: MATTHEWS_D On: 10-OCT-2016
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: Ichetucknee

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Send Final Report To:

8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-OCT-2016
 Biology Request Reviewed By: MATTHEWS_D On: 10-OCT-2016
 Sampling Kit Required: YES Ship on: 17-OCT-2016
 Sampling Kit Shipped: YES On: 18-OCT-2016
 Sampling Kit Packed By: KITCHEN_S
 Preservatives Needed: NO
 Date to Receive Samples: 24-OCT-2016
 Received By: SHAIK_A On: 27-OCT-2016

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

RQ- 2016-10-24-16

Log-in Checklist

Shipping Method: Red ExpDate/Time of Receipt: 10-27-16 10:30

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		Tracking # (fill out only if waybill copy is damaged)		
			Present?	*Intact?			
			Yes	No	Yes	No	
<u>Red</u>	<u>1.0</u>	<u>15</u>		☒			<u>8104 1261 7970</u>

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ABP

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☐ Init: ABP

Coolers Unpacked/Checked by: ABP Date: 10-27-16

NCRs (Y/N)? Y

Event ID: 1chetucknee
NE-DIST-2016-10-27-01 (SMP)

NCR #

Date Received: 27-OCT-2016 10:30

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Additional Comments: