

Chemical Analysis Report

NE-DIST-2016-12-14-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Gville SCI-Hatchett**
Request ID: **RQ-2016-12-12-14**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Jacksonville, FL 32256-7577
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 09-JAN-2017 11:48

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Hatchett Creek @ SR26

Collection Date/Time: 12/13/2016 11:10

Field ID: G1NE0096 12122016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1857534	EPA 180.1 Rev. 2.0	Turbidity	1.5		NTU	P316808	
	EPA 300.0 Rev. 2.1	Chloride	13		mg Cl/L	P317355	
		Sulfate	3.0		mg SO4/L	P317364	
	SM 2120 B	Color (true)	280		PCU	P316802	
	SM 2320 B-97	Total Alkalinity	55		mg CaCO3/L	P317138	
	SM 2540 C-97	TDS	126		mg/L	P317407	
	SM 2540 D-97	TSS	2	I	mg/L	P317285	
	SM 4500 F-C-97	Fluoride	0.17		mg F/L	P317329	
1857535	EPA 350.1 Rev. 2.0	Ammonia-N	0.005	I	mg N/L	P317311	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.66		mg N/L	P316914	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P317066	
	EPA 365.1 Rev. 2.0	Total-P	0.15		mg P/L	P317085	
	SM 5310 B-00	Organic Carbon	22		mg C/L	P316966	
1857536	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.12		mg P/L	P316790	
1857539	EPA 200.7 Rev. 4.4	Calcium	15.9		mg/L	P317002	
		Iron	690		ug/L	P317002	
		Magnesium	8.59		mg/L	P317002	
		Potassium	1.1	I	mg/L	P317002	
		Sodium	7.0		mg/L	P317002	
	EPA 200.8 Rev. 5.4	Zinc	5.0	U	ug/L	P317002	
		Arsenic	1.05		ug/L	P317002	
		Cadmium	0.020	U	ug/L	P317002	
		Chromium	0.52		ug/L	P317002	
		Copper	0.22	I	ug/L	P317002	
		Lead	0.16	I	ug/L	P317002	
		Nickel	0.41		ug/L	P317002	
		Silver	0.0050	U	ug/L	P317002	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Little Hatchett @ SR24

Collection Date/Time: 12/13/2016 11:00

Field ID: G1NE0083 12122016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1857531	EPA 180.1 Rev. 2.0	Turbidity	2.8		NTU	P316807	
	EPA 300.0 Rev. 2.1	Chloride	16		mg Cl/L	P317355	
		Sulfate	20		mg SO4/L	P317364	
	SM 2120 B	Color (true)	48		PCU	P316802	
	SM 2320 B-97	Total Alkalinity	109		mg CaCO3/L	P317138	
	SM 2540 C-97	TDS	183	A	mg/L	P317407	
	SM 2540 D-97	TSS	3	I	mg/L	P317285	
	SM 4500 F-C-97	Fluoride	0.18		mg F/L	P317329	
1857532	EPA 350.1 Rev. 2.0	Ammonia-N	0.047		mg N/L	P317310	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.34		mg N/L	P316914	

Field ID: G1NE0083 12122016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1857532	EPA 353.2 Rev. 2.0	NO2NO3-N	0.024		mg N/L	P317066	
	EPA 365.1 Rev. 2.0	Total-P	0.16		mg P/L	P317000	
	SM 5310 B-00	Organic Carbon	8.4		mg C/L	P316966	
1857533	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.14		mg P/L	P316790	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P316807

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P316808

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P317002

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P317002

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.050	U	ug/L
Copper	0.10	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.050	U	ug/L
Silver	0.0050	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P317355

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317364

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P317310

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P317311

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P316914

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P317066

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P317000

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P317085

Component	Result	Code	Units
Total-P	0.005	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P316790

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P316802

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P317138

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P317407

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P317285

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P317329

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P316966

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P317002

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	104		P	85 - 115
Iron	108		P	85 - 115
Magnesium	104		P	85 - 115
Potassium	110		P	85 - 115
Sodium	103		P	85 - 115
Zinc	99.5		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P317002

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	102		P	85 - 115
Cadmium	100		P	85 - 115
Chromium	99.9		P	85 - 115
Copper	99.9		P	85 - 115
Lead	100		P	85 - 115
Nickel	101		P	85 - 115
Silver	101		P	85 - 115

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317355

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317364

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	94.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P317310

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P317311

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P316914

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	95.7		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P317066

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO ₂ NO ₃ -N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P317000

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.1		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P317085

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P316790

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.4		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 2320 B-97
Batch ID: P317138

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.6		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P317329

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.5		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P316966

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.5		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P317002

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857001	Calcium	102		P	80 - 120
1857001	Iron	105		P	80 - 120
1857001	Magnesium	109		P	80 - 120
1857001	Potassium	105		P	80 - 120
1857001	Sodium	102		P	80 - 120
1857001	Zinc	99.8		P	80 - 120
1857539	Calcium	103		P	80 - 120
1857539	Iron	108	105	P/P	80 - 120
1857539	Magnesium	104		P	80 - 120
1857539	Potassium	103	104	P/P	80 - 120
1857539	Sodium	103		P	80 - 120
1857539	Zinc	101	98.5	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P317002

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857001	Arsenic	103		P	80 - 120
1857001	Cadmium	102		P	80 - 120
1857001	Chromium	100		P	80 - 120
1857001	Copper	102		P	80 - 120
1857001	Lead	101		P	80 - 120
1857001	Nickel	101		P	80 - 120
1857001	Silver	101		P	80 - 120
1857539	Arsenic	104	102	P/P	80 - 120
1857539	Cadmium	104	105	P/P	80 - 120
1857539	Chromium	105	103	P/P	80 - 120
1857539	Copper	101	98.3	P/P	80 - 120
1857539	Lead	104	103	P/P	80 - 120
1857539	Nickel	102	105	P/P	80 - 120

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P317002

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857539	Silver	103	103	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317355

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857490	Chloride	99.4		P	90 - 110
1857497	Chloride	99.6		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317364

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857490	Sulfate	94.3		P	90 - 110
1857497	Sulfate	93.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P317310

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857479	Ammonia-N	104	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P317311

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857535	Ammonia-N	104	105	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P316914

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857491	Kjeldahl Nitrogen	95.8	92.8	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P317066

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857505	NO2NO3-N	102	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P317000

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857491	Total-P	96.3	94.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P317085

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857605	Total-P	98.5	97.0	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P316790

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857510	O-Phosphate-P	99.4	100	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P317329

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857834	Fluoride	103	103	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P316966

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857532	Organic Carbon	98.5	98.6	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P316807

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857476	Turbidity	0.0	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P316808

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857790	Turbidity	1.71	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P317002

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857539	Calcium	2.89	Spike	P	0 - 20
1857539	Iron	2.36	Spike	P	0 - 20
1857539	Magnesium	2.56	Spike	P	0 - 20
1857539	Potassium	1.40	Spike	P	0 - 20
1857539	Sodium	2.27	Spike	P	0 - 20
1857539	Zinc	3.02	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P317002

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857539	Arsenic	1.57	Spike	P	0 - 20
1857539	Cadmium	0.649	Spike	P	0 - 20
1857539	Chromium	1.51	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P317002

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857539	Copper	2.21	Spike	P	0 - 20
1857539	Lead	1.53	Spike	P	0 - 20
1857539	Nickel	2.73	Spike	P	0 - 20
1857539	Silver	0.0671	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317355

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857490	Chloride	0.175	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317364

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857490	Sulfate	0.106	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P317310

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857479	Ammonia-N	0.927	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P317311

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857535	Ammonia-N	0.943	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P316914

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857491	Kjeldahl Nitrogen	3.16	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P317066

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857505	NO2NO3-N	0.590	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P317000

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857491	Total-P	2.32	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P317085

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857605	Total-P	1.36	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P316790

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857510	O-Phosphate-P	0.602	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P316802

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857603	Color (true)	1.50	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P317138

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857881	Total Alkalinity	0.776	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P317407

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857531	TDS	4.37	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P317329

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857834	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P316966

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857532	Organic Carbon	0.107	Spike	P	0 - 20

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A73374

Included Lab Sample IDs: 1857533, 1857536

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.0	97.7	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A73378

Included Lab Sample IDs: 1857531, 1857534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	101	P/P	85 - 115
Color (true)	102	102	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A73379

Included Lab Sample IDs: 1857531, 1857534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	97.5	97.5	P/P	95 - 105
Turbidity	97.5	98.0	P/P	95 - 105

Reference Method: SM 5310 B-00

Run ID: A73440

Included Lab Sample IDs: 1857532, 1857535

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	100	99.4	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A73481

Included Lab Sample IDs: 1857532, 1857535

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	98.3	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A73485

Included Lab Sample IDs: 1857532, 1857535

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	98.0	97.0	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A73497

Included Lab Sample IDs: 1857539

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A73497

Included Lab Sample IDs: 1857539

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	101	101	P/P	90 - 110
Iron	102	101	P/P	90 - 110
Magnesium	102	102	P/P	90 - 110
Potassium	101	101	P/P	90 - 110
Sodium	99.0	99.7	P/P	90 - 110
Zinc	101	101	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A73503

Included Lab Sample IDs: 1857531, 1857534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A73506

Included Lab Sample IDs: 1857532

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	102	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A73513

Included Lab Sample IDs: 1857539

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	101	98.2	P/P	90 - 110
Cadmium	99.0	99.9	P/P	90 - 110
Chromium	98.9	100	P/P	90 - 110
Copper	99.3	96.8	P/P	90 - 110
Lead	98.8	97.1	P/P	90 - 110
Nickel	99.9	97.3	P/P	90 - 110
Silver	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A73516

Included Lab Sample IDs: 1857535

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	104	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A73559

Included Lab Sample IDs: 1857532, 1857535

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	103	P/P	90 - 110
Ammonia-N	103	102	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-97

Run ID: A73565

Included Lab Sample IDs: 1857531, 1857534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	99.0	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A73576

Included Lab Sample IDs: 1857531, 1857534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	101	P/P	90 - 110
Sulfate	95.3	92.8	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						0.0	
	Turbidity						1.71	
EPA 200.7 Rev. 4.4	Calcium	104	102	103				2.89
	Iron	108	105	108	105			2.36
	Magnesium	104	109	104				2.56
	Potassium	110	105	103	104			1.40
	Sodium	103	102	103				2.27
	Zinc	99.5	99.8	101	98.5			3.02
EPA 200.8 Rev. 5.4	Arsenic	102	103	104	102			1.57
	Cadmium	100	102	104	105			0.649
	Chromium	99.9	100	105	103			1.51
	Copper	99.9	102	101	98.3			2.21
	Lead	100	101	104	103			1.53
	Nickel	101	101	102	105			2.73
	Silver	101	101	103	103			0.0671
EPA 300.0 Rev. 2.1	Chloride	101	99.4	99.6			0.175	
	Sulfate	94.4	94.3	93.6			0.106	
EPA 350.1 Rev. 2.0	Ammonia-N	101	104	103				0.927
	Ammonia-N	101	104	105				0.943
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	95.7	95.8	92.8				3.16
EPA 353.2 Rev. 2.0	NO2NO3-N	102	102	100				0.590
EPA 365.1 Rev. 2.0	Total-P	96.1	96.3	94.0				2.32
	Total-P	99.2	98.5	97.0				1.36
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.4	99.4	100				0.602
SM 2120 B	Color (true)						1.50	
SM 2320 B-97	Total Alkalinity	99.6					0.776	
SM 2540 C-97	TDS						4.37	
SM 4500 F-C-97	Fluoride	98.5	103	103				0.0
SM 5310 B-00	Organic Carbon	99.5	98.5	98.6				0.107

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1857531, 1857534
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	1857539
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	1857539
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1857531, 1857534
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1857531, 1857534
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1857532, 1857535
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1857532, 1857535
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1857532, 1857535
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1857532, 1857535
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1857533, 1857536
SM 2120 B / E31780	True Color measured at 450 nm	1857531, 1857534
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1857531, 1857534
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1857531, 1857534
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1857531, 1857534
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1857531, 1857534
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1857532, 1857535

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	12/14/2016			12/14/2016 16:19	Julie Michelle Frank	1857531, 1857534
EPA 200.7 Rev. 4.4	12/14/2016	12/19/2016	Elliott D. Healy	12/20/2016	Joshua Ayres	1857539
EPA 200.8 Rev. 5.4	12/14/2016	12/19/2016	Elliott D. Healy	12/20/2016	Charles J. Peterson	1857539
EPA 300.0 Rev. 2.1	12/14/2016			12/22/2016	Ping Hua	1857531, 1857534
	12/14/2016			12/23/2016	Ping Hua	1857531, 1857534
EPA 350.1 Rev. 2.0	12/14/2016			12/22/2016	Sofia Elnemr	1857532, 1857535
EPA 351.2 Rev. 2.0	12/14/2016	12/16/2016	Adrian Shelby	12/20/2016	Joseph Suarez	1857532, 1857535
EPA 353.2 Rev. 2.0	12/14/2016			12/20/2016	Beverly Y. Sanders	1857532, 1857535
EPA 365.1 Rev. 2.0	12/14/2016	12/19/2016	Vijayalakshmi Reddy	12/20/2016	Lipi Saha	1857532
	12/14/2016	12/20/2016	Vijayalakshmi Reddy	12/21/2016	Lipi Saha	1857535
EPA 365.1 Rev. 2.0 dissolved	12/14/2016			12/14/2016 15:09	Julia Storbeck	1857533
	12/14/2016			12/14/2016 15:10	Julia Storbeck	1857536
SM 2120 B	12/14/2016			12/14/2016 16:09	Jared I. Manley	1857531
	12/14/2016			12/14/2016 16:43	Jared I. Manley	1857534
SM 2320 B-97	12/14/2016			12/17/2016	Dale L. Simmons	1857531, 1857534
SM 2540 C-97	12/14/2016			12/15/2016	Yijie Li	1857531, 1857534
SM 2540 D-97	12/14/2016			12/15/2016	Yijie Li	1857531, 1857534
SM 4500 F-C-97	12/14/2016			12/23/2016	Dale L. Simmons	1857531, 1857534
SM 5310 B-00	12/14/2016			12/16/2016	Julie Michelle Frank	1857532, 1857535