

Request Number: RQ-2016-04-18-28
 02-08-66
 Little Withlacoochee RTR Rosalie Canal

Florida Department of Environmental Protection
 Central Laboratory Submittal Form

Page 1 of 2
 last revised Nov 10, 2015

Customer: CEN-DIST
 Project ID: SMP

Requester: Michael Linger Natalie Ayala
 Collected By: Mike Brennan

Field Report Prepared By: Katie Williams
 Sampling Agency: FDOP

Location <u>Rosalie Canal</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2/8/16</u> Time <u>1215</u>		☒ Eastern ☐ Central	Composite end Date _____ Time _____		Bottle Group(s) (See pg 2) <u>A</u>
Field ID <u>G4CE0087</u>		Matrix (type, e.g., Salt, Fresh, etc) <u>fresh</u>		Diss. Oxygen <u>9.8</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) <u>n/a</u>		
STORET # <u>G4CE0087</u>		Temp (C) <u>14.8</u>	pH <u>7.3</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>97</u>		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>0.05</u>		Comments				
Location <u>Rosalie Canal</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2/8/16</u> Time <u>1140</u>		☒ Eastern ☐ Central	Composite end Date _____ Time _____		Bottle Group(s) <u>A</u>
Field ID <u>G4CE0088</u>		Matrix (type, e.g., Salt, Fresh, etc) <u>fresh</u>		Diss. Oxygen <u>9.7</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) <u>n/a</u>		
STORET # <u>G4CE0088</u>		Temp (C) <u>14.8</u>	pH <u>7.2</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>96</u>		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>0.05</u>		Comments				
Location <u>Rosalie Canal</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2/8/16</u> Time <u>1125</u>		☒ Eastern ☐ Central	Composite end Date _____ Time _____		Bottle Group(s) <u>A</u>
Field ID <u>G4CE0089</u>		Matrix (type, e.g., Salt, Fresh, etc) <u>fresh</u>		Diss. Oxygen <u>9.7</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) <u>n/a</u>		
STORET # <u>G4CE0089</u>		Temp (C) <u>14.7</u>	pH <u>7.2</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>97</u>		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>0.05</u>		Comments				
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central	Composite end Date _____ Time _____		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc) <u>fresh</u>		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments				

Relinquished By:	Date/Time	Shipping Method	Received By:	Date/Time	Relinquished By:	Date/Time	Received By: <u>SK</u>	Date/Time: <u>2-9-16/9:00</u>
------------------	-----------	-----------------	--------------	-----------	------------------	-----------	------------------------	-------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 13	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	P-1L	# of Bottles: 13	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	BOD-UNIN					
Group: A	Bottle Type:	BP-1L	# of Bottles: 13	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 13	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 13	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab
	W-PO4-F					

Date of Request: 08-FEB-2016
 Created By: WILLIAM_KM On: 08-FEB-2016
 Modified By: SWANSON_C On: 08-FEB-2016
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Rosalie Canal

Send Coolers To:

Phone: 407-897-4100
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Natalie Ayala

Program Module Number: 1306
 Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 08-FEB-2016
 Biology Request Reviewed By: SWANSON_C On: 08-FEB-2016
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 08-FEB-2016
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Natalie Ayala

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ- 2016-0208-66

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 2-9-16 / 9:00

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Green	* - 0.6	15		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain Of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: SK

Coolers Unpacked/Checked by: SK Date: 2-9-16

NCRs (Y/N)? N

Event ID: CEN-DIST-2016-02-09-01

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and Time Placed in Freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Methyl Mercury Preservation Check:

Samples Preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

00788

01000

FedEx Package
Express US Airbill
FedEx
Tracking
Number

8092 3436 8501

Form
ID No.

0215

MUR3

1 From

Date 2/8/16

Sender's Name Katie Williams

Phone 407 897 4100

Company FDEP

Address 3319 Maguire Blvd Ste 232

City Orlando State FL ZIP 32803

2 Your Internal Billing Reference

3 To

Recipient's Name SAMPLE RECEIVING

Phone 850 245-8085

Company FLORIDA DEP/CHEMISTRY SECTION

Address 2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City TALLAHASSEE

State FL ZIP 32399-6542

HOLD Weekday
FedEx location address
REQUIRED. NOT available for
FedEx First Overnight.HOLD Saturday
FedEx location address
REQUIRED. Available ONLY for
FedEx Priority Overnight and
FedEx 2Day to select locations.

4 Express Package Service

* To most locations.

NOTE: Service order has changed. Please select carefully.

Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
Earliest next business morning delivery to select
locations. Friday shipments will be delivered on
Monday unless SATURDAY Delivery is selected.☒ FedEx Priority Overnight
Next business morning * Friday shipments will be
delivered on Monday unless SATURDAY Delivery
is selected.☐ FedEx Standard Overnight
Next business afternoon *
Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning.
Saturday Delivery NOT available.☐ FedEx 2Day
Second business afternoon * Thursday shipments
will be delivered on Monday unless SATURDAY
Delivery is selected.☐ FedEx Express Saver
Third business day *
Saturday Delivery NOT available.

5 Packaging *Declared value limit \$500.

☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx Box ☐ FedEx Tube ☒ Other

6 Special Handling and Delivery Signature Options

☐ SATURDAY Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.☐ No Signature Required
Package may be left without
obtaining a signature for delivery.☐ Direct Signature
Someone at recipient's address
may sign for delivery. Fee applies.☐ Indirect Signature
If no one is available at recipient's
address, someone at a neighboring
address may sign for delivery. For
residential deliveries only. Fee applies.

Does this shipment contain dangerous goods?

One box must be checked.

☒ No ☐ Yes
As per attached
Shipper's Declaration.☐ Yes
Shipper's Declaration
not required.☐ Dry Ice
Dry Ice, 9, UN 1845 x kgDangerous goods (including dry ice) cannot be shipped in FedEx packaging
or placed in a FedEx Express Drop Box.☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip.
Acct. No. ☐☐ Sender
Acct. No. in Section
I will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

Total Packages 262

Total Weight

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

611



8092 3436 8501

17721

fedex.com 1800.GoFedEx 1800.463.3339

05718036