

Lady Lake

last revised Nov 10, 2015

Central Laboratory Submittal Form

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Mike Drannen

Project ID: SMP

Collected By: Natalie Ayala

Sampling Agency: CEN-DIST

Location Lady Lake North Lobe North		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/11/16 Time 1134		Eastern Central	Composite end Date Time		Bottle Group(s) (See pg 2) A	
Field ID G4CE0096		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 7.9	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
STORET # G4CE0096		Temp (C) 24.1	pH 5.4	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 58			
Latitude 28.92258206	☒ dd ☐ dms	Longitude -81.89337616	☒ dd ☐ dms	Salinity (ppt) .03	Comments				
Location Lady Lake North Lobe South		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/11/16 Time 1134		Eastern Central	Composite end Date Time			
Field ID G4CE0097		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 7.9	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		Bottle Group(s) (See pg 2) A	
STORET # G4CE0097		Temp (C) 24.1	pH 5.1	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 58			
Latitude 28.92066714	☒ dd ☐ dms	Longitude -81.89346199	☒ dd ☐ dms	Salinity (ppt) .03	Comments				
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time			
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		Bottle Group(s) (See pg 2)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments				
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time			
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments				

Relinquished By:	Date/Time	Shipping Method	Received By:	Date/Time	Relinquished By:	Date/Time	Received By:	Date/Time
			ABP	4-12-16				

09:28

Group:	Bottle Type:	P-1L	# of Bottles:	2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
A	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						2
Group:	Bottle Type:	P-1L	# of Bottles:	2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
A	BOD-UNIN						2
Group:	Bottle Type:	BP-1L	# of Bottles:	2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
A	CHLSUITE-W						2
Group:	Bottle Type:	P-500ML	# of Bottles:	2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab
A	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						2
Group:	Bottle Type:	P-125ML	# of Bottles:	2	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab
A	W-PO4-F						2

Date of Request: 24-MAR-2016
 Created By: LINGER_M On: 24-MAR-2016
 Modified By: SWANSON_C On: 30-MAR-2016
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Lady Lake

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 25-MAR-2016
 Biology Request Reviewed By: SWANSON_C On: 30-MAR-2016
 Sampling Kit Required: YES Ship on: 28-MAR-2016
 Sampling Kit Shipped: YES On: 31-MAR-2016
 Sampling Kit Packed By: LASHLEY_C
 Preservatives Needed: NO
 Date to Receive Samples: 11-APR-2016
 Received By: SHAIK_A On: 12-APR-2016

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ-2016-04-11-43

Log-in Checklist

Shipping Method: FedExDate/Time of Receipt: 04-12-16/9:28

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.6°C	10		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain Of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☐ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ASD

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☐ NA ☒ Init: ASD

Coolers Unpacked/Checked by: ASD Date: 4-12-16 NCRs (Y/N)? —

Event ID: Lady Lake
CEN-DIST-2016-04-12-01 (SMP)
 Date Received: 12-APR-2016 09:28

NCR # —

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and Time Placed in Freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Methyl Mercury Preservation Check:

Samples Preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

00678

01000

FedEx
ExpressFedEx
Tracking
Number

8092 3436 7402

Form
ID No.

0215

MUR3

1 From

Date

4/11/16

Sender's
Name

Mike Drennon

Phone

407 8974100

Company

FDCEP

Address

3319 Magnolia Blvd. Suite 232

Dept./Floor/Suite/Room

City

Orlando

State

FL

ZIP

32803

2 Your Internal Billing Reference

3 To

Recipient's
Name

SAMPLE RECEIVING

Phone

850 245-8085

Company

FLORIDA DEP/CHEMISTRY SECTION

Address

2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

TALLAHASSEE

State

FL

ZIP

32399-6542

HOLD Weekday
FedEx location address
REQUIRED. NOT available for
FedEx First Overnight.☐HOLD Saturday
FedEx location address
REQUIRED. Available ONLY for
FedEx Priority Overnight and
FedEx 2Day to select locations.☐

0120775907

4 Express Package Service

* To most locations.

NOTE: Service order has changed. Please select carefully.

Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐

FedEx First Overnight

Earliest next business morning delivery to select
locations. Friday shipments will be delivered on
Monday unless SATURDAY Delivery is selected.☒

FedEx Priority Overnight

Next business morning.* Friday shipments will be
delivered on Monday unless SATURDAY Delivery
is selected.☐

FedEx Standard Overnight

Next business afternoon.*
Saturday Delivery NOT available.

2 or 3 Business Days

☐

FedEx 2Day A.M.

Second business morning.*
Saturday Delivery NOT available.☐

FedEx 2Day

Second business afternoon.* Thursday shipments
will be delivered on Monday unless SATURDAY
Delivery is selected.☐

FedEx Express Saver

Third business day.*
Saturday Delivery NOT available.

5 Packaging

* Declared value limit \$500.

☐

FedEx Envelope*

☐

FedEx Pak*

☐FedEx
Box☐FedEx
Tube☒

Other

6 Special Handling and Delivery Signature Options

☐

SATURDAY Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐

No Signature Required

Package may be left without
obtaining a signature for delivery.☐

Direct Signature

Someone at recipient's address
may sign for delivery. *Fee applies.*☐

Indirect Signature

If no one is available at recipient's
address, someone at a neighboring
address may sign for delivery. For
residential deliveries only. *Fee applies.*

Does this shipment contain dangerous goods?

unit box must be checked.

☒

No

☐

Yes

As per attached
Shipper's Declaration.☐

Yes

Shipper's Declaration
not required.☐

Dry Ice

Dry Ice, 9 UN 1845

kg

Dangerous goods (including dry ice) cannot be shipped in FedEx packaging
or placed in a FedEx Express Drop Box.☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip
Acct. No. ☐☐Sender
Acct. No. in Section
1 will be billed.☒

Recipient

☐

Third Party

☐

Credit Card

☐

Cash/Check

Total Packages

Total Weight

lbs.

Credit Card Auth.

Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

611

17749

fedex.com 1.800.GoFedEx 1.800.463.3339

05718036



8092 3436 7402