

Hatchineha Canal

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Terry Riordan

Project ID: SMP

Collected By: Terry Riordan/Leif Boman

Sampling Agency: 21 FL CEN (CEN-Roc)

Location Hatchineha Canal 50 yds. S of LK Cypress		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 5/3/16 Time 1400	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID G4CE0056		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 9.5	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET # 26010078		Temp (C) 29.2	pH 8.4	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 155
Latitude 28.058194	☒ dd ☐ dms	Longitude 81.338472	☒ dd ☐ dms	Salinity (ppt) 1.07	Comments	
Location Hatchineha Canal 2100 ft. S of Cypress LAKE		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 5/3/16 Time 1345	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID G4CE0064		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 9.7	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET # G4CE0064		Temp (C) 28.9	pH 6.2	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 155
Latitude 28.0556	☒ dd ☐ dms	Longitude 81.3393	☒ dd ☐ dms	Salinity (ppt) 1.07	Comments	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	☐ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	☐ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	

Relinquished By: Terry Riordan	Date/Time 5/3/16 15:45	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By: SK	Date/Time 5-4-16/9:33
-----------------------------------	---------------------------	--------------------------	------------------------------	-----------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	BOD-UNIN						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-PO4-F						

22:00/01/02

Printed: 5/4/2016 11:46:54 AM

Page 1 of 1

Date of Request: 14-APR-2016
 Created By: LINGER_M On: 14-APR-2016
 Modified By: SWANSON_C On: 15-APR-2016
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Hatchineha Canal

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 15-APR-2016
 Biology Request Reviewed By: SWANSON_C On: 15-APR-2016
 Sampling Kit Required: YES Ship on: 22-APR-2016
 Sampling Kit Shipped: YES On: 20-APR-2016
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 02-MAY-2016
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ-2016-05-02-76

Shipping Method: Fedex

Date/Time of Receipt: 5-4-16/9:33

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
Red	*-0.2	8		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☒ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: SK

Coolers Unpacked/Checked by: SK Date: 5-4-16

NCRs (Y/N)? N

Event ID: CEN-DIST-2016-05-04-02

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:



Package
US Airbill

FedEx
Tracking
Number

8099 4719 8060

5/3/16

Terry Riordan

Phone

407 897 4100

FDEP

3319 Maguire Blvd St. 232

Orlando

State

FL

ZIP

32803

Internal Billing Reference

SAMPLE RECEIVING

Phone

850 245-8085

FLORIDA DEP/CHEMISTRY SECTION

2600 BLAIRSTONE RD

Deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Hold Weekday
FedEx location address
REQUIRED. NOT available for
FedEx First Overnight.

Hold Saturday
FedEx location address
REQUIRED. Available ONLY for
FedEx Priority Overnight and
FedEx 2Day to select locations.

or the HOLD location address or for continuation of your shipping address.

ALLAHASSEE

State

FL

ZIP

32399

0122645602



8099 4719 8060

Form
10 No.

0215

Recipient's Copy

4 Express Package Service

* To most locations.

Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

- ☐ FedEx First Overnight
Earliest next business morning delivery to select
locations. Friday shipments will be delivered on
Monday unless Saturday Delivery is selected.
- ☒ FedEx Priority Overnight
Next business morning.* Friday shipments will be
delivered on Monday unless Saturday Delivery
is selected.
- ☐ FedEx Standard Overnight
Next business afternoon.*
Saturday Delivery NOT available.

2 or 3 Business Days

- ☐ FedEx 2Day A.M.
Second business morning.*
Saturday Delivery NOT available.
- ☐ FedEx 2Day
Second business afternoon.* Thursday shipments
will be delivered on Monday unless Saturday
Delivery is selected.
- ☐ FedEx Express Saver
Third business day.*
Saturday Delivery NOT available.

5 Packaging *Declared value limit \$500.

- ☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx Box ☐ FedEx Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

- ☐ Saturday Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

- ☐ No Signature Required
Package may be left without
obtaining a signature for delivery.

- ☐ Direct Signature
Someone at recipient's address
may sign for delivery.

- ☐ Indirect Signature
If no one is available at recipient's
address, someone at a neighboring
address may sign for delivery. For
residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked.

- ☒ No ☐ Yes
As per attached
Shipper's Declaration.
- ☐ Yes
Shipper's Declaration
not required.

- ☐ Dry Ice
Dry Ice, 9, UN 1845

- ☐ Cargo Aircraft Only

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip.
Acct. No.

- ☐ Sender
Acct. No. in Section
1 will be billed.
- ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

Total Packages

Total Weight

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. Date 5/15 • Part #103134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM

fedex.com 1800.Go.FedEx 1800.463.3339

611