

Chemical Analysis Report

CEN-DIST-2016-05-27-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **C-54+YSI**
Request ID: **RQ-2016-05-16-67**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 20-JUN-2016 16:20

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: C-54 Canal @ 1700m W of I-95

Collection Date/Time: 05/26/2016 12:20

Field ID: G6CE0053

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1802567	EPA 180.1 Rev. 2.0	Turbidity	1.8		NTU	P305299	
	EPA 300.0 Rev. 2.1	Chloride	55		mg Cl/L	P305568	
		Sulfate	15		mg SO4/L	P305571	
	SM 2120 B	Color (true)	260		PCU	P305211	
	SM 2320 B-97	Total Alkalinity	74	A	mg CaCO3/L	P305749	
	SM 2540 C-97	TDS	230	A	mg/L	P305707	
	SM 2540 D-97	TSS	2	I	mg/L	P305635	
	SM 4500 F-C-97	Fluoride	0.13		mg F/L	P305752	
1802568	EPA 350.1 Rev. 2.0	Ammonia-N	0.051		mg N/L	P305662	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.99		mg N/L	P305507	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.022		mg N/L	P305439	
	EPA 365.1 Rev. 2.0	Total-P	0.074		mg P/L	P305787	
	SM 5310 B-00	Organic Carbon	21		mg C/L	P305855	
1802569	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.036		mg P/L	P305201	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Sulfate: The precision data is unavailable due to low analyte concentration in the QC sample.

SM 2120 B: The precision data is unavailable due to the low analyte concentration in the QC sample.

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P305299

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P305568

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P305571

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P305662

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P305507

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P305439

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P305787

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305201

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P305211

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P305749

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P305707

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P305635

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P305752

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P305855

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P305568

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	99.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P305571

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	98.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P305662

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.1		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P305507

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.1		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P305439

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P305787

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.8		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305201

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P305749

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P305752

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.7		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P305855

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	101		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P305568

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1802670	Chloride	98.8		P	90 - 110
1802713	Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P305571

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1802670	Sulfate	99.1		P	90 - 110
1802713	Sulfate	99.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P305662

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1802581	Ammonia-N	99.1	99.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P305507

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1802547	Kjeldahl Nitrogen	100	106	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P305439

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1802547	NO2NO3-N	96.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P305787

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1802548	Total-P	99.4	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305201

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1802552	O-Phosphate-P	98.9	100	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P305752

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1802567	Fluoride	97.4	97.4	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P305855

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1802549	Organic Carbon	99.4	100	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P305299

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802542	Turbidity	0.593	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P305568

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802670	Chloride	0.312	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P305662

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802581	Ammonia-N	0.140	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P305507

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802547	Kjeldahl Nitrogen	4.52	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P305439

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802547	NO2NO3-N	0.866	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P305787

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P305787

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802548	Total-P	1.08	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305201

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802552	O-Phosphate-P	1.24	Spike	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P305749

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802567	Total Alkalinity	0.672	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P305707

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802567	TDS	6.09	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P305752

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802567	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P305855

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1802549	Organic Carbon	0.747	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A69738
Included Lab Sample IDs: 1802569

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A69740
Included Lab Sample IDs: 1802567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	97.4	99.2	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A69767
Included Lab Sample IDs: 1802567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	100	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A69804
Included Lab Sample IDs: 1802568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	98.5	97.5	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A69814
Included Lab Sample IDs: 1802567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	102	P/P	90 - 110
Sulfate	99.9	96.1	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A69862
Included Lab Sample IDs: 1802568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.8	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A69882
Included Lab Sample IDs: 1802568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	97.7	P/P	90 - 110

Reference Method: SM 2320 B-97
Run ID: A69906
Included Lab Sample IDs: 1802567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.0	102	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Run ID: A69906
Included Lab Sample IDs: 1802567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	98.5	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-00
 Run ID: A69933
 Included Lab Sample IDs: 1802568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.0	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Run ID: A69962
 Included Lab Sample IDs: 1802568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				0.593	
EPA 300.0 Rev. 2.1	Chloride	99.7	98.8 101		0.312	
	Sulfate	98.4	99.1 99.4			
EPA 350.1 Rev. 2.0	Ammonia-N	98.1	99.1 99.2			0.140
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	98.1	100 106			4.52
EPA 353.2 Rev. 2.0	NO2NO3-N	100	96.2			0.866
EPA 365.1 Rev. 2.0	Total-P	99.8	99.4 101			1.08
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100	98.9 100			1.24
SM 2320 B-97	Total Alkalinity	102			0.672	
SM 2540 C-97	TDS				6.09	
SM 4500 F-C-97	Fluoride	96.7	97.4 97.4			0.0
SM 5310 B-00	Organic Carbon	101	99.4 100			0.747

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1802567
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1802567
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1802567
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1802568
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1802568
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1802568
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1802568
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1802569
SM 2120 B / E31780	True Color measured at 450 nm	1802567

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1802567
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1802567
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1802567
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1802567
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1802568

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	05/27/2016			05/27/2016 16:00	Blanca Fach	1802567
EPA 300.0 Rev. 2.1	05/27/2016			06/03/2016	Elisa J Lutz	1802567
EPA 350.1 Rev. 2.0	05/27/2016			06/06/2016	Diana M. Turner	1802568
EPA 351.2 Rev. 2.0	05/27/2016	06/03/2016	Sofia Elnemr	06/07/2016	Christopher Armour	1802568
EPA 353.2 Rev. 2.0	05/27/2016			06/02/2016	Peter D. Kaus	1802568
EPA 365.1 Rev. 2.0	05/27/2016	06/08/2016	Vijayalakshmi Reddy	06/09/2016	Peter D. Kaus	1802568
EPA 365.1 Rev. 2.0 dissolved	05/27/2016			05/27/2016 14:53	Julia Storbeck	1802569
SM 2120 B	05/27/2016			05/27/2016 17:19	Chrisoulla Rakowski	1802567
SM 2320 B-97	05/27/2016			06/06/2016	Dale L. Simmons	1802567
SM 2540 C-97	05/27/2016			06/01/2016	Yijie Li	1802567
SM 2540 D-97	05/27/2016			06/01/2016	Yijie Li	1802567
SM 4500 F-C-97	05/27/2016			06/06/2016	Dale L. Simmons	1802567
SM 5310 B-00	05/27/2016			06/08/2016	Diana M. Turner	1802568