

Chemical Analysis Report

CEN-DIST-2016-10-04-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Glencoe Ditches, Sand Creek, Unnammed Drain**
Request ID: **RQ-2016-08-22-33**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 31-OCT-2016 11:03

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: UNNAMED DRAIN @ HALIFAX DR

Collection Date/Time: 10/03/2016 12:30

Field ID: G5CE0062

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1837587	EPA 180.1 Rev. 2.0	Turbidity	8.1	A	NTU	P312457	
	EPA 300.0 Rev. 2.1	Chloride	44		mg Cl/L	P313006	
		Sulfate	13		mg SO4/L	P313009	
	SM 2120 B	Color (true)	110	A	PCU	P312423	
	SM 2320 B-97	Total Alkalinity	127		mg CaCO3/L	P312747	
	SM 2540 C-97	TDS	258		mg/L	P312929	
	SM 2540 D-97	TSS	4	I	mg/L	P312855	
	SM 4500 F-C-97	Fluoride	0.16		mg F/L	P312953	
1837589	EPA 350.1 Rev. 2.0	Ammonia-N	0.025		mg N/L	P312995	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.72		mg N/L	P313087	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.12		mg N/L	P312627	
	EPA 365.1 Rev. 2.0	Total-P	0.10		mg P/L	P313206	
	SM 5310 B-00	Organic Carbon	16		mg C/L	P312648	
1837591	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.065		mg P/L	P312437	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: SAND CREEK AT CR 415

Collection Date/Time: 10/03/2016 12:15

Field ID: G5CE0063

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1837588	EPA 180.1 Rev. 2.0	Turbidity	11		NTU	P312457	
	EPA 300.0 Rev. 2.1	Chloride	61		mg Cl/L	P313006	
		Sulfate	9.6		mg SO4/L	P313009	
	SM 2120 B	Color (true)	140		PCU	P312423	
	SM 2320 B-97	Total Alkalinity	57		mg CaCO3/L	P312747	
	SM 2540 C-97	TDS	207	A	mg/L	P312929	
	SM 2540 D-97	TSS	4	I	mg/L	P312855	
	SM 4500 F-C-97	Fluoride	0.091	I	mg F/L	P312749	
1837590	EPA 350.1 Rev. 2.0	Ammonia-N	0.047		mg N/L	P312995	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.72		mg N/L	P313087	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.022		mg N/L	P312627	
	EPA 365.1 Rev. 2.0	Total-P	0.047		mg P/L	P313206	
	SM 5310 B-00	Organic Carbon	19		mg C/L	P312648	
1837592	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.018		mg P/L	P312438	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P312457

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Quality Assurance Report

Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P313006

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P313009

Component	Result	Code	Units
Sulfate	0.20	U	mg SO ₄ /L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P312995

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P313087

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312627

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P313206

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312437

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312438

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P312423

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P312747

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P312929

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P312855

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P312749

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P312953

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P312648

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P313006

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P313009

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	91.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P312995

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P312995

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	106		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P313087

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312627

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	106		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P313206

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312437

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312438

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	103		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P312747

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P312749

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.0		P	92 - 103

Reference Method: SM 4500 F-C-97
Batch ID: P312953

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.5		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P312648

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	98.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P313006

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1837866	Chloride	98.3		P	90 - 110
1837867	Chloride	99.5		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P313009

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1837866	Sulfate	95.2		P	90 - 110
1837867	Sulfate	96.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P312995

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1837573	Ammonia-N	97.9	99.3	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P313087

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1837598	Kjeldahl Nitrogen	95.4	97.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312627

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1837528	NO2NO3-N	101	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P313206

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1837527	Total-P	98.1	97.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312437

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1837577	O-Phosphate-P	98.7	99.3	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312438

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1837676	O-Phosphate-P	102	104	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P312749

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1837629	Fluoride	99.7	99.7	P/P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P312953

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1839014	Fluoride	98.7	100	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P312648

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1835589	Organic Carbon	89.7		P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P312457

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837587	Turbidity	1.99	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P313006

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837866	Chloride	0.127	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P313009

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837866	Sulfate	0.711	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P312995

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837573	Ammonia-N	1.04	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P313087

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837598	Kjeldahl Nitrogen	1.40	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312627

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837528	NO2NO3-N	0.755	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P313206

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837527	Total-P	0.272	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312437

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837577	O-Phosphate-P	0.483	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312438

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837676	O-Phosphate-P	1.36	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P312423

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837587	Color (true)	5.92	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P312747

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837629	Total Alkalinity	0.186	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P312929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837588	TDS	8.70	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-97
Batch ID: P312749

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1837629	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 4500 F-C-97
Batch ID: P312953

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1839014	Fluoride	0.972	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P312648

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1835589	Organic Carbon	0.736	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A72005
Included Lab Sample IDs: 1837587, 1837588

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	101	P/P	85 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A72014
Included Lab Sample IDs: 1837591, 1837592

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.9	98.3	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A72017
Included Lab Sample IDs: 1837587, 1837588

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A72060
Included Lab Sample IDs: 1837589, 1837590

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	104	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-00

Run ID: A72070

Included Lab Sample IDs: 1837589, 1837590

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	102	103	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A72099

Included Lab Sample IDs: 1837587, 1837588

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	100	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A72099

Included Lab Sample IDs: 1837588

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	100	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A72131

Included Lab Sample IDs: 1837587, 1837588

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	98.4	99.2	P/P	90 - 110
Sulfate	99.8	99.1	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A72166

Included Lab Sample IDs: 1837587

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.0	99.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A72180

Included Lab Sample IDs: 1837589, 1837590

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A72248

Included Lab Sample IDs: 1837589, 1837590

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	99.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A72256

Included Lab Sample IDs: 1837589

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	103	103	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A72261

Included Lab Sample IDs: 1837590

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				1.99	
EPA 300.0 Rev. 2.1	Chloride	97.7	98.3 99.5		0.127	
	Sulfate	91.5	95.2 96.5		0.711	
EPA 350.1 Rev. 2.0	Ammonia-N	106	97.9 99.3			1.04
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	100	95.4 97.6			1.40
EPA 353.2 Rev. 2.0	NO2NO3-N	106	101 102			0.755
EPA 365.1 Rev. 2.0	Total-P	100	98.1 97.8			0.272
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	101	98.7 99.3			0.483
	O-Phosphate-P	103	102 104			1.36
SM 2120 B	Color (true)				5.92	
SM 2320 B-97	Total Alkalinity	103			0.186	
SM 2540 C-97	TDS				8.70	
SM 4500 F-C-97	Fluoride	99.0	99.7 99.7			0.0
	Fluoride	98.5	98.7 100			0.972
SM 5310 B-00	Organic Carbon	98.4	89.7			0.736

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1837587, 1837588
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1837587, 1837588
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1837587, 1837588
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1837589, 1837590
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1837589, 1837590
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1837589, 1837590
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1837589, 1837590
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1837591, 1837592
SM 2120 B / E31780	True Color measured at 450 nm	1837587, 1837588
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1837587, 1837588
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1837587, 1837588
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1837587, 1837588
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1837587, 1837588

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1837589, 1837590

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	10/04/2016			10/04/2016 15:32	Sima Feizi	1837587, 1837588
EPA 300.0 Rev. 2.1	10/04/2016			10/12/2016	Ping Hua	1837587, 1837588
EPA 350.1 Rev. 2.0	10/04/2016			10/11/2016	Sofia Elnemr	1837589, 1837590
EPA 351.2 Rev. 2.0	10/04/2016	10/13/2016	Adrian Shelby	10/14/2016	Joseph Suarez	1837589, 1837590
EPA 353.2 Rev. 2.0	10/04/2016			10/06/2016	Peter D. Kaus	1837589, 1837590
EPA 365.1 Rev. 2.0	10/04/2016	10/14/2016	Vijayalakshmi Reddy	10/17/2016	Lipi Saha	1837589, 1837590
EPA 365.1 Rev. 2.0 dissolved	10/04/2016			10/04/2016 16:29	Julia Storbeck	1837591
	10/04/2016			10/04/2016 16:30	Julia Storbeck	1837592
SM 2120 B	10/04/2016			10/04/2016 18:42	Julie Michelle Frank	1837587
	10/04/2016			10/04/2016 18:43	Julie Michelle Frank	1837588
SM 2320 B-97	10/04/2016			10/08/2016	Dale L. Simmons	1837587, 1837588
SM 2540 C-97	10/04/2016			10/06/2016	Yijie Li	1837587, 1837588
SM 2540 D-97	10/04/2016			10/06/2016	Yijie Li	1837587, 1837588
SM 4500 F-C-97	10/04/2016			10/08/2016	Dale L. Simmons	1837588
	10/04/2016			10/12/2016	Dale L. Simmons	1837587
SM 5310 B-00	10/04/2016			10/05/2016	Julie Michelle Frank	1837589, 1837590