

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Holly Hill+HA

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Mike Linger

Project ID: SMP

Collected By: Mike Linger, Mike Drennon

Sampling Agency: FDEP CE-ROC

Location Holly Hill Ditch @ Alta Rd.		G5CE0028 Field ID ↑ STORET ↓ 27010074		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/7/16 Time 10:40	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s) (See pg 2) A
Field ID		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 3.2		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
STORET # Date: 08/15/2016 RQ-2016-09-05-63		Temp (C) 25.7		pH 7.2		Sample Depth 0.2		Sp. Conductance (umho/cm) 626
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms		Comments		
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms		Comments		
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms		Comments		
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms		Comments		
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms		Comments		

Relinquished By: MKL	Date/Time 9/7/16 1411	Shipping Method Fed Ex	Number of Coolers Shipped: 1	Received By: RBP	Date/Time 9-8-16/10:08
-------------------------	--------------------------	---------------------------	---------------------------------	---------------------	---------------------------

Group: A Bottle Type: P-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: A Bottle Type: BP-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1

CHLSUITE-W

Group: A Bottle Type: P-500ML # of Bottles: 1 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 1

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: A Bottle Type: P-125ML # of Bottles: 1 Preservative: ICE-FLTR Enter Number of Bottles Sent to Lab 1

W-PO4-F

Group: B Bottle Type: PT-50ML # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 0

ALGAL_ID

Date of Request: 18-AUG-2016
 Created By: LINGER_M On: 18-AUG-2016
 Modified By: MATTHEWS_D On: 21-AUG-2016
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Holly Hill+HA

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 19-AUG-2016
 Biology Request Reviewed By: MATTHEWS_D On: 21-AUG-2016
 Sampling Kit Required: YES Ship on: 23-AUG-2016
 Sampling Kit Shipped: YES On: 22-AUG-2016
 Sampling Kit Packed By: LASHLEY_C
 Preservatives Needed: NO
 Date to Receive Samples: 05-SEP-2016
 Received By: SHAIK_A On: 08-SEP-2016

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Biological) With 1 Samples:

Bottle Type: PT-50ML	Number of Bottles: 1	Preserved With: ICE
ALGAL_ID	Template: DEFAULT	(SOP-AB05) Qualitative assessment of algal taxa present without counts

RQ- 2016-09-05-63

Log-in Checklist

Shipping Method: Red ExpDate/Time of Receipt: 09-08-16 11:08

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		Tracking # (fill out only if waybill copy is damaged)	
			Present?	*Intact?		
Yes	No	Yes	No			
<u>White</u>	<u>2.7c</u>	<u>4</u>		☒		

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ASJ

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☒ NA ☐ Init: (

Coolers Unpacked/Checked by: ASJ Date: 9-8-16 NCRs (Y/N)? =

Event ID: Holly Hil +HA NCR #
CEN-DIST-2016-09-08-02 (SMP)

Date Received: 08-SEP-2016 10:08

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Additional Comments: