

Rose Bay D/Reed Canal B

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By:

Mike Linger

Project ID: SMP

Collected By:

Mike Linger, Mike Drennan

Sampling Agency:

FD

Location	Rose Bay @ US 1	G5CE0038 Field ID ↑ STORET ↓ 27010018	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/29/16 Time 11:33	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID			Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 4.3	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET #	Date: 09/29/16 RQ-2016-09-12-63		Temp (C) 29.2	pH 7.4	Sample Depth 0.3	Sp. Conductance (umho/cm) 43,308	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 28	Comments No W-ICP / W-ICPMS collected		
Location	Holly Hill @ Daytona Rd.	G5CE0025 Field ID ↑ STORET ↓ 27010072	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/29/16 Time 10:58	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 2.7	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
STORET #	Date: 09/29/16 RQ-2016-09-12-63		Temp (C) 29.0	pH 7.3	Sample Depth 0.3	Sp. Conductance (umho/cm) 37,990	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 24	Comments		
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #			Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #			Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: MKL	Date/Time 9/29/16 1445	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By: SK	Date/Time 9-30-16/1010
-------------------------	---------------------------	--------------------------	---------------------------------	--------------------	---------------------------

Group: A	Bottle Type: ALKALINITY TURBIDITY W-F W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: A	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab	2
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: ALKALINITY TURBIDITY W-F W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	1

Date of Request: 25-AUG-2016
 Created By: LINGER_M On: 25-AUG-2016
 Modified By: MATTHEWS_D On: 30-AUG-2016
 Customer: CEN-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Central District
 Sampling Event: Rose Bay D/Reed Canal B

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 30-AUG-2016
 Biology Request Reviewed By: MATTHEWS_D On: 30-AUG-2016
 Sampling Kit Required: YES Ship on: 08-SEP-2016
 Sampling Kit Shipped: YES On: 09-SEP-2016
 Sampling Kit Packed By: KITCHEN_S
 Preservatives Needed: NO
 Date to Receive Samples: 12-SEP-2016
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Nickel		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ- 2016-09-12-63

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 9-30-16/10:10

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
Red	1.4	8		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: SK

Coolers Unpacked/Checked by: SK Date: 9-30-16

NCRs (Y/N)? N

Event ID: CEN-DIST-2016-09-30-01

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

00124
01000

16242

fedex.com 1800.GoFedEx 1800.463.3339

06175033

FedEx
ExpressPackage
US AirbillFedEx
Tracking
Number

8104 1261 2269

1 From

Date

9/29/16

Sender's
Name

Mike Linger

Phone

407 897-4100

Company

FDEP

Address

3319 Maguire Blvd

City

Orlando

State

FL ZIP 32803

2 Your Internal Billing Reference

3 To

Recipient's
Name

SAMPLE RECEIVING

Phone

850 245-8085

Company

FLORIDA DEP/CHEMISTRY SECTION

Address

2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

TALLAHASSEE

State

FL

ZIP

32399-6542

0124452242



8104 1261 2269

Form
ID No.

0215

4 Express Package Service

*To most locations.

Next Business Day

☐ FedEx First Overnight
Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.☒ FedEx Priority Overnight
Next business morning. *Friday shipments will be delivered on Monday unless Saturday Delivery is selected.☐ FedEx Standard Overnight
Next business afternoon.
Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning.
Saturday Delivery NOT available.☐ FedEx 2Day
Second business afternoon. *Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.☐ FedEx Express Saver
Third business day.
Saturday Delivery NOT available.

5 Packaging

*Declared value limit \$500.

☐ FedEx Envelope*☐ FedEx Pak*☐ FedEx Box☐ FedEx Tube☐ Other

6 Special Handling and Delivery Signature Options

Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
Package may be left without obtaining a signature for delivery.☐ Direct Signature
Someone at recipient's address may sign for delivery.☐ Indirect Signature
If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked.

☒ No☐ Yes

As per attached Shipper's Declaration.

☐ Yes

Shipper's Declaration not required.

☐ Dry Ice

Dry Ice, 9, UN 1845 x kg

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip. Acct. No.

☐ Sender

Acct. No. in Section 1 will be billed.

☒ Recipient☐ Third Party☐ Credit Card☐ Cash/Check

Total Packages

1

Total Weight

50

lbs.

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

611

fedex.com 1800.GoFedEx 1800.463.3339