

Chemical Analysis Report

CEN-DIST-2016-09-29-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Lake Charles+LVI**
Request ID: **RQ-2016-09-26-34**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 25-OCT-2016 15:14

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: LAKE CHARLES 2 400M S. OF CENTER

Collection Date/Time: 09/28/2016 12:53

Field ID: G1CE0030

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1836187	EPA 180.1 Rev. 2.0	Turbidity	1.7		NTU	P312160	
	EPA 300.0 Rev. 2.1	Chloride	12		mg Cl/L	P312592	
		Sulfate	3.7		mg SO4/L	P312589	
	SM 2120 B	Color (true)	440		PCU	P312149	
	SM 2320 B-97	Total Alkalinity	23		mg CaCO3/L	P312748	
	SM 2540 C-97	TDS	118		mg/L	P312958	
	SM 2540 D-97	TSS	2	U	mg/L	P312925	
	SM 4500 F-C-97	Fluoride	0.11		mg F/L	P312355	
1836188	EPA 350.1 Rev. 2.0	Ammonia-N	0.018		mg N/L	P312902	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P312782	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.008	I	mg N/L	P312622	
	EPA 365.1 Rev. 2.0	Total-P	0.050		mg P/L	P313109	
	SM 5310 B-00	Organic Carbon	40		mg C/L	P312464	
1836189	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.019		mg P/L	P312155	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 5310 B-00: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P312160

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P312589

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P312592

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P312902

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P312782

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312622

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P313109

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312155

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P312149

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P312748

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P312958

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P312925

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P312355

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P312464

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P312589

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	95.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P312592

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P312902

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	103		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P312782

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	94.6		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P312622

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	107		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P313109

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	98.3		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P312155

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: SM 2320 B-97
 Batch ID: P312748

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
 Batch ID: P312355

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.3		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P312464

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	98.8		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P312589

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1836280	Sulfate	92.5		P	90 - 110
1836283	Sulfate	93.0		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P312592

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1836280	Chloride	100		P	90 - 110
1836283	Chloride	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P312902

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1836159	Ammonia-N	98.5	98.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P312782

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1836192	Kjeldahl Nitrogen	90.6	99.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312622

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1836188	NO2NO3-N	106	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P313109

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1836159	Total-P	99.7	96.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312155

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1836259	O-Phosphate-P	102	103	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P312355

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1836244	Fluoride	98.7	98.7	P/P	91 - 105

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P312160

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836133	Turbidity	4.96	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P312589

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836283	Sulfate	1.93	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P312592

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836283	Chloride	0.312	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P312902

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836159	Ammonia-N	0.0676	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P312782

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836192	Kjeldahl Nitrogen	4.51	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312622

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836188	NO2NO3-N	1.37	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P313109

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836159	Total-P	3.50	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P312155

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836259	O-Phosphate-P	0.681	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P312149

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836152	Color (true)	1.40	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P312748

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836244	Total Alkalinity	0.724	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P312958

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836191	TDS	1.22	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P312355

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836244	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P312464

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1836188	Organic Carbon	0.0336	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A71923
Included Lab Sample IDs: 1836187

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	106	101	P/P	85 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A71924
Included Lab Sample IDs: 1836189

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.4	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A71925
Included Lab Sample IDs: 1836187

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.5	P/P	95 - 105

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A71988
Included Lab Sample IDs: 1836187

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	97.4	98.7	P/P	90 - 110
Sulfate	94.3	96.2	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Run ID: A71991
Included Lab Sample IDs: 1836187

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	100	P/P	90 - 110

Reference Method: SM 5310 B-00
Run ID: A72021
Included Lab Sample IDs: 1836188

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	101	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A72059
Included Lab Sample IDs: 1836188

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	106	106	P/P	90 - 110

Reference Method: SM 2320 B-97
Run ID: A72099
Included Lab Sample IDs: 1836187

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	104	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A72156

Included Lab Sample IDs: 1836188

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A72189

Included Lab Sample IDs: 1836188

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	98.2	96.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A72233

Included Lab Sample IDs: 1836188

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.8	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity					4.96	
EPA 300.0 Rev. 2.1	Chloride	98.4	100	100		0.312	
	Sulfate	95.8	93.0	92.5		1.93	
EPA 350.1 Rev. 2.0	Ammonia-N	103	98.5	98.6			0.0676
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	94.6	90.6	99.2			4.51
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	107	106	104			1.37
EPA 365.1 Rev. 2.0	Total-P	98.3	99.7	96.0			3.50
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	101	102	103			0.681
SM 2120 B	Color (true)					1.40	
SM 2320 B-97	Total Alkalinity	103				0.724	
SM 2540 C-97	TDS					1.22	
SM 4500 F-C-97	Fluoride	99.3	98.7	98.7			0.0
SM 5310 B-00	Organic Carbon	98.8					0.0336

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1836187
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1836187
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1836187
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1836188

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1836188
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1836188
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1836188
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1836189
SM 2120 B / E31780	True Color measured at 450 nm	1836187
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1836187
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1836187
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1836187
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1836187
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1836188

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/29/2016			09/29/2016 15:56	Sima Feizi	1836187
EPA 300.0 Rev. 2.1	09/29/2016			10/06/2016	Ping Hua	1836187
EPA 350.1 Rev. 2.0	09/29/2016			10/07/2016	Sofia Elnemr	1836188
EPA 351.2 Rev. 2.0	09/29/2016	10/10/2016	Adrian Shelby	10/12/2016	Joseph Suarez	1836188
EPA 353.2 Rev. 2.0	09/29/2016			10/06/2016	Beverly Y. Sanders	1836188
EPA 365.1 Rev. 2.0	09/29/2016	10/13/2016	Vijayalakshmi Reddy	10/14/2016	Lipi Saha	1836188
EPA 365.1 Rev. 2.0 dissolved	09/29/2016			09/29/2016 15:32	Julia Storbeck	1836189
SM 2120 B	09/29/2016			09/29/2016 15:45	Julie Michelle Frank	1836187
SM 2320 B-97	09/29/2016			10/08/2016	Dale L. Simmons	1836187
SM 2540 C-97	09/29/2016			10/03/2016	Sima Feizi	1836187
SM 2540 D-97	09/29/2016			10/03/2016	Sima Feizi	1836187
SM 4500 F-C-97	09/29/2016			10/04/2016	Dale L. Simmons	1836187
SM 5310 B-00	09/29/2016			10/04/2016	Julie Michelle Frank	1836188