

Strickland D/Turnbull B/Spruce C/Rose Bx2

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Mike Linger

Project ID: SMP

Collected By: Mike Linger, Mike Dorman

Sampling Agency: FDEP

CE-ROC

Location	Spruce Creek @ Airport Rd		☐ Comp ☒ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s) (See pg 2)
Field ID	Bottle Grp: B		Date 11/30/16		Time 11:59	Central	Date	
STORET #	Date: 11/30/2016 RQ-2016-11-28-43		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms		Temp (C) 21.4		pH 7.7	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 8,240
Longitude	☐ dd ☐ dms		Salinity (ppt)		Comments			
G5CE0072 Field ID ↑ STORET ↓ 27010020								

Location			☐ Comp ☐ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID			Date		Time	Central	Date	
STORET #			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms		Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Longitude	☐ dd ☐ dms		Salinity (ppt)		Comments			

Location			☐ Comp ☐ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID			Date		Time	Central	Date	
STORET #			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms		Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Longitude	☐ dd ☐ dms		Salinity (ppt)		Comments			

Location			☐ Comp ☐ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID			Date		Time	Central	Date	
STORET #			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms		Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Longitude	☐ dd ☐ dms		Salinity (ppt)		Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
MKL	11/30/16 1430	FedEx	2	SK	12/16/10/17

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-F						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP						
	W-ICPMS						
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						

Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-TKN					
	W-TOC					
Group: B	Bottle Type:	P-125ML	# of Bottles: 1	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	1
	W-PO4-F					
Group: C	Bottle Type:	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY					
	TURBIDITY					
	W-F					
	W-TSS					
Group: C	Bottle Type:	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W					
Group: C	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP					
	W-ICPMS					
Group: C	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: C	Bottle Type:	P-125ML	# of Bottles: 1	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	1
	W-PO4-F					

Strickland D/Turnbull B/Spruce C/Rose Bx2

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Mike Linger

Project ID: SMP

Collected By: Mike Linger, Mike Dronnan

Sampling Agency: FDEP CE-Roc

Location	Rose Bay @ 125m NE of Boat Ramp	G5CE0073 Field ID STORET 27010163	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/30/16 Time 10:13	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID			Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 6.0	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET	Date: 11/30/2016 RQ-2016-11-28-43		Temp (C) 21.6	pH 7.7	Sample Depth 0.3	Sp. Conductance (umho/cm) 46,711	
Latitude	☐ dms		☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	Rose Bay @ US 1	G5CE0038 Field ID STORET 27010018	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/30/16 Time 10:23	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 6.2	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET	Date: 11/30/2016 RQ-2016-11-28-43		Temp (C) 21.7	pH 7.8	Sample Depth 0.3	Sp. Conductance (umho/cm) 46,752	
Latitude	☐ dms		☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	Turnbull Bay @ 2 miles NW of Turnbull Bay Rd	G5CE0075 Field ID STORET 27010177	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/30/16 Time 11:02	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 6.7	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET	Date: 11/30/2016 RQ-2016-11-28-43		Temp (C) 22.1	pH 7.8	Sample Depth 0.3	Sp. Conductance (umho/cm) 47,044	
Latitude	☐ dms		☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	Strickland Bay @ 875M East (Downstream) of RR Crossing	G5CE0074 Field ID STORET 27010185	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/30/16 Time 11:10	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Bottle Grp: C		Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 6.6	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C
STORET	Date: 11/30/2016 RQ-2016-11-28-43		Temp (C) 22.0	pH 7.8	Sample Depth 0.3	Sp. Conductance (umho/cm) 46,875	
Latitude	☐ dms		☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
MKL	11/30/16 1430	FedEx	2	SK	12-1-16/10:17

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY TURBIDITY W-F W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	3
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W					
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP W-ICPMS					
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP					

Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-TKN					
	W-TOC					
Group: B	Bottle Type:	P-125ML	# of Bottles: 1	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	1
	W-PO4-F					
Group: C	Bottle Type:	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY					
	TURBIDITY					
	W-F					
	W-TSS					
Group: C	Bottle Type:	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W					
Group: C	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP					
	W-ICPMS					
Group: C	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: C	Bottle Type:	P-125ML	# of Bottles: 1	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	1
	W-PO4-F					

Date of Request: 09-NOV-2016
 Created By: LINGER_M On: 09-NOV-2016
 Modified By: MATTHEWS_D On: 17-NOV-2016
 Customer: CEN-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Central District
 Sampling Event: Strickland D/Turnbull B/Spruce C/Rose Bx2

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 14-NOV-2016
 Biology Request Reviewed By: MATTHEWS_D On: 17-NOV-2016
 Sampling Kit Required: YES Ship on: 23-NOV-2016
 Sampling Kit Shipped: YES On: 23-NOV-2016
 Sampling Kit Packed By: KITCHEN_S
 Preservatives Needed: NO
 Date to Receive Samples: 28-NOV-2016
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Nickel		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ 2016-11-28-43

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 12-1-16/10:17

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		Tracking # (fill out only if waybill copy is damaged)	
			Present?	*Intact?		
Yes	No	Yes	No			
<u>Red</u>	<u>0.3</u>	<u>13</u>		☒		
<u>Red</u>	<u>0.3</u>	<u>9</u>		☒		

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☒ No ☐ If yes, is it intact? Yes ☒ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH $\leq$ 2.0? Yes ☒ No ☐ NA ☐ Init: SK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: SK

Coolers Unpacked/Checked by: 12-1-16 SK Date: 12-1-16

NCRs (Y/N)? N

Event ID: CEN-DIST-2016-4 12-01-01

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

01000

FedEx Express Package
US AirbillFedEx
Tracking
Number

8104 1261 9686

16057

fedex.com 1800.GoFedEx 1800.463.3339

06175033

1 From
 Date 11/30/16
 Sender's Name ~~FD~~ Mike Drenna Phone 407 897 4100
 Company FDEP
 Address 3319 Maguire Blvd Suite 232
 City Orlando State FL ZIP 32803

2 Your Internal Billing Reference

3 To
 Recipient's Name SAMPLE RECEIVING Phone 850 245-8085
 Company FLORIDA DEP/CHEMISTRY SECTION
 Address 2500 BLAIRSTONE RD
 We cannot deliver to P.O. boxes or P.O. ZIP codes.
 Dept./Floor/Suite/Room
 Address
 Use this line for the HOLD location address or for continuation of your shipping address.
 City TALLAHASSEE State FL ZIP 32399-6542

0124452242



8104 1261 9686

Form 10 No. 0215

Recipient's Copy

4 Express Package Service * To most locations.Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.**Next Business Day**

- ☐ FedEx First Overnight
 Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.
- ☒ FedEx Priority Overnight
 Next business morning * Friday shipments will be delivered on Monday unless Saturday Delivery is selected.
- ☐ FedEx Standard Overnight
 Next business afternoon * Saturday Delivery NOT available.

2 or 3 Business Days

- ☐ FedEx 2Day A.M.
 Second business morning * Saturday Delivery NOT available.
- ☐ FedEx 2Day
 Second business afternoon * Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.
- ☐ FedEx Express Saver
 Third business day * Saturday Delivery NOT available.

5 Packaging * Declared value limit \$500.

- ☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx Box ☐ FedEx Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

- ☐ Saturday Delivery
 NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

- ☐ No Signature Required
 Package may be left without obtaining a signature for delivery.

- ☐ Direct Signature
 Someone at recipient's address may sign for delivery.

- ☐ Indirect Signature
 If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?

- ☒ No ☐ Yes
 One box must be checked. As per attached Shipper's Declaration. ☐ Yes
 Shipper's Declaration not required.

☐ Dry Ice
 Dry ice, 9 UN 1845 _____ x _____ kg

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

☐ Cargo Aircraft Only**7 Payment Bill to:**

- Enter FedEx Acct. No. or Credit Card No. below. Obtain recip. Acct. No. ☐
- ☐ Sender Acct. No. in Section 1 will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

Total Packages 1
 Total Weight 50 lbs.

Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

611

Rev. Date 5/15 • Part #183134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM

fedex.com 1800.GoFedEx 1800.463.3339

01000

FedEx
ExpressPackage
US AirbillFedEx
Tracking
Number

8104 1261 9675

16057

fedex.com 1800.GoFedEx 1800.463.3339

06175033

1 From
 Date 11/30/16
 Sender's Name Mike Dienna Phone 4078974100
 Company FDEP
 Address 3319 Maguire Blvd Suite 232
 City Orlando State FL ZIP 32803

2 Your Internal Billing Reference

3 To
 Recipient's Name SAMPLE RECEIVING Phone 850 245-8085
 Company FLORIDA DEP/CHEMISTRY SECTION
 Address 2600 BLAIRSTONE RD
 We cannot deliver to P.O. boxes or P.O. ZIP codes.
 Address
 Use this line for the HOLD location address or for continuation of your shipping address.
 City TALLAHASSEE State FL ZIP 32399-6542

Hold Weekday
 FedEx location address
 REQUIRED NOT available for
 FedEx First Overnight.

Hold Saturday
 FedEx location address
 REQUIRED. Available ONLY for
 FedEx Priority Overnight and
 FedEx 2Day to select locations.

0124452242



8104 1261 9675

Form
ID No. 0215

Recipient's Copy

4 Express Package Service *To most locations.

Packages up to 150 lbs.
 For packages over 150 lbs. use the
 FedEx Express Freight US Airbill.

Next Business Day

- ☐ FedEx First Overnight
 Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.
- ☒ FedEx Priority Overnight
 Next business morning.* Friday shipments will be delivered on Monday unless Saturday Delivery is selected.
- ☐ FedEx Standard Overnight
 Next business afternoon.* Saturday Delivery NOT available.

2 or 3 Business Days

- ☐ FedEx 2Day A.M.
 Second business morning.* Saturday Delivery NOT available.
- ☐ FedEx 2Day
 Second business afternoon.* Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.
- ☐ FedEx Express Saver
 Third business day.* Saturday Delivery NOT available.

5 Packaging *Declared value limit \$500.

- ☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx Box ☐ FedEx Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

- ☐ Saturday Delivery
 NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.
- ☐ No Signature Required
 Package may be left without obtaining a signature for delivery.
- ☐ Direct Signature
 Someone at recipient's address may sign for delivery.
- ☐ Indirect Signature
 If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?

- One box must be checked.
☒ No ☐ Yes As per attached Shipper's Declaration. ☐ Yes Shipper's Declaration not required.
- ☐ Dry Ice
 Dry Ice, 9, UN 1845 x kg
- Restrictions apply for dangerous goods — see the current FedEx Service Guide. ☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below. Obtain recip. Acct. No. ☐

Sender Acct. No. in Section 1 will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

Total Packages 1 Total Weight 50 lbs. Credit Card Auth. 611

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. Date 5/15 • Form #50134 • ©1994-2015 FedEx • PRINTED IN U.S.A. 5PM

fedex.com 1800.GoFedEx 1800.463.3339