

SCI: SMP Somewhere

last revised Nov 10, 2015

Central Laboratory Submittal Form

Customer: SO-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/20/16 Time 1005	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
RQ-2016-01-11-39 1/20/2016 Time: Winkler Canal @ Princeton St.		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 3.6 or 3%	☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
SD012016-1 Field ID STORET G3SD0055		Temp (C) 19.0	pH 6.7	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 697
☐ dd ☐ dms		Salinity (ppt)	Comments Secchi: 0.75			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/20/16 Time 1011	Eastern Central	Composite end Date Time	Bottle Group(s)
RQ-2016-01-11-39 1/20/2016 Time: Field Blank		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
SD012016-2 Field ID STORET Blank		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
☐ dd ☐ dms		Salinity (ppt)	Comments Blank			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By:	Date/Time	Shipping Method	Received By:	Date/Time	Relinquished By:	Date/Time	Received By:	Date/Time
Ben Paswater	1/20/16 1300	Fed Ex	Ben Paswater	01-21-16 09:05				

Group	Bottle Type	# of Bottles	Preservative	Enter Number of Bottles Sent to Lab
A	P-1L	2	ICE	2
ALKALINITY				
TURBIDITY				
W-CL-IC				
W-COLOR				
W-F				
W-SO4-IC				
W-TDS				
W-TSS				
A	P-1L	2	ICE	2
BOD-UNIN				
A	BP-1L	2	ICE	2
CHLSUITE-W				
A	P-500ML	2	ICE And H2SO4	2
W-NH3				
W-NO2NO3				
W-S-A-TP				
W-TKN				
W-TOC				
A	P-125ML	2	ICE-FLTR	2
W-PO4-F				
B	PJ-2L	2	Formalin	0
MI-FW-QLDC				

Date of Request: 04-JAN-2016
 Created By: PASWATER_B On: 04-JAN-2016
 Modified By: WATTS_J On: 06-JAN-2016
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: SCI: SMP Somewhere

Send Coolers To:

Phone: 239-332-6975 SC 748-6975
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 06-JAN-2016
 Biology Request Reviewed By: MILLER_EB On: 06-JAN-2016
 Sampling Kit Required: YES Ship on: 08-JAN-2016
 Sampling Kit Shipped: YES On: 06-JAN-2016
 Sampling Kit Packed By: LASHLEY_C
 Preservatives Needed: NO
 Date to Receive Samples: 11-JAN-2016
 Received By: SHAIK_A On: 21-JAN-2016

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: SCI: SMP Somewhere

Log Group B as a separate event, Priority 12.

send by ground, no hurry

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Biological) With 1 Samples:

Bottle Group B (Biological) With 1 Samples:

Bottle Type: PJ-2L

Number of Bottles: 2

Preserved With: Formalin

MI-FW-QLDC

Template: DEFAULT

(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2016-01-11-39

Shipping Method: FedEx

Date/Time of Receipt: 01-21-16/9:05

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.1C	10		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an **NCR**.

**Chain Of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ASB

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: T

Coolers Unpacked/Checked by: ASB Date: 01-21-16

NCRs (Y/N)? Y

Event ID: SCI: SMP Somewhere
SO-DIST-2016-01-21-02 (SMP)
 Date Received: 21-JAN-2016 09:05

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and Time Placed in Freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Methyl Mercury Preservation Check:

Samples Preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

FedEx Package
Express US Airbill

FedEx
Tracking
Number

8085 0982 9336

From

Date

Sender's
Name

Company

Address

City

Your Internal Billing Reference

To

Recipient's
Name

Company

Address

We cannot deliver to P.O. boxes or P.O. ZIP codes

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

State

ZIP

0119899133



8085 0982 9336

Form
ID No.

0215

4 Express Package Service

NOTE: Service order has changed. Please select

Next Business Day

- ☐ FedEx First Overnight
Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless SATURDAY Delivery is selected.
- ☒ FedEx Priority Overnight
Next business morning. Friday shipments will be delivered on Monday unless SATURDAY Delivery is selected.
- ☐ FedEx Standard Overnight
Next business afternoon. Saturday Delivery NOT available.

5 Packaging * Declared value limit \$500.

- ☐ FedEx Envelope* ☐ FedEx Box

6 Special Handling and Delivery

- ☐ SATURDAY Delivery
NOT available for FedEx Standard Overnight, FedEx 2D.
- ☐ No Signature Required
Packages may be left without obtaining a signature for delivery.
- ☐ Signature Required
Signature required for delivery.

Does this shipment contain dangerous goods?
One box must be checked.

- ☒ No ☐ Yes
As per attached Shipper's Declaration. ☐ Yes Shipper not required.

Dangerous goods (including dry ice) cannot be shipped in FedEx or placed in a FedEx Express Drop Box.

7 Payment Bill to:

- Sender ☐ Recipient ☒

Total Packages Total Weight

Our liability is limited to US\$100 unless you declare a higher value.

Rev. Date 2/12 • Part #183134 • ©1994-2012 FedEx • PRINTED IN

ORIGIN ID: FMYA (850) 245-8085
FLORIDA DEP/CHEMISTRY SECTION

2600 BLAIRSTONE RD

TALLAHASSEE, FL 323996542
UNITED STATES US

TO


FLORIDASEP/CHEMISTR
2600 BLAIRSTONE RD

TALLAHASSEE FL 3239

(850) 245-8085

REF:

YNU:
PQ:



TRK# 8085 0982 9336
0215

XH TLHA

