

Chemical Analysis Report

SO-DIST-2016-03-08-04

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **SMP: Daughtrey Creek**
Request ID: **RQ-2016-02-22-79**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901
Attn: Ben Paswater

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Timothy Fitzpatrick, Program Administrator

Date Certified: 24-MAR-2016 11:37

A handwritten signature in black ink, appearing to read "Timothy W. Fitzpatrick", with a stylized flourish at the end.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Shell Cr. @ SR 31

Collection Date/Time: 03/07/2016 09:15

Field ID: G3SD030716-A

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1777907	EPA 180.1 Rev. 2.0	Turbidity	11		NTU	P299954	
	EPA 300.0 Rev. 2.1	Chloride	120		mg Cl/L	P300214	
		Sulfate	46		mg SO4/L	P300218	
	SM 2120 B	Color (true)	100		PCU	P299990	
	SM 2320 B-97	Total Alkalinity	166		mg CaCO3/L	P300453	
	SM 2540 C-97	TDS	458		mg/L	P300418	
	SM 2540 D-97	TSS	7	I	mg/L	P300129	
	SM 4500 F-C-97	Fluoride	0.18		mg F/L	P300457	
1777908	EPA 350.1 Rev. 2.0	Ammonia-N	0.078		mg N/L	P300476	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.0		mg N/L	P300421	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.088		mg N/L	P300305	
	EPA 365.1 Rev. 2.0	Total-P	0.074		mg P/L	P300532	
	SM 5310 B-00	Organic Carbon	18		mg C/L	P300326	
1777909	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.033		mg P/L	P299960	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: Matrix spike recovery data is unavailable due to high analyte concentration in the QC sample.

SM 5310 B-00: Matrix spike recovery data is unavailable due to high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P299954

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P300214

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P300218

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P300476

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P300421

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P300305

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P300532

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P299960

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P299990

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P300453

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P300418

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P300129

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P300457

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P300326

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P300214

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	108		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P300218

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	105		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P300476

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.7		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P300421

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	91.6		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P300305

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P300532

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.7		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P299960

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	96.8		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P300453

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P300457

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.1		P	94 - 108

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
 Batch ID: P300326

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	91.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P300214

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1778097	Chloride	108		P	90 - 110
1778100	Chloride	108		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P300218

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1778097	Sulfate	102		P	90 - 110
1778100	Sulfate	102		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P300421

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1777863	Kjeldahl Nitrogen	96.6	91.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P300305

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1777908	NO2NO3-N	96.3	98.3	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P300532

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1777862	Total-P	96.1	92.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P299960

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1777909	O-Phosphate-P	92.7	93.0	P/P	90 - 110

Reference Method: SM 4500 F-C-97
 Batch ID: P300457

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1778103	Fluoride	98.2	98.9	P/P	94 - 107

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P299954

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1777860	Turbidity	7.06	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P300214

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1778097	Chloride	0.0598	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P300218

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1778097	Sulfate	1.23	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P300476

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1778015	Ammonia-N	1.01	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P300421

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1777863	Kjeldahl Nitrogen	3.54	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P300305

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1777908	NO2NO3-N	1.41	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P300532

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1777862	Total-P	3.40	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P299960

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1777909	O-Phosphate-P	0.238	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
Batch ID: P299990

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1777885	Color (true)	0.893	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P300453

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1778103	Total Alkalinity	0.112	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P300418

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1777860	TDS	2.68	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P300457

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1778103	Fluoride	0.516	Spike	P	0 - 3.7

Reference Method: SM 5310 B-00
Batch ID: P300326

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1777861	Organic Carbon	0.546	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A68081
Included Lab Sample IDs: 1777907

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A68082
Included Lab Sample IDs: 1777909

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	96.4	96.5	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A68089

Included Lab Sample IDs: 1777907

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	104	103	P/P	90 - 110
Sulfate	103	102	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A68095

Included Lab Sample IDs: 1777907

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	98.1	98.2	P/P	85 - 115

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A68199

Included Lab Sample IDs: 1777908

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	101	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A68205

Included Lab Sample IDs: 1777908

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	94.0	93.6	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A68254

Included Lab Sample IDs: 1777907

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	99.6	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A68254

Included Lab Sample IDs: 1777907

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.0	99.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A68260

Included Lab Sample IDs: 1777908

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A68297

Included Lab Sample IDs: 1777908

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.8	98.7	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A68324

Included Lab Sample IDs: 1777908

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	91.6	92.4	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				7.06	
EPA 300.0 Rev. 2.1	Chloride	108	108 108		0.0598	
	Sulfate	105	102 102		1.23	
EPA 350.1 Rev. 2.0	Ammonia-N	98.7				1.01
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	91.6	96.6 91.7			3.54
EPA 353.2 Rev. 2.0	NO2NO3-N	99.5	96.3 98.3			1.41
EPA 365.1 Rev. 2.0	Total-P	97.7	96.1 92.6			3.40
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	96.8	92.7 93.0			0.238
SM 2120 B	Color (true)				0.893	
SM 2320 B-97	Total Alkalinity	103			0.112	
SM 2540 C-97	TDS				2.68	
SM 4500 F-C-97	Fluoride	98.1	98.2 98.9			0.516
SM 5310 B-00	Organic Carbon	91.4				0.546

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1777907
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1777907
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1777907
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1777908
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1777908
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1777908
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1777908
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1777909
SM 2120 B / E31780	True Color measured at 450 nm	1777907
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1777907
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1777907
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1777907
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1777907
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1777908

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	03/08/2016			03/08/2016 15:41	Sima Feizi	1777907
EPA 300.0 Rev. 2.1	03/08/2016			03/10/2016	Julia Storbeck	1777907
EPA 350.1 Rev. 2.0	03/08/2016			03/16/2016	Diana M. Turner	1777908
EPA 351.2 Rev. 2.0	03/08/2016	03/16/2016	Sofia Elnemr	03/18/2016	Virginia P. Brown	1777908
EPA 353.2 Rev. 2.0	03/08/2016			03/11/2016	Diana M. Turner	1777908
EPA 365.1 Rev. 2.0	03/08/2016	03/17/2016	Christopher Armour	03/17/2016	Lipi Saha	1777908
EPA 365.1 Rev. 2.0 dissolved	03/08/2016			03/08/2016 16:08	Ping Hua	1777909
SM 2120 B	03/08/2016			03/08/2016 16:53	Blanca Fach	1777907
SM 2320 B-97	03/08/2016			03/15/2016	Dale L. Simmons	1777907
SM 2540 C-97	03/08/2016			03/08/2016	Yijie Li	1777907
SM 2540 D-97	03/08/2016			03/08/2016	Yijie Li	1777907
SM 4500 F-C-97	03/08/2016			03/15/2016	Dale L. Simmons	1777907
SM 5310 B-00	03/08/2016			03/12/2016	Sofia Elnemr	1777908