

SMP: Pollywog and OK Branch

Central Laboratory Submittal Form

last revised Nov 10, 2015

Customer: SO-DIST

Requester: Benjamin Paswater

Field Report Prepared By: Ben Paswater

Project ID: SMP

Collected By:

Sampling Agency:

Location		☒ Comp ☒ Grab	Collection (comp begin or grab) Date 3/15/16 Time 1345	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
RQ-2016-03-14-35 3/15/2016 3235F Pollywog Creek @ SR80		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 60	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
G3SD03152016-4 Field ID STORET 2820268FTM		Temp (C) 24.1	pH 5.8	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 213
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/15/16 Time 1330	Eastern Central	Composite end Date Time	Bottle Group(s)
RQ-2016-03-14-35 3/15/2016 3235F Pollywog Creek @ Pollywog Pt.		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 73	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
G3SD03152016-5 Field ID STORET POLLYCRK		Temp (C) 23.7	pH 5.7	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 191
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/15/16 Time 1410	Eastern Central	Composite end Date Time	Bottle Group(s)
RQ-2016-03-14-35 3/15/2016 3235O OK Branch @ Eucalyptus Bld		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 160	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
G3SD03152016-6 Field ID STORET CALUSA0051FTM		Temp (C) 29.1	pH 7.7	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 658
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: Ben Paswater	Date/Time: 3/15/16	Shipping Method	Received By:	Date/Time	Relinquished By:	Date/Time	Received By: SK	Date/Time: 3-16-16/9:05
-------------------------------	--------------------	-----------------	--------------	-----------	------------------	-----------	-----------------	-------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	BOD-UNIN						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	3
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						

Date of Request: 25-FEB-2016
 Created By: PASWATER_B On: 25-FEB-2016
 Modified By: SWANSON_C On: 25-FEB-2016
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: SMP: Pollywog and OK Branch

Send Coolers To:

Phone: 239-344-5718
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 25-FEB-2016
 Biology Request Reviewed By: SWANSON_C On: 25-FEB-2016
 Sampling Kit Required: YES Ship on: 03-MAR-2016
 Sampling Kit Shipped: YES On: 29-FEB-2016
 Sampling Kit Packed By: KITCHEN_S
 Preservatives Needed: NO
 Date to Receive Samples: 14-MAR-2016
 Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: C Kit for Pollywog and OK Branch

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ-2016-03-14-35

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 3-16-16/9:05

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Green	0.4	18		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain Of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☒ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☒ Init: SK

Coolers Unpacked/Checked by: SK Date: 3-16-16

NCRs (Y/N)? N

Event ID: SO-DIST-2016-03-16-01

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No_____

Date and Time Placed in Freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Methyl Mercury Preservation Check:

Samples Preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Additional Comments:



Package
US Airbill

FedEx
Tracking
Number

8099 4719 2760

m

3/15/16

der's

ne

Ben

Phone

317.289.5236

pany

FDEP

ress

2600 Blairstone Rd.

Dept./Floor/Suite/Room

Ft. Myers

State

FL

ZIP

33901

Internal Billing Reference

ipient's

te

SAMPLE RECEIVING

Phone

850 245-8085

pany

FLORIDA DEP/CHEMISTRY SECTION

ress

2600 BLAIRSTONE RD

cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

ress

Use line for the HOLD location address or for continuation of your shipping address.

TALLAHASSEE

State

FL

ZIP

32399

0122645602



8099 4719 2760

23719413

Form 10 No. 0215

Recipient's Copy

4 Express Package Service

* To most locations.

Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight
Next business morning. * Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Standard Overnight
Next business afternoon. * Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning. * Saturday Delivery NOT available.

☐ FedEx 2Day
Second business afternoon. * Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Express Saver
Third business day. * Saturday Delivery NOT available.

5 Packaging

* Declared value limit \$500.

☐ FedEx Envelope*

☐ FedEx Pak*

☐ FedEx Box

☐ FedEx Tube

☒ Other

6 Special Handling and Delivery Signature Options

Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
Package may be left without obtaining a signature for delivery.

☐ Direct Signature
Someone at recipient's address may sign for delivery.

☐ Indirect Signature
If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?

☒ No ☐ Yes ☐ Yes ☐ Yes

One box must be checked.

As per attached Shipper's Declaration.

Shipper's Declaration not required.

☐ Dry Ice
Dry Ice, 9 UN 1845

☐ Cargo Aircraft Only

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

☐ Sender
Acct. No. in Section 1 will be billed.

☒ Recipient

☐ Third Party

☐ Credit Card

☐ Cash/Check

Total Packages

Total Weight

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. Date 5/15 • Part #183134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM

fedex.com 1800-GO-FedEx 1800-463-3339

611