

WBID 2056A

Central Laboratory Submittal Form

last revised Nov 10, 2015

Customer: SO-DIST

Requester: Corey R. Anderson

Field Report Prepared By: Melynda Brown

Project ID: SMP

Collected By: Joe Udvari

Sampling Agency: DEP-Charlotte Harbor NP

Location Charlotte Harbor		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 5/2/16 Time 6:37		Eastern Central	Composite end Date Time		Bottle Group(s) (See pg 2)
Field ID CHV006		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.28	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET # CHV006		Temp (C) 27.6	pH 7.50		Sample Depth 0.5	☐ ft ☒ m	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 20.79		Comments				
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #		Temp (C)	pH		Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments				
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #		Temp (C)	pH		Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments				
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #		Temp (C)	pH		Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments				

Relinquished By:	Date/Time 8:37	Shipping Method	Received By:	Date/Time	Relinquished By:	Date/Time	Received By:	Date/Time
M Brown	5/2/16	FedEx					NB	5/3/16/9:42

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-F					
	W-TSS					

Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab _____
	W-ICP					
	W-ICPMS					

Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3				
	W-NO2NO3				
	W-S-A-TP				
	W-TKN				
	W-TOC				

Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network Field Data Sheet- Version 1/14

REMEMBER: Print darkly and clearly, if assigned a BLANK do it FIRST!

Site # CHV006 Date 5/2/16 Time Start 0625 Time End 0658 Sunrise time 0648

Monitor Joe Udvari Monitor N/A

Estuary Region: (check one) ☒ Charlotte Harbor ☐ Estero Bay ☐ Gasparilla Sound ☐ Lemon Bay
☐ Matlacha Pass ☐ Pine Island Sound ☐ San Carlos Bay

Waterbody name: Gilchrist Park Pier Punta Gorda, FL YSI ProPlus Meter SN #: 13D100027

Wind Direction:				Direction:	
N	NE	E	<u>SE</u>	S	SW
Wind Speed:				Speed:	
0-1 mph		4-7 mph		13-18 mph	
<u>2-3 mph</u>		8-12 mph		19-24 mph	
				25-31 mph	
				≥ 32 mph	
Weather:				#:	
1= sunny		3= overcast		5= drizzle	
<u>2= partly cloudy</u>		4= fog/haze		6= rain	
Precipitation:				Inches:	
(amount in inches for last 24 hours)				0.0	
Air temperature:				22.1 °C	
Water surface conditions:				#:	
1= Calm		2= Ripples		3= Waves	
				4= White caps	
Tide stage:				#:	
1= Incoming		2= High Slack		3= Outgoing	
				<u>4= Low Slack</u>	
Secchi Depth: (to nearest .1 m)				Secchi Average:	
Disappear: <u>> . B</u> m				<u>> . B</u> m	
Reappear: <u>> . B</u> m					
Water depth: (to nearest .1 m)				Depth: <u>1.1</u> m	
Water Temperature:				27.6 °C	
Dissolved Oxygen: Calibration date: <u>5/2/16</u> Calibration time: <u>5:50</u>				DO reading:	
Check		Calibrate		Verify	
DO%: <u>100.3</u> %		DO%: <u>100.0</u> %		DO: <u>8.57</u> mg/L	
Air temp: <u>25.4</u> °C		DO mg/L: <u>8.21</u> mg/L		Air temp: <u>24.2</u> °C	
Barometer: <u>761.5</u> mm Hg				<u>8.397</u>	
pH: Calibration date: <u>5/2/16</u> Calibration time: <u>0535</u>				pH reading:	
Check		Calibrate		Lot #s	
pH 7: <u>7.03</u>		pH 7: <u>7.01</u>		pH 7: <u>7.16</u> ✓	
pH 10: <u>10.01</u>		pH 10: <u>10.01</u>		pH 10: <u>N/A</u>	
Sp Conductivity (mS/cm): Calibration date: <u>5/2/16</u> Calibration time: <u>0528</u>				Salinity:	
Check		Calibrate		Lot #	
50 ms/cm: <u>50.1</u>		50 ms/cm: <u>50.0</u>		50 ms/cm: <u>15E100188</u>	
				50 ms/cm: <u>48.71</u> ✓	
Water Color Observed:				#:	
1= Med Brown		3= Red brown		5= Green	
2= Dark Brown		4= Green Brown		6= Yellow Green	
				7= Yellow Brown	
				8= Green Blue	
				9= Blue	
				10= Other	
Collect & Ice Chlorophyll a Sample?				Record same time on	
☒ Yes ☐ No				all samples with pen	
Collect & Ice Phosphorus/Nitrogen? Record time					
☒ Yes ☐ No					
Collect & Ice Color/Turbidity Sample?					
☒ Yes ☐ No					
Collect & Ice Fecal Coliform Whirl pack?					
☒ Yes ☐ No					
Observations and Comments:				Time:	

Boats Anchored Nearby: 8 Crab Pots Nearby: 0
 Tide: Low 0642 (0.2') Moon: 19% waning

In-situ readings + *extra sample preserved with nitric acid
 taken plus extra 2 bottles for alk/turb

Date of Request: 04-FEB-2016
 Created By: ANDERSON_C On: 04-FEB-2016
 Modified By: WATTS_J On: 14-APR-2016
 Customer: SO-DIST
 Project: SMP
 Division: Office of Coastal and Aquatic Managed Areas
 District:
 Sampling Event: WBID 2056A

Send Coolers To:

Phone: 941-575-5861
 Charlotte Harbor Aquatic Preserves
 12301 Burnt Store Rd
 Punta Gorda, FL 33955
 Attn: Melynda Brown

Program Module Number:
 Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 14-APR-2016
 Biology Request Reviewed By:
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 08-MAR-2016
 Sampling Kit Packed By: LASHLEY_C
 Preservatives Needed: NO
 Date to Receive Samples: 02-MAY-2016
 Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Corey Anderson

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 1 Samples:**

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Nickel		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Log-in Checklist

RQ- 2016-03-21-07

Shipping Method: Fedex

Date/Time of Receipt: 5/3/16/9:42

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)	
			Present?		*Intact?			
			Yes	No	Yes	No		
White	4.4	4		✓			8094 7803 2827	

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: MLB

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: MLB

Coolers Unpacked/Checked by: MLB Date: 5/3/16 NCRs (Y/N)? N

Event ID: 80-DIST-2016-05-03-03 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: