

SMP: Highlands Lakes

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SO-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

C. L. Ford
Highlands County

RQ-2016-06-06-16		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 28 Jun 16 Time 11:20		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
1860E Hill Lake @ West Side		G4HL062016-13 Field ID		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 102.9		☐ mg/L ☒ % sat		Total Res. Chlorine (mg/L) N/A	
* STORET # 26010586		Temp (C) 30.58		pH 6.38		Sample Depth 0.5		☒ ft ☐ m		Sp. Conductance (umho/cm) not cal	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) N/A		Comments: total depth = 7.75'					
RQ-2016-06-06-16		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 28 Jun 16 Time 11:15		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
1860E Hill Lake @ Center		G4SD0130 Field ID		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 104.7		☐ mg/L ☒ % sat		Total Res. Chlorine (mg/L) N/A	
* STORET # 26010586		Temp (C) 30.67		pH 6.40		Sample Depth 0.5		☒ ft ☐ m		Sp. Conductance (umho/cm) not cal	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) N/A		Comments: Secchi Transparency = 9.5 feet / total depth 19.5'					
RQ-2016-06-06-16		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 28 Jun 16 Time 11:07		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
1860E Hill Lake @ North		G4SD0129 Field ID		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 105.4		☐ mg/L ☒ % sat		Total Res. Chlorine (mg/L) N/A	
* STORET # 26010586		Temp (C) 31.00		pH 6.66		Sample Depth 0.5		☒ ft ☐ m		Sp. Conductance (umho/cm) not cal	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) N/A		Comments: total Depth = 7.5'					
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date Time		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Requisitioned By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

Jed

6/28/16 / 14:15

FedEx

S. K.

6/29/16 / 10:18

Group: A Bottle Type: P-1L # of Bottles: 16 Preservative: ICE Enter Number of Bottles Sent to Lab _____

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Group: A Bottle Type: BP-1L # of Bottles: 16 Preservative: ICE Enter Number of Bottles Sent to Lab _____

CHLSUITE-W

Group: A Bottle Type: P-500ML # of Bottles: 16 Preservative: JCE And H2SO4 Enter Number of Bottles Sent to Lab _____

W-NH3

W-NO2NO3

W-S-A-TR

W-TKN

W-TOC

Group: A Bottle Type: P-125ML # of Bottles: 16 Preservative: ICE-FLTR Enter Number of Bottles Sent to Lab _____

W-PO4-F

Date of Request: 26-APR-2016
 Created By: PASWATER_B On: 26-APR-2016
 Modified By: MATTHEWS_D On: 19-MAY-2016
 Customer: SO-DIST
 Project: SMP
 Division: Not Applicable
 District: South District
 Sampling Event: SMP: Highlands Lakes

Send Coolers To:

Phone: (863) 402-6545
 4344 George Blvd.

Sebring, FL 33875
 Attn: Clell Ford

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 17-MAY-2016
 Biology Request Reviewed By: MATTHEWS_D On: 19-MAY-2016
 Sampling Kit Required: YES Ship on: 31-MAY-2016
 Sampling Kit Shipped: YES On: 01-JUN-2016
 Sampling Kit Packed By: BOWDEN_M
 Preservatives Needed: YES
 Date to Receive Samples: 06-JUN-2016
 Received By: KITCHEN_S On: 28-JUN-2016

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: SMP: Highlands Lakes
 Pearl
 Hill
 Persimmon
 Pythias
 Henry
 Sirena

1 - case of sulfuric acid

Bottle Group A (Water) With 16 Samples:

Bottle Type: P-1L	Number of Bottles: 16	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 16	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 16	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 16	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ- 2016-06-06-16

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 6-29-16/10:18

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		Tracking # (fill out only if waybill copy is damaged)	
			Present?	*Intact?		
			Yes	No	Yes	No
<u>Red</u>	<u>1.3</u>	<u>12</u>		☒		

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☒ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH $\leq$ 2.0? Yes ☒ No ☐ NA ☐ Init: SK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☒ Init: SK

Coolers Unpacked/Checked by: SK Date: 6-29-16 NCRs (Y/N)? N

Event ID: SO-DIST-2016-06-29-03 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

004051
01000

FedEx Express Package US Airbill

FedEx Tracking Number 8100 1917 8354

1 From
Date 28 Jun 16
Sender's Name Clell Ford
Company Highlands County
Address 4344 George Blvd
City Sebring
State FL ZIP 33875

2 Your Internal Billing Reference
3 To Recipient's Name SAMPLE RECEIVING
Company FLORIDA DEP/CHEMISTRY SECTION
Address 2600 BLAIRSTONE RD
City TALLAHASSEE
State FL ZIP 32399

Address 2600 BLAIRSTONE RD
We cannot deliver to P.O. boxes or P.O. ZIP codes.
Address
City TALLAHASSEE
State FL ZIP 32399

0123448864



8100 1917 8354

Form ID No. 0215
MUR 1
Recipient's Copy

4 Express Package Service
Next Business Day
☐ FedEx First Overnight
☒ FedEx Priority Overnight
☐ FedEx Standard Overnight
2 or 3 Business Days
☐ FedEx 2Day A.M.
☐ FedEx 2Day
☐ FedEx Express Saver

5 Packaging
☐ FedEx Envelope*
☐ FedEx Pak*
☐ FedEx Box
☐ FedEx Tube
☒ Other
6 Special Handling and Delivery Signature Options
☐ Saturday Delivery
☐ No Signature Required
☐ Direct Signature
☐ Indirect Signature

Does this shipment contain dangerous goods?
☐ No
☐ Yes
7 Payment Bill to:
Sender
Recipient
Third Party
Credit Card
Cash/Check

Total Packages 1
Total Weight 4.4 lbs
Credit Card Auth.

fedex.com 1800.GoFedEx 1800.463.3339

fedex.com 1800.GoFedEx 1800.463.3339