

SMP: Shell Joshua Hog Bay

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SO-DIST

Requester: Benjamin Paswater

Field Report Prepared By: Danny Berger

Project ID: SMP

Collected By: DB BPSampling Agency: FDEP Jogh

Location RQ-2016-06-13-38 6/20/2016 WBID 1950A JOSHUA CR-1.2 MI N OF RT 760A STORET # 25020524 *		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 6-20-16 Time 1030		Eastern Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID G3SD06202016-3		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 5.8mg/L 71%		☒ mg/L ☒ % sat		Total Res. Chlorine (mg/L)		A	
Temp (C) 25.5		pH 7.2		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 680			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) -		Comments Total Depth: 0.7m Secchi: 0.7m					
Location RQ-2016-06-13-38 6/20/2016 WBID 2001 HOG BAY @ CR 763 STORET # 25020550 *		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 6-20-16 Time 0955		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID G3SD06202016-4		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 3.3mg/L 41%		☒ mg/L ☒ % sat		Total Res. Chlorine (mg/L)		A	
Temp (C) 26.3		pH 6.9		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 645			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) -		Comments Total Depth: 1.7m Secchi: 0.7m					
Location RQ-2016-06-13-38 6/20/2016 WBID 2041 Shell Cr. @ SR 31 STORET # 25020555FTM		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 6-20-16 Time 0900		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID G3SD06202016-5		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 3.9mg/L 49%		☒ mg/L ☒ % sat		Total Res. Chlorine (mg/L)		A	
Temp (C) 26.4		pH 6.6		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 870			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) -		Comments Total Depth: 0.6m Secchi: 0.6m					
Location RQ-2016-06-13-38 6/20/2016 WBID 2041 Shell Cr. @ SR 31 - Duplicate STORET # 25020555FTM		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 6-20-16 Time 0905		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID G3SD06202016-6		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Relinquished By: <u>Danny Berger</u>	Date/Time 6-20-16/1110	Shipping Method <u>Fedex</u>	Number of Coolers Shipped: <u>2</u>	Received By: <u>APB</u>	Date/Time 6-21-16/9:35
---	---------------------------	---------------------------------	--	----------------------------	---------------------------

Group: A	Bottle Type: P-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
ALKALINITY					
TURBIDITY					
W-CL-IC					
W-COLOR					
W-F					
W-SO4-IC					
W-TDS					
W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
CHLSUITE-W					
Group: A	Bottle Type: P-500ML	# of Bottles: 4	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 4	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	4
W-PO4-F					

Date of Request: 26-MAY-2016
 Created By: PASWATER_B On: 26-MAY-2016
 Modified By: MATTHEWS_D On: 27-MAY-2016
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: SMP: Shell Joshua Hog Bay

Send Coolers To:

Phone: 239-332-6975 SC 748-6975
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 27-MAY-2016
 Biology Request Reviewed By: MATTHEWS_D On: 27-MAY-2016
 Sampling Kit Required: YES Ship on: 03-JUN-2016
 Sampling Kit Shipped: YES On: 06-JUN-2016
 Sampling Kit Packed By: BOWDEN_M
 Preservatives Needed: NO
 Date to Receive Samples: 13-JUN-2016
 Received By: SHAIK_A On: 21-JUN-2016

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: SMP: Shell Joshua Hog Bay

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ-2016-06-13-28

Shipping Method: Fed Ex

Date/Time of Receipt: 06-21-16 / 9:35

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
BLUE	1.5C	8		☒			7833 9781 5950
BLUE	1.1C	8		☒			40

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an **NCR**.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ABP

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☐ NA ☒ Init:

Coolers Unpacked/Checked by: ABP **Date:** 6-21-16 **NCRs (Y/N)?**

Event ID: SMP: Shell Joshua Hog Bay **NCR #**

SO-DIST-2016-06-21-01 (SMP)
Date Received: 21-JUN-2016 09:35

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments: