

Date of Request: 10-FEB-2016
 Created By: ANDERSON_C On: 10-FEB-2016
 Modified By: ANDERSON_C On: 11-FEB-2016
 Customer: SO-DIST
 Project: SMP
 Division: Office of Coastal and Aquatic Managed Areas
 District:
 Sampling Event: EBAP D-Kit

Send Coolers To:

Phone: 239-530-1001
 Estero Bay Aquatic Preserve
 700-1 Fisherman's Wharf
 Fort Myers Beach, FL 33931
 Attn: Cheryl Clark

Program Module Number:
 Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Corey Anderson

Sampling Kit Required: YES Ship on: 20-JUN-2016
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: YES
 Date to Receive Samples: 04-JUL-2016
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: 1 - vial of sulfuric acid
 1 - vial of nitric acid

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALKALINITY Total Alkalinity	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
BOD-UNIN Biochemical Oxygen Demand-5 Day	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
CHLSUITE-W Chlorophyll/Phaeophytin Ratio Chlorophyll-a, Corrected Chlorophyll-a, Uncorrected Phaeophytin-a	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
TURBIDITY Turbidity	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F Fluoride	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-ICP Chromium Iron Zinc	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
W-ICPMS Arsenic Cadmium Copper Lead Nickel Silver	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-NH3 Ammonia-N	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 NO2NO3-N	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-PO4-F O-Phosphate-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
W-TSS TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices