

Florida Department of Environmental Protection
Central Laboratory Submittal Form

SMP: Telegraph, Olga, Roberts

Customer: SO-DIST

Project ID: SMP

Requester: Benjamin Paswater

Field Report Prepared By:

Collected By:

Sampling Agency:

Location	RQ-2016-09-05-76	Field ID	9/20/2016 WBID 3236	G3SD092016-7	STORET #	ST0RE1	Location	RQ-2016-09-05-76	Field ID	9/20/2016 WBID 3236	G3SD092016-DUP	STORET #	ST0RE1	Location	RQ-2016-09-05-76	Field ID	9/20/2016 WBID 3235N	G3SD092016-8	STORET #	ST0RE1	Location	RQ-2016-09-05-76	Field ID	9/20/2016 WBID 3235P	G3SD092016-9	STORET #	ST0RE1
Field ID	WBID 3236	G3SD092016-7	ST0RE1	Field ID	WBID 3236	G3SD092016-DUP	ST0RE1	Field ID	WBID 3235N	G3SD092016-8	ST0RE1	Field ID	WBID 3235P	G3SD092016-9	ST0RE1	Field ID	WBID 3235N	G3SD092016-8	ST0RE1	Field ID	WBID 3235P	G3SD092016-9	ST0RE1	Field ID	WBID 3235P	G3SD092016-9	ST0RE1
STORET #	ST0RE1	ST0RE1	ST0RE1	STORET #	ST0RE1	ST0RE1	STORET #	ST0RE1	ST0RE1	ST0RE1	ST0RE1	STORET #	ST0RE1	ST0RE1	ST0RE1	STORET #	ST0RE1	ST0RE1	ST0RE1	STORET #	ST0RE1	ST0RE1	STORET #	ST0RE1	ST0RE1	ST0RE1	
Latitude	dd dms	Longitude	dd dms	Latitude	dd dms	Longitude	dd dms	Latitude	dd dms	Longitude	dd dms	Latitude	dd dms	Longitude	dd dms	Latitude	dd dms	Longitude	dd dms	Latitude	dd dms	Longitude	dd dms	Latitude	dd dms	Longitude	dd dms
Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab	Collection (comp begin or grab)	Comp Grab
Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	9/20/16	Date	
Time	1410	Time	1410	Time	1410	Time	1410	Time	1130	Time	1130	Time	1130	Time	1130	Time	1130	Time	1130	Time	1130	Time	1130	Time	1130	Time	
Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Matrix (type, e.g., Salt, Fresh, etc)	
Diss. Oxygen	4.7	Diss. Oxygen	4.7	Diss. Oxygen	4.7	Diss. Oxygen	4.7	Diss. Oxygen	4.1	Diss. Oxygen	4.1	Diss. Oxygen	4.1	Diss. Oxygen	4.1	Diss. Oxygen	4.1	Diss. Oxygen	4.1	Diss. Oxygen	4.1	Diss. Oxygen	4.1	Diss. Oxygen	4.1	Diss. Oxygen	4.1
Total Res. Chlorine (mg/L)	59	Total Res. Chlorine (mg/L)	59	Total Res. Chlorine (mg/L)	59	Total Res. Chlorine (mg/L)	59	Total Res. Chlorine (mg/L)	55.1	Total Res. Chlorine (mg/L)	55.1	Total Res. Chlorine (mg/L)	55.1	Total Res. Chlorine (mg/L)	55.1	Total Res. Chlorine (mg/L)	55.1	Total Res. Chlorine (mg/L)	55.1	Total Res. Chlorine (mg/L)	55.1	Total Res. Chlorine (mg/L)	55.1	Total Res. Chlorine (mg/L)	55.1	Total Res. Chlorine (mg/L)	
Temp (C)	27.7	Temp (C)	27.7	Temp (C)	27.7	Temp (C)	27.7	Temp (C)	28.3	Temp (C)	28.3	Temp (C)	28.3	Temp (C)	28.3	Temp (C)	28.3	Temp (C)	28.3	Temp (C)	28.3	Temp (C)	28.3	Temp (C)	28.3	Temp (C)	
pH	7.1	pH	7.1	pH	7.1	pH	7.1	pH	7.3	pH	7.3	pH	7.3	pH	7.3	pH	7.3	pH	7.3	pH	7.3	pH	7.3	pH	7.3	pH	
Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	0.3	Sample Depth	
Sp. Conductance (umho/cm)	268	Sp. Conductance (umho/cm)	268	Sp. Conductance (umho/cm)	268	Sp. Conductance (umho/cm)	268	Sp. Conductance (umho/cm)	3.7	Sp. Conductance (umho/cm)	3.7	Sp. Conductance (umho/cm)	3.7	Sp. Conductance (umho/cm)	3.7	Sp. Conductance (umho/cm)	3.7	Sp. Conductance (umho/cm)	3.7	Sp. Conductance (umho/cm)	3.7	Sp. Conductance (umho/cm)	3.7	Sp. Conductance (umho/cm)	3.7	Sp. Conductance (umho/cm)	
Comments		Comments		Comments		Comments		Comments	DUPLICATE	Comments		Comments		Comments		Comments		Comments		Comments		Comments		Comments		Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Kirby Moul	9-20-16 1600	Fedex	2	SK	9-20-16 1700

Group	Bottle Type	# of Bottles	Preservative	Enter Number of Bottles Sent to Lab
A	P-1L	4	ICE	4
ALKALINITY				
TURBIDITY				
W-CL-IC				
W-COLOR				
W-F				
W-SO4-IC				
W-TDS				
W-TSS				
A	BP-1L	4	ICE	4
CHLSUITE-W				
A	P-500ML	4	ICE And H2SO4	4
W-NH3				
W-NO2NO3				
W-S-A-TP				
W-TKN				
W-TOC				
A	P-125ML	4	ICE-FLTR	4
W-PO4-F				

Date of Request: 25-AUG-2016
 Created By: PASWATER_B On: 25-AUG-2016
 Modified By: MATTHEWS_D On: 30-AUG-2016
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: SMP: Telegraph, Olga, Roberts

Send Coolers To:

Phone: 239-332-6975 SC 748-6975
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 30-AUG-2016
 Biology Request Reviewed By: MATTHEWS_D On: 30-AUG-2016
 Sampling Kit Required: YES Ship on: 30-AUG-2016
 Sampling Kit Shipped: YES On: 30-AUG-2016
 Sampling Kit Packed By: KITCHEN_S
 Preservatives Needed: NO
 Date to Receive Samples: 05-SEP-2016
 Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: SMP: Telegraph, Olga, Roberts

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ-2016-09-05-76

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 9-21-16/10:06

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Blue	2.1	16					

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☒ No ☐ If yes, is it intact? Yes ☒ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: SK

Coolers Unpacked/Checked by: SK Date: 9-21-16

NCRs (Y/N)? N

Event ID: SO-DIST-2016-09-21-02

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No 1

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

00768

01000

FedEx
Express

 Package
US Airbill

 FedEx
Tracking
Number

8100 1918 1980

1 From

Date 9/20/2016

Sender's
Name

Kirby Wolfe

Phone

239 344 5719

Company

JFP

Address

2600 BLAIRSTONE RD

Dept./Floor/Suite/Room

City

Tallahassee

State

FL

ZIP

32379

2 Your Internal Billing Reference

3 To

Recipient's
Name

SAMPLE RECEIVING

Phone

850 245-8085

Company

FLORIDA DEP/CHEMISTRY SECTION

Address

2600 BLAIRSTONE RD

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

TALLAHASSEE

State

FL

ZIP

32399

0123446864



8100 1918 1980

MUR1

Form
ID No.

0215

Recipient's Copy

4 Express Package Service

* To most locations.

 Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐
 FedEx First Overnight
Earliest next business morning delivery to select
locations. Friday shipments will be delivered on
Monday unless Saturday Delivery is selected.
☒
 FedEx Priority Overnight
Next business morning.* Friday shipments will be
delivered on Monday unless Saturday Delivery
is selected.
☐
 FedEx Standard Overnight
Next business afternoon.*
Saturday Delivery NOT available.

2 or 3 Business Days

☐
 FedEx 2Day A.M.
Second business morning.*
Saturday Delivery NOT available.
☐
 FedEx 2Day
Second business afternoon.* Thursday shipments
will be delivered on Monday unless Saturday
Delivery is selected.
☐
 FedEx Express Saver
Third business day.*
Saturday Delivery NOT available.

5 Packaging

*Declared value limit \$500.

☐

FedEx Envelope*

☐

FedEx Pak*

☐FedEx
Box☐FedEx
Tube☒

Other

6 Special Handling and Delivery Signature Options

Fees may apply. See the FedEx Service Guide.

☐

Saturday Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐
 No Signature Required
Package may be left without
obtaining a signature for delivery.
☐
 Direct Signature
Someone at recipient's address
may sign for delivery.
☐
 Indirect Signature
If no one is available at recipient's
address, someone at a neighboring
address may sign for delivery. For
residential deliveries only.

Does this shipment contain dangerous goods?

☐

No

☐

Yes

As per attached

Shipper's Declaration.

☐

Yes

Shipper's Declaration

not required.

☐

Dry Ice

Dry Ice, 9, UN 1845

kg

x

kg

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip.
Acct. No.☐
 Sender
Acct. No. in Section
1 will be billed.
☒

Recipient

☐

Third Party

☐

Credit Card

☐

Cash/Check

Total Packages

Total Weight

Credit Card Auth.

Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

611