

Chemical Analysis Report

NW-DIST-2016-03-02-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **WBID 462C**
Request ID: **RQ-2016-02-22-05**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government St
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 21-MAR-2016 16:13

A handwritten signature in black ink, appearing to read "Liang Lin", is written on a light-colored, textured background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: PERDIDIO RIVER AT RUBY'S LANDING ON HWY 90

Collection Date/Time: 03/01/2016 11:50

Field ID: G5NW0033

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775901	EPA 180.1 Rev. 2.0	Turbidity	3.1		NTU	P299613	
	EPA 300.0 Rev. 2.1	Chloride	6.2		mg Cl/L	P299736	
		Sulfate	1.8		mg SO4/L	P299739	
	SM 2120 B	Color (true)	35		PCU	P299604	
	SM 2320 B-97	Total Alkalinity	1.1	I	mg CaCO3/L	P300124	
	SM 2540 C-97	TDS	32		mg/L	P300120	
	SM 2540 D-97	TSS	3	I	mg/L	P300000	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P300257	
1775903	EPA 350.1 Rev. 2.0	Ammonia-N	0.005	I	mg N/L	P300152	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	2.9		mg N/L	P299865	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.18		mg N/L	P299800	
	EPA 365.1 Rev. 2.0	Total-P	0.009		mg P/L	P299928	
	SM 5310 B-00	Organic Carbon	4.3		mg C/L	P299915	
1775905	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P299607	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Matrix spike recovery data is unavailable due to high analyte concentration in the QC sample.

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Matrix spike recovery data is unavailable due to high analyte concentration in the QC sample.

Sample Location: PERDIDIO RIVER 400 METERS ABOVE MOUTH OF STYX RIVER

Collection Date/Time: 03/01/2016 12:00

Field ID: G5NW0010

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1775902	EPA 180.1 Rev. 2.0	Turbidity	3.4		NTU	P299613	
	EPA 300.0 Rev. 2.1	Chloride	8.2		mg Cl/L	P299736	
		Sulfate	2.0		mg SO4/L	P299739	
	SM 2120 B	Color (true)	37	A	PCU	P299604	
	SM 2320 B-97	Total Alkalinity	0.91	I	mg CaCO3/L	P300124	
	SM 2540 C-97	TDS	34		mg/L	P300120	
	SM 2540 D-97	TSS	2	I	mg/L	P300000	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P300257	
1775904	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P300152	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.25		mg N/L	P299865	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.17		mg N/L	P299801	
	EPA 365.1 Rev. 2.0	Total-P	0.010		mg P/L	P299996	
	SM 5310 B-00	Organic Carbon	4.1		mg C/L	P299915	
1775906	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	I	mg P/L	P299608	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Matrix spike recovery data is unavailable due to high analyte concentration in the QC sample.

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Matrix spike recovery data is unavailable due to high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P299613

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P299736

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P299739

Component	Result	Code	Units
Sulfate	0.20	U	mg SO ₄ /L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P300152

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P299865

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P299800

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P299801

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P299928

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P299996

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P299607

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P299608

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P299604

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P300124

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P300120

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P300000

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P300257

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P299915

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P299736

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P299736

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	103		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P299739

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P300152

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P299865

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.9		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P299800

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P299801

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P299928

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P299996

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	98.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P299607

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P299608

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P300124

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	95 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P300257

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	100		P	94 - 108

Reference Method: SM 5310 B-00
Batch ID: P299915

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P299739

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1775865	Sulfate	100		P	90 - 110
1775866	Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P300152

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1775860	Ammonia-N	99.2	98.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P299800

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1775859	NO2NO3-N	97.8	98.4	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P299801

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1775904	NO2NO3-N	104	102	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P299928

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1775859	Total-P	95.2	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P299996

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1775904	Total-P	99.8	96.1	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P299607

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1775905	O-Phosphate-P	101	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P299608

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1776107	O-Phosphate-P	99.7	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97
 Batch ID: P300257

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1776099	Fluoride	96.6	99.8	P/P	94 - 107

Reference Method: SM 5310 B-00
 Batch ID: P299915

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1775903	Organic Carbon	97.3	91.3	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P299613

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775863	Turbidity	6.41	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P299736

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775865	Chloride	0.00811	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P299739

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775865	Sulfate	0.137	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P300152

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775860	Ammonia-N	0.329	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P299865

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775874	Kjeldahl Nitrogen	0.311	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P299800

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775859	NO2NO3-N	0.466	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P299801

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775904	NO2NO3-N	0.795	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P299928

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775859	Total-P	2.89	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P299996

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775904	Total-P	3.65	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P299607

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775905	O-Phosphate-P	1.28	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P299608

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1776107	O-Phosphate-P	0.944	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P299604

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775902	Color (true)	1.20	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P300124

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1776099	Total Alkalinity	0.212	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P300120

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775933	TDS	3.72	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P300257

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1776099	Fluoride	2.28	Spike	P	0 - 3.7

Reference Method: SM 5310 B-00
Batch ID: P299915

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1775903	Organic Carbon	5.15	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A67933
Included Lab Sample IDs: 1775901, 1775902

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	102	P/P	90 - 110
Sulfate	96.1	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B

Run ID: A67948

Included Lab Sample IDs: 1775901, 1775902

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	98.7	98.4	P/P	90 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A67950

Included Lab Sample IDs: 1775905, 1775906

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.9	99.3	P/P	90 - 110
O-Phosphate-P	99.5	98.6	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A67951

Included Lab Sample IDs: 1775901, 1775902

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A68011

Included Lab Sample IDs: 1775903, 1775904

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A68073

Included Lab Sample IDs: 1775903, 1775904

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	95.2	94.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A68133

Included Lab Sample IDs: 1775903

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.2	97.5	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A68136

Included Lab Sample IDs: 1775901, 1775902

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	98.2	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A68141

Included Lab Sample IDs: 1775904

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A68141

Included Lab Sample IDs: 1775904

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	99.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A68144

Included Lab Sample IDs: 1775903, 1775904

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.9	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A68180

Included Lab Sample IDs: 1775901, 1775902

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	99.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A68247

Included Lab Sample IDs: 1775903, 1775904

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	98.6	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				6.41	
EPA 300.0 Rev. 2.1	Chloride	103			0.0081	
	Sulfate	101	100 101		0.137	
EPA 350.1 Rev. 2.0	Ammonia-N	98.8	99.2 98.6			0.329
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	99.9				0.311
EPA 353.2 Rev. 2.0	NO2NO3-N	103	97.8 98.4			0.466
	NO2NO3-N	104	104 102			0.795
EPA 365.1 Rev. 2.0	Total-P	100	95.2 101			2.89
	Total-P	98.2	99.8 96.1			3.65
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100	101 102			1.28
	O-Phosphate-P	102	99.7 101			0.944
SM 2120 B	Color (true)				1.20	
SM 2320 B-97	Total Alkalinity	101			0.212	
SM 2540 C-97	TDS				3.72	
SM 4500 F-C-97	Fluoride	100	96.6 99.8			2.28
SM 5310 B-00	Organic Carbon	94.4	97.3 91.3			5.15

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1775901, 1775902
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1775901, 1775902
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1775901, 1775902
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1775903, 1775904
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1775903, 1775904
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1775903, 1775904
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1775903, 1775904
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1775905, 1775906
SM 2120 B / E31780	True Color measured at 450 nm	1775901, 1775902
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1775901, 1775902
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1775901, 1775902
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1775901, 1775902
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1775901, 1775902
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1775903, 1775904

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	03/02/2016			03/02/2016 15:05	Sima Feizi	1775901, 1775902
EPA 300.0 Rev. 2.1	03/02/2016			03/04/2016	Ping Hua	1775901, 1775902
EPA 350.1 Rev. 2.0	03/02/2016			03/10/2016	Diana M. Turner	1775903, 1775904
EPA 351.2 Rev. 2.0	03/02/2016	03/07/2016	Sofia Elnemr	03/08/2016	Rochelle Y Jackson	1775903, 1775904
EPA 353.2 Rev. 2.0	03/02/2016			03/04/2016	Virginia P. Brown	1775903, 1775904
EPA 365.1 Rev. 2.0	03/02/2016	03/08/2016	Lipi Saha	03/09/2016	Lipi Saha	1775903
	03/02/2016	03/09/2016	Christopher Armour	03/10/2016	Lipi Saha	1775904
EPA 365.1 Rev. 2.0 dissolved	03/02/2016			03/02/2016 13:55	Julia Storbeck	1775905
	03/02/2016			03/02/2016 15:18	Julia Storbeck	1775906
SM 2120 B	03/02/2016			03/02/2016 14:36	Rochelle Y Jackson	1775901
	03/02/2016			03/02/2016 14:38	Rochelle Y Jackson	1775902
SM 2320 B-97	03/02/2016			03/08/2016	Dale L. Simmons	1775901, 1775902
SM 2540 C-97	03/02/2016			03/04/2016	Yijie Li	1775901, 1775902
SM 2540 D-97	03/02/2016			03/04/2016	Yijie Li	1775901, 1775902
SM 4500 F-C-97	03/02/2016			03/11/2016	Dale L. Simmons	1775901, 1775902
SM 5310 B-00	03/02/2016			03/04/2016	Sofia Elnemr	1775903, 1775904