

Date of Request: 05-APR-2016
 Created By: KING_M On: 05-APR-2016
 Modified By: WATTS_J On: 15-APR-2016
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: 24AA 260 10G 11A 635

Send Coolers To:

Phone: SC-695-0605
 160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 15-APR-2016
 Biology Request Reviewed By: WATTS_J On: 15-APR-2016
 Sampling Kit Required: YES Ship on: 15-APR-2016
 Sampling Kit Shipped: YES On: 15-APR-2016
 Sampling Kit Packed By: WHITE_R
 Preservatives Needed: YES
 Date to Receive Samples: 18-APR-2016
 Received By: BOWDEN_M On: 21-APR-2016

Send Final Report To:

160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: 3 - cases of sulfuric acid

Bottle Group A (Water) With 9 Samples:

Bottle Type: P-1L	Number of Bottles: 9	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		
Bottle Type: P-1L	Number of Bottles: 9	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Biochemical Oxygen Demand-5 Day		
Bottle Type: BP-1L	Number of Bottles: 9	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Chlorophyll/Phaeophytin Ratio		
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: P-500ML	Number of Bottles: 9	Preserved With: ICE And H2SO4

Bottle Group A (Water) With 9 Samples:

Bottle Type: P-500ML	Number of Bottles: 9	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 9	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
2,4,5-T		
2,4-D		
2,4-DB		
Acifluorfen		
Bentazon		
Dichlorprop		
Dinoseb		
MCPA		
MCPP		
Silvex		
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
*Acetaminophen		
*Carbamazepine		
*Fluridone		
*Primidone		
Diuron		
Fenuron		
Imidacloprid		
Linuron		
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PC-AA-SF	Template: DEFAULT	(DEP SOP: GC-011-5 (based on EPA 608 and 617)) Organochlorine pesticides (low levels) in water matrices by GC/ECD.
Aldrin		
Alpha-BHC		
Beta-BHC		
Carbophenothion		
Chlordane		
Chlorothalonil		
Cypermethrin		
DDD-p,p'		
DDE-p,p'		
DDT-p,p'		
Delta-BHC		
Dicofol		
Dieldrin		
Endosulfan I		
Endosulfan II		
Endosulfan Sulfate		
Endrin		
Endrin Aldehyde		
Gamma-BHC		
Heptachlor		
Heptachlor Epoxide		
Methoxychlor		

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-1L Number of Bottles: 4 Preserved With: ICE
 W-PC-AA-SF Template: DEFAULT (DEP SOP: GC-011-5 (based on EPA 608 and 617)) Organochlorine pesticides (low levels) in water matrices by GC/ECD.

Mirex
 PCB-1016
 PCB-1221
 PCB-1232
 PCB-1242
 PCB-1248
 PCB-1254
 PCB-1260
 Permethrin
 Toxaphene
 Trifluralin

Bottle Type: BG-1L Number of Bottles: 4 Preserved With: ICE
 W-PSNP-TQ Template: DEFAULT (EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

*Acetochlor
 *Alachlor
 *Ametryn
 *Atrazine
 *Atrazine Desethyl
 *Azinphos Methyl
 *Bromacil
 *Butylate
 *Chlorpyrifos Ethyl
 *Chlorpyrifos Methyl
 *Cyanazine
 *Demeton
 *Diazinon
 *Disulfoton
 *EPTC
 *Ethion
 *Ethoprop
 *Fenamiphos
 *Fipronil
 *Fipronil Sulfide
 *Fipronil Sulfone
 *Fonofos
 *Hexazinone
 *Malathion
 *Metalaxyl
 *Metolachlor
 *Metribuzin
 *Mevinphos
 *Molinate
 *Norflurazon
 *Parathion Ethyl
 *Parathion Methyl
 *Pendimethalin
 *Phorate
 *Prometon
 *Prometryn
 *Simazine
 *Terbufos
 *Terbutylazine

Bottle Type: BG-1L Number of Bottles: 1 Preserved With: ICE
 W-PYR-AA-R Template: DEFAULT (EPA 8321B) Pyraclostrobin in water matrices by HPLC/MS/MS
 *Pyraclostrobin