

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By: MIKE KING

Project ID: SMP

Collected By: MIKE KING / NATHAN MURPHYSampling Agency: FLOR NW ROC

Location	Location: ESCAMBIA RIVER		G4NW0005	☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s) (See pg 2)
Field ID	HWY 184 BR		Field ID ↑	☒ Grab	Date	Central	Date	
STOR	RQ-2016-05-16-22(WBID 10D)		STORET ↓	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		
	Date: 6/9/16		33020007	Temp (C) 26.0		pH 6.0		
	Time: 1010 CST			Sample Depth 0.3		Diss. Oxygen 78		Total Res. Chlorine (mg/L)
Latitude	☐ dd	Longitude	☐ dd	Salinity (ppt) 0.0		Sp. Conductance (umho/cm) 93		
	☐ dms		☐ dms	Comments				

Location	Location: ESCAMBIA R		G4NW0006	☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID	MOUTH WMS DITCH		Field ID ↑	☒ Grab	Date	Central	Date	
STOR	RQ-2016-05-16-22(WBID 10D)		STORET ↓	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		
	Date: 6/9/16		33020045	Temp (C) 25.9		pH 5.9		
	Time: 0950 CST			Sample Depth 0.3		Diss. Oxygen 78		Total Res. Chlorine (mg/L)
Latitude	☐ dd	Longitude	☐ dd	Salinity (ppt) 0.0		Sp. Conductance (umho/cm) 92		
	☐ dms		☐ dms	Comments				

Location	Location: Upper Escambia River @ Power Lines		G4NW0185	☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID	RQ-2016-05-16-22(WBID 10E)		Field ID ↑	☒ Grab	Date	Central	Date	
STOR	Date: 6/9/16		STORET ↓	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		
	Time: 1105 CST		33020169	Temp (C) 26.9		pH 5.7		
				Sample Depth 0.3		Diss. Oxygen 76		Total Res. Chlorine (mg/L)
Latitude	☐ dd	Longitude	☐ dd	Salinity (ppt) 0.1		Sp. Conductance (umho/cm) 114		
	☐ dms		☐ dms	Comments				

Location				☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID				☐ Grab	Date	Central	Date	
STOR #				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		
				Temp (C)		pH		
				Sample Depth		Diss. Oxygen		Total Res. Chlorine (mg/L)
Latitude	☐ dd	Longitude	☐ dd	Salinity (ppt)		Sp. Conductance (umho/cm)		
	☐ dms		☐ dms	Comments				

Relinquished By: <u>[Signature]</u>	Date/Time: 6/9/16	Shipping Method: <u>FedEx</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>[Signature]</u>	Date/Time: 6/10/16 9:45
-------------------------------------	-------------------	-------------------------------	-------------------------------------	---------------------------------	-------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 7	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 7	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						

Date of Request: 20-APR-2016
 Created By: KING_M On: 20-APR-2016
 Modified By: SWANSON_C On: 26-APR-2016
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: WBID 71 111 10D 10E

Send Coolers To:

Phone: SC-695-0605
 160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Send Final Report To:

160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 25-APR-2016
 Biology Request Reviewed By: SWANSON_C On: 26-APR-2016
 Sampling Kit Required: YES Ship on: 06-MAY-2016
 Sampling Kit Shipped: YES On: 06-MAY-2016
 Sampling Kit Packed By: BOWDEN_M
 Preservatives Needed: NO
 Date to Receive Samples: 16-MAY-2016
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 7 Samples:

Bottle Type: P-1L	Number of Bottles: 7	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 7	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 7	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 7	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ- 2016-05-16-22

Shipping Method: Fedex

Date/Time of Receipt: 6/10/16 9:45

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.0	12		✓			8100 1917 4532

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: u

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: u

Coolers Unpacked/Checked by: u Date: 6/10/16 NCRs (Y/N)? N

Event ID: NW-DIST-2016-06-10-02 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: