

Chemical Analysis Report

NW-DIST-2016-06-09-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **WBID 321 517 111 586 531**

Request ID: **RQ-2016-05-23-19**

Customer: **NW-DIST**

Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government st
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 30-JUN-2016 11:34



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Tramme Creek above CRX traitracks

Collection Date/Time: 06/08/2016 11:10

Field ID: G4NW0383

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1806832	EPA 180.1 Rev. 2.0	Turbidity	2.4	A	NTU	P306010	
	EPA 300.0 Rev. 2.1	Chloride	4.0		mg Cl/L	P306260	
		Sulfate	4.0		mg SO4/L	P306264	
	SM 2120 B	Color (true)	73		PCU	P305947	
	SM 2320 B-97	Total Alkalinity	10		mg CaCO3/L	P306030	
	SM 2540 C-97	TDS	41		mg/L	P306555	
	SM 2540 D-97	TSS	3	I	mg/L	P306280	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P306035	
1806836	EPA 350.1 Rev. 2.0	Ammonia-N	0.012		mg N/L	P306269	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.29		mg N/L	P306056	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.13		mg N/L	P306145	
	EPA 365.1 Rev. 2.0	Total-P	0.037		mg P/L	P306217	
	SM 5310 B-00	Organic Carbon	4.4		mg C/L	P306324	
1806840	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.018		mg P/L	P305928	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: Wilkinson Creek upstream of Wilkinson Bluff Road

Collection Date/Time: 06/08/2016 11:35

Field ID: G4NW0357

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1806833	EPA 180.1 Rev. 2.0	Turbidity	1.2		NTU	P306010	
	EPA 300.0 Rev. 2.1	Chloride	3.2		mg Cl/L	P306260	
		Sulfate	1.0		mg SO4/L	P306264	
	SM 2120 B	Color (true)	40		PCU	P305947	
	SM 2320 B-97	Total Alkalinity	1.1	I	mg CaCO3/L	P306169	
	SM 2540 C-97	TDS	15	I	mg/L	P306555	
	SM 2540 D-97	TSS	2	U	mg/L	P306280	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P306035	
1806837	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P306270	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.18	I	mg N/L	P306056	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.14		mg N/L	P306145	
	EPA 365.1 Rev. 2.0	Total-P	0.008		mg P/L	P306217	
	SM 5310 B-00	Organic Carbon	2.2		mg C/L	P306324	
1806841	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P305928	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: Boiling Creek abv Eglin Rd 211

Collection Date/Time: 06/08/2016 12:45

Field ID: G4NW0342

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1806834	EPA 180.1 Rev. 2.0	Turbidity	0.50		NTU	P306010	
	EPA 300.0 Rev. 2.1	Chloride	3.1		mg Cl/L	P306260	

Field ID: G4NW0342

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1806834	EPA 300.0 Rev. 2.1	Sulfate	0.48	I	mg SO4/L	P306264	
	SM 2120 B	Color (true)	17		PCU	P305947	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P306030	
	SM 2540 C-97	TDS	15	I	mg/L	P306555	
	SM 2540 D-97	TSS	2	U	mg/L	P306280	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P306035	
1806838	EPA 350.1 Rev. 2.0	Ammonia-N	0.007		mg N/L	P306270	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.14	I	mg N/L	P306057	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.11		mg N/L	P306145	
	EPA 365.1 Rev. 2.0	Total-P	0.005	I	mg P/L	P306218	
	SM 5310 B-00	Organic Carbon	1.4		mg C/L	P306324	
1806842	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P305928	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: Catfish Branch @ Eglin 736

Collection Date/Time: 06/08/2016 14:00

Field ID: G4NW0104

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1806835	EPA 180.1 Rev. 2.0	Turbidity	0.30		NTU	P306010	
	EPA 300.0 Rev. 2.1	Chloride	3.8		mg Cl/L	P306260	
		Sulfate	1.3		mg SO4/L	P306264	
	SM 2120 B	Color (true)	29		PCU	P305947	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P306030	
	SM 2540 C-97	TDS	18	I	mg/L	P306555	
1806839	SM 2540 D-97	TSS	2	U	mg/L	P306280	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P306035	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P306270	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.096	I	mg N/L	P306057	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.10		mg N/L	P306145	
	EPA 365.1 Rev. 2.0	Total-P	0.004	I	mg P/L	P306218	
1806843	SM 5310 B-00	Organic Carbon	1.9		mg C/L	P306324	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P305928	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P306010

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Quality Assurance Report

Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306260

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306264

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306269

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306270

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306056

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306057

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P306145

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306217

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306218

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P305928

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
 Batch ID: P305947

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
 Batch ID: P306030

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-97
 Batch ID: P306169

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
 Batch ID: P306555

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
 Batch ID: P306280

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
 Batch ID: P306035

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
 Batch ID: P306324

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P306260

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306260

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	99.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306264

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	96.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306269

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306270

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306056

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	110		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306057

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	108		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P306145

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	97.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306217

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306218

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P305928

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: SM 2320 B-97
 Batch ID: P306030

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 105

Reference Method: SM 2320 B-97
 Batch ID: P306169

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 105

Reference Method: SM 4500 F-C-97
 Batch ID: P306035

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.1		P	92 - 103

Reference Method: SM 5310 B-00
 Batch ID: P306324

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	108		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P306260

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806688	Chloride	98.0		P	90 - 110
1806794	Chloride	99.5		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P306264

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806688	Sulfate	97.8		P	90 - 110
1806794	Sulfate	98.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P306269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806766	Ammonia-N	99.5	99.8	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306270

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806837	Ammonia-N	97.5	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306056

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806766	Kjeldahl Nitrogen	100	110	P/F	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306057

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806838	Kjeldahl Nitrogen	101	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P306145

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806836	NO2NO3-N	96.0	97.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306217

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806837	Total-P	103	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306218

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806838	Total-P	105	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305928

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806841	O-Phosphate-P	101	102	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P306035

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806873	Fluoride	101	100	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P306324

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806701	Organic Carbon	108	111	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P306010

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806832	Turbidity	7.97	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306260

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806688	Chloride	0.352	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306264

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806688	Sulfate	2.37	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306269

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806766	Ammonia-N	0.162	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306270

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806837	Ammonia-N	3.79	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306056

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806766	Kjeldahl Nitrogen	7.20	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306057

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806838	Kjeldahl Nitrogen	0.560	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P306145

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806836	NO2NO3-N	0.919	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306217

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806837	Total-P	0.453	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306218

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806838	Total-P	3.66	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305928

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806841	O-Phosphate-P	0.197	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P305947

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806795	Color (true)	3.34	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P306030

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806873	Total Alkalinity	0.188	Sample	P	0 - 4.8

Reference Method: SM 2320 B-97
Batch ID: P306169

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807644	Total Alkalinity	0.208	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P306555

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806793	TDS	0.0	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P306035

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806873	Fluoride	0.464	Spike	P	0 - 3.0

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P306324

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806701	Organic Carbon	1.62	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A69952
Included Lab Sample IDs: 1806840, 1806841, 1806842, 1806843

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.0	P/P	90 - 110
O-Phosphate-P	100	98.9	P/P	90 - 110
O-Phosphate-P	99.0	99.1	P/P	90 - 110

Reference Method: SM 2120 B
Run ID: A69960
Included Lab Sample IDs: 1806832, 1806833, 1806834, 1806835

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	101	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A69980
Included Lab Sample IDs: 1806832, 1806833, 1806834, 1806835

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	98.0	99.5	P/P	95 - 105

Reference Method: SM 2320 B-97
Run ID: A69989
Included Lab Sample IDs: 1806832, 1806834, 1806835

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	99.6	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Run ID: A69989
Included Lab Sample IDs: 1806832, 1806833, 1806834, 1806835

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A70014
Included Lab Sample IDs: 1806836, 1806837

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A70014

Included Lab Sample IDs: 1806836, 1806837

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	97.6	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A70020

Included Lab Sample IDs: 1806836, 1806837, 1806838, 1806839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A70028

Included Lab Sample IDs: 1806833

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A70038

Included Lab Sample IDs: 1806838, 1806839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	96.1	P/P	90 - 110
Kjeldahl Nitrogen	95.8	101	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A70045

Included Lab Sample IDs: 1806832, 1806833, 1806834, 1806835

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	101	P/P	90 - 110
Sulfate	98.4	96.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A70068

Included Lab Sample IDs: 1806836, 1806837, 1806838, 1806839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	102	P/P	90 - 110
Ammonia-N	101	100	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A70079

Included Lab Sample IDs: 1806836, 1806837, 1806838, 1806839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	102	103	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A70093

Included Lab Sample IDs: 1806836, 1806837, 1806838, 1806839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				7.97	
EPA 300.0 Rev. 2.1	Chloride	99.3	98.0 99.5		0.352	
	Sulfate	96.9	97.8 98.4		2.37	
EPA 350.1 Rev. 2.0	Ammonia-N	100	99.5 99.8			0.162
	Ammonia-N	98.6	97.5 102			3.79
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	110	100 110			7.20
	Kjeldahl Nitrogen	108	101 102			0.560
EPA 353.2 Rev. 2.0	NO2NO3-N	97.5	96.0 97.5			0.919
EPA 365.1 Rev. 2.0	Total-P	102	103 103			0.453
	Total-P	101	105 101			3.66
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	101	101 102			0.197
SM 2120 B	Color (true)				3.34	
SM 2320 B-97	Total Alkalinity	102			0.188	
	Total Alkalinity	103			0.208	
SM 2540 C-97	TDS				0.0	
SM 4500 F-C-97	Fluoride	98.1	101 100			0.464
SM 5310 B-00	Organic Carbon	108	108 111			1.62

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1806832, 1806833, 1806834, 1806835
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1806832, 1806833, 1806834, 1806835
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1806832, 1806833, 1806834, 1806835
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1806836, 1806837, 1806838, 1806839
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1806836, 1806837, 1806838, 1806839
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1806836, 1806837, 1806838, 1806839
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1806836, 1806837, 1806838, 1806839
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1806840, 1806841, 1806842, 1806843
SM 2120 B / E31780	True Color measured at 450 nm	1806832, 1806833, 1806834, 1806835
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1806832, 1806833, 1806834, 1806835
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1806832, 1806833, 1806834, 1806835

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1806832, 1806833, 1806834, 1806835
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1806832, 1806833, 1806834, 1806835
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1806836, 1806837, 1806838, 1806839

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	06/09/2016			06/09/2016 15:51	Rochelle Y Jackson	1806832, 1806833, 1806834, 1806835
EPA 300.0 Rev. 2.1	06/09/2016			06/15/2016	Elisa J Lutz	1806832, 1806833, 1806834, 1806835
EPA 350.1 Rev. 2.0	06/09/2016			06/15/2016	Diana M. Turner	1806836, 1806837, 1806838, 1806839
EPA 351.2 Rev. 2.0	06/09/2016	06/13/2016	Sofia Elnemr	06/14/2016	Christopher Armour	1806836, 1806837, 1806838, 1806839
EPA 353.2 Rev. 2.0	06/09/2016			06/13/2016	Beverly Y. Sanders	1806836, 1806837, 1806838, 1806839
EPA 365.1 Rev. 2.0	06/09/2016	06/15/2016	Vijayalakshmi Reddy	06/16/2016	Lipi Saha	1806836, 1806837, 1806838, 1806839
EPA 365.1 Rev. 2.0 dissolved	06/09/2016			06/09/2016 14:38	Julia Storbeck	1806841
	06/09/2016			06/09/2016 15:08	Julia Storbeck	1806840
	06/09/2016			06/09/2016 15:09	Julia Storbeck	1806842
	06/09/2016			06/09/2016 15:14	Julia Storbeck	1806843
	06/09/2016			06/09/2016 16:48	Chrisoulla Rakowski	1806832
SM 2120 B	06/09/2016			06/09/2016 16:49	Chrisoulla Rakowski	1806833
	06/09/2016			06/09/2016 16:50	Chrisoulla Rakowski	1806834
	06/09/2016			06/09/2016 16:51	Chrisoulla Rakowski	1806835
	06/09/2016			06/11/2016	Dale L. Simmons	1806832, 1806834, 1806835
SM 2320 B-97	06/09/2016			06/13/2016	Dale L. Simmons	1806833
SM 2540 C-97	06/09/2016			06/13/2016	Blanca Fach	1806832, 1806833, 1806834, 1806835
SM 2540 D-97	06/09/2016			06/13/2016	Blanca Fach	1806832, 1806833, 1806834, 1806835
SM 4500 F-C-97	06/09/2016			06/11/2016	Dale L. Simmons	1806832, 1806833, 1806834, 1806835
SM 5310 B-00	06/09/2016			06/16/2016	Sofia Elnemr	1806836, 1806837, 1806838, 1806839