

TMDL Bioassessment

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By:

F. Butera

Project ID: SMP

Collected By:

Rick Aard, Fennel Butera

Sampling Agency:

DEP-NWROC

Location		Location: Jones Creek @ PJC above Brigadier Rd RQ-2016-06-06-22(WBID 864A)		G4NW0122 Field ID ↑ STORET ↓ 33020126		☐ Comp ☒ Grab Collection (comp begin or grab) Date 6/23/2016 Time 10:15 Eastern Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID		Date: CST Time:		Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 4.4		☒ mg/L ☐ % sat Total Res. Chlorine (mg/L)		A	
STORET #		Date: CST Time:		Temp (C) 23.4		pH 5.2		Sample Depth 0.2		Sp. Conductance (umho/cm) 64	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt) 0.4		Comments: Water level low.	
Location		Location: Jackson Cr @ Corry Station & Prieto RQ-2016-06-06-22(WBID 864B)		G4NW0379 Field ID ↑ STORET ↓ 33020224		☐ Comp ☒ Grab Collection (comp begin or grab) Date 6/23/16 Time 12:45 Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID		Date: CST Time:		Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 11.5		☒ mg/L ☐ % sat Total Res. Chlorine (mg/L)		A	
STORET #		Date: CST Time:		Temp (C) 31.2		pH 5.3		Sample Depth 0.1		Sp. Conductance (umho/cm) 146	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt) 0.1		Comments	
Location						☐ Comp ☐ Grab Collection (comp begin or grab) Date Time Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID						Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine (mg/L)	
STORET #						Temp (C)		pH		Sample Depth	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location						☐ Comp ☐ Grab Collection (comp begin or grab) Date Time Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID						Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine (mg/L)	
STORET #						Temp (C)		pH		Sample Depth	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
F. Butera	6/23/2016 16:00 central	Fed Ex	1	MB	6/24/16/10:30

Group: A	Bottle Type:	P-1L	# of Bottles: 10	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 10	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 10	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 10	Preservative: ICE-FLTR		Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	PJ-2L	# of Bottles: 20	Preservative: Formalin		Enter Number of Bottles Sent to Lab	
	MI-FW-QLDC						

Date of Request: 10-MAY-2016
 Created By: KING_M On: 10-MAY-2016
 Modified By: WATTS_J On: 23-JUN-2016
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest ROC
 Sampling Event: TMDL Bioassessment

Send Coolers To:

Phone: SC-695-0605
 160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Send Final Report To:

160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-JUN-2016
 Biology Request Reviewed By: WATTS_J On: 23-JUN-2016
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 06-JUN-2016
 Received By: KITCHEN_S On: 23-JUN-2016

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 10 Samples:

Bottle Type: P-1L	Number of Bottles: 10	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 10	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 10	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 10	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Biological) With 10 Samples:

Bottle Type: PJ-2L Number of Bottles: 20 Preserved With: Formalin
 MI-FW-QLDC Template: (SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

Bottle Group C (Water) With 1 Samples:

Bottle Type: BG-1L Number of Bottles: 1 Preserved With: ICE
 W-AHERB-AA Template: (USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-GLYPH	Template: DEFAULT	(EPA 8321B) Glyphosate in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PC-AA-SF	Template:	(DEP SOP: GC-011-5 (based on EPA 608 and 617)) Organochlorine pesticides (low levels) in water matrices by GC/ECD.
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-PYR-AA-R	Template: DEFAULT	(EPA 8321B) Pyraclostrobin in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2016-06-06-22

Shipping Method: Fedex

Date/Time of Receipt: 6/24/16/10:30

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.3	8		✓			8100 1917 7825

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: MB

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: MB

Coolers Unpacked/Checked by: MLA Date: 6/24/16 NCRs (Y/N)? N

Event ID: NW-DIST-2016-06-24-01 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ☒ _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: