

Chemical Analysis Report

NW-DIST-2016-09-15-03

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **WBID 49 49F 178Z**

Request ID: **RQ-2016-09-12-74**

Customer: **NW-DIST**


Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government st
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Environmental Administrator

Date Certified: 07-OCT-2016 13:49

A handwritten signature in black ink, appearing to read "Colin Wright", is written on a light-colored rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: CHOCTAWHATCHEE R ABOVE WRIGHTS C

Collection Date/Time: 09/14/2016 14:25

Field ID: G3NW0091

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1831823	EPA 180.1 Rev. 2.0	Turbidity	25		NTU	P311235	
	EPA 300.0 Rev. 2.1	Chloride	5.0		mg Cl/L	P311765	
		Sulfate	2.0		mg SO4/L	P311768	
	SM 2120 B	Color (true)	36		PCU	P311252	
	SM 2320 B-97	Total Alkalinity	33		mg CaCO3/L	P311734	
	SM 2540 C-97	TDS	64		mg/L	P312207	
	SM 2540 D-97	TSS	28		mg/L	P311878	
	SM 4500 F-C-97	Fluoride	0.051	I	mg F/L	P311738	
1831828	EPA 350.1 Rev. 2.0	Ammonia-N	0.013		mg N/L	P311424	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.33		mg N/L	P311836	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.76		mg N/L	P311670	
	EPA 365.1 Rev. 2.0	Total-P	0.082		mg P/L	P311903	
	SM 5310 B-00	Organic Carbon	3.5		mg C/L	P311529	
1831833	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.029		mg P/L	P311240	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: CHOCTAWHATCHEE RIVER AT HWY 90

Collection Date/Time: 09/14/2016 14:45

Field ID: G3NW0052

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1831824	EPA 180.1 Rev. 2.0	Turbidity	15	A	NTU	P311236	
	EPA 300.0 Rev. 2.1	Chloride	4.9		mg Cl/L	P311765	
		Sulfate	2.0		mg SO4/L	P311768	
	SM 2120 B	Color (true)	32		PCU	P311252	
	SM 2320 B-97	Total Alkalinity	35		mg CaCO3/L	P311734	
	SM 2540 C-97	TDS	66		mg/L	P312207	
	SM 2540 D-97	TSS	13		mg/L	P311878	
	SM 4500 F-C-97	Fluoride	0.050	I	mg F/L	P311738	
1831829	EPA 350.1 Rev. 2.0	Ammonia-N	0.013		mg N/L	P311424	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.32		mg N/L	P311836	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.76		mg N/L	P311670	
	EPA 365.1 Rev. 2.0	Total-P	0.062		mg P/L	P311903	
	SM 5310 B-00	Organic Carbon	3.3		mg C/L	P311529	
1831834	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.031		mg P/L	P311240	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: CHOCTAWHATCHEE RIVER BELOW I-10

Collection Date/Time: 09/14/2016 15:00

Field ID: G3NW0051

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1831825	EPA 180.1 Rev. 2.0	Turbidity	17		NTU	P311236	
	EPA 300.0 Rev. 2.1	Chloride	5.5		mg Cl/L	P311707	
		Sulfate	2.2		mg SO4/L	P311705	

Field ID: G3NW0051

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1831825	SM 2120 B	Color (true)	28	A	PCU	P311252	
	SM 2320 B-97	Total Alkalinity	38		mg CaCO3/L	P311734	
	SM 2540 C-97	TDS	67		mg/L	P312207	
	SM 2540 D-97	TSS	18		mg/L	P311878	
	SM 4500 F-C-97	Fluoride	0.053	I	mg F/L	P311738	
1831830	EPA 350.1 Rev. 2.0	Ammonia-N	0.013		mg N/L	P311424	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.32		mg N/L	P311836	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.79		mg N/L	P311671	
	EPA 365.1 Rev. 2.0	Total-P	0.073		mg P/L	P311903	
	SM 5310 B-00	Organic Carbon	2.8		mg C/L	P311529	
1831835	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.037		mg P/L	P311240	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: PONCE DE LEON SPRING

Collection Date/Time: 09/14/2016 13:00

Field ID: G3NW0092

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1831826	EPA 180.1 Rev. 2.0	Turbidity	0.40		NTU	P311236	
	EPA 300.0 Rev. 2.1	Chloride	2.7		mg Cl/L	P311707	
		Sulfate	2.6		mg SO4/L	P311705	
	SM 2120 B	Color (true)	2.6	I	PCU	P311248	
	SM 2320 B-97	Total Alkalinity	108		mg CaCO3/L	P311734	
	SM 2540 C-97	TDS	119	A	mg/L	P312207	
	SM 2540 D-97	TSS	2	U	mg/L	P311878	
	SM 4500 F-C-97	Fluoride	0.067	I	mg F/L	P311738	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P311424	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P311610	
1831831	EPA 353.2 Rev. 2.0	NO2NO3-N	0.32		mg N/L	P311671	
	EPA 365.1 Rev. 2.0	Total-P	0.025		mg P/L	P311903	
	SM 5310 B-00	Organic Carbon	0.58	I	mg C/L	P311529	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.022		mg P/L	P311241	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: PONCE DE LEON SPRING RUN

Collection Date/Time: 09/14/2016 12:45

Field ID: G3NW0122

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1831827	EPA 180.1 Rev. 2.0	Turbidity	0.40		NTU	P311236	
	EPA 300.0 Rev. 2.1	Chloride	2.7		mg Cl/L	P311707	
		Sulfate	2.5		mg SO4/L	P311705	
	SM 2120 B	Color (true)	2.5	U	PCU	P311248	
	SM 2320 B-97	Total Alkalinity	108	A	mg CaCO3/L	P311735	
	SM 2540 C-97	TDS	119		mg/L	P312207	
	SM 2540 D-97	TSS	2	U	mg/L	P311878	

Field ID: G3NW0122

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1831827	SM 4500 F-C-97	Fluoride	0.068	I	mg F/L	P311739	
1831832	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P311424	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P311610	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.32		mg N/L	P311671	
	EPA 365.1 Rev. 2.0	Total-P	0.024		mg P/L	P311903	
	SM 5310 B-00	Organic Carbon	0.56	I	mg C/L	P311529	
1831837	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.022		mg P/L	P311241	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P311235

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P311236

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P311705

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P311707

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P311765

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P311768

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P311424

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311610

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311836

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311670

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311671

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P311903

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311240

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311241

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P311248

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B
Batch ID: P311252

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P311734

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2320 B-97
Batch ID: P311735

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P312207

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P311878

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P311738

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P311739

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P311529

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311705

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	94.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311707

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311707

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311765

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	94.2		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311768

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	96.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311424

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.5		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311610

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	97.9		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311836

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311670

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	106		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311671

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	107		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P311903

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	98.4		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311240

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311241

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P311734

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	95 - 108

Reference Method: SM 2320 B-97
Batch ID: P311735

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P311738

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.9		P	92 - 103

Reference Method: SM 4500 F-C-97
Batch ID: P311739

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.3		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P311529

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	101		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311705

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831628	Sulfate	98.2		P	90 - 110
1831814	Sulfate	95.6		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311707

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831628	Chloride	102		P	90 - 110
1831814	Chloride	99.2		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311765

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831863	Chloride	94.5		P	90 - 110
1832089	Chloride	95.0		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311768

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831863	Sulfate	95.1		P	90 - 110
1832089	Sulfate	98.5	98.9	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311424

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831810	Ammonia-N	99.6	107	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311610

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831832	Kjeldahl Nitrogen	105	99.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311836

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831819	Kjeldahl Nitrogen	97.5	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311670

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831817	NO2NO3-N	106	107	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311671

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831831	NO2NO3-N	104	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P311903

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831819	Total-P	105	102	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311240

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831821	O-Phosphate-P	99.2	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311241

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831836	O-Phosphate-P	98.2	100	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P311738

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832491	Fluoride	98.1	98.1	P/P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P311739

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831827	Fluoride	98.5	98.5	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P311529

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831753	Organic Carbon	101	101	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P311235

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831763	Turbidity	1.92	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P311236

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831824	Turbidity	2.05	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311705

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831628	Sulfate	0.209	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311707

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831628	Chloride	0.288	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311765

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832089	Chloride	0.178	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311768

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832089	Sulfate	0.413	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311424

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831810	Ammonia-N	4.44	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311610

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831832	Kjeldahl Nitrogen	6.33	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311836

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831819	Kjeldahl Nitrogen	2.13	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311670

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831817	NO2NO3-N	1.41	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311671

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831831	NO2NO3-N	0.273	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P311903

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831819	Total-P	2.48	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P311240

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831821	O-Phosphate-P	1.10	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P311241

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831836	O-Phosphate-P	1.90	Spike	P	0 - 20

Reference Method: SM 2120 B

Batch ID: P311248

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831814	Color (true)	0.165	Sample	P	0 - 20

Reference Method: SM 2120 B

Batch ID: P311252

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831825	Color (true)	15.5	Sample	P	0 - 20

Reference Method: SM 2320 B-97

Batch ID: P311734

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832491	Total Alkalinity	0.0453	Sample	P	0 - 4.8

Reference Method: SM 2320 B-97

Batch ID: P311735

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831827	Total Alkalinity	0.275	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97

Batch ID: P312207

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831826	TDS	0.0	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-97
Batch ID: P311738

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832491	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 4500 F-C-97
Batch ID: P311739

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831827	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P311529

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831753	Organic Carbon	0.0	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A71650
Included Lab Sample IDs: 1831823, 1831824, 1831825, 1831826, 1831827

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	101	P/P	95 - 105
Turbidity	99.0	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A71652
Included Lab Sample IDs: 1831833, 1831834, 1831835, 1831836, 1831837

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.5	98.8	P/P	90 - 110
O-Phosphate-P	98.8	98.6	P/P	90 - 110
O-Phosphate-P	98.9	99.4	P/P	90 - 110

Reference Method: SM 2120 B
Run ID: A71654
Included Lab Sample IDs: 1831826, 1831827

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	97.9	97.8	P/P	85 - 115

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B

Run ID: A71655

Included Lab Sample IDs: 1831823, 1831824, 1831825

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	96.5	99.3	P/P	85 - 115

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A71708

Included Lab Sample IDs: 1831828, 1831829, 1831830, 1831831, 1831832

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	95.7	95.2	P/P	90 - 110
Ammonia-N	97.2	95.7	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A71737

Included Lab Sample IDs: 1831828, 1831829, 1831830, 1831831, 1831832

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	100	101	P/P	90 - 110
Organic Carbon	101	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A71777

Included Lab Sample IDs: 1831828, 1831829, 1831830, 1831831, 1831832

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110
NO2NO3-N	102	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A71784

Included Lab Sample IDs: 1831831, 1831832

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	97.2	96.4	P/P	90 - 110
Kjeldahl Nitrogen	99.9	98.6	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A71789

Included Lab Sample IDs: 1831823, 1831824, 1831825, 1831826, 1831827

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	97.2	98.3	P/P	90 - 110
Chloride	97.3	98.1	P/P	90 - 110
Sulfate	97.1	98.2	P/P	90 - 110
Sulfate	99.8	98.6	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A71798

Included Lab Sample IDs: 1831823, 1831824, 1831825, 1831826, 1831827

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	100	103	P/P	90 - 110
Total Alkalinity	102	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-97

Run ID: A71798

Included Lab Sample IDs: 1831823, 1831824, 1831825, 1831826, 1831827

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	99.0	P/P	90 - 110
Fluoride	99.5	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A71890

Included Lab Sample IDs: 1831828, 1831829, 1831830

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	106	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A71910

Included Lab Sample IDs: 1831831, 1831832

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	103	P/P	90 - 110
Total-P	103	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A71935

Included Lab Sample IDs: 1831828, 1831829, 1831830

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	105	106	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				1.92	
	Turbidity				2.05	
EPA 300.0 Rev. 2.1	Chloride	98.7	102	99.2	0.288	
	Chloride	94.2	95.0	94.5	0.178	
	Sulfate	94.9	98.2	95.6	0.209	
	Sulfate	96.5	98.5	98.9		0.413
EPA 350.1 Rev. 2.0	Ammonia-N	96.5	99.6	107		4.44
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	97.9	105	99.0		6.33
	Kjeldahl Nitrogen	100	97.5	101		2.13
EPA 353.2 Rev. 2.0	NO2NO3-N	106	106	107		1.41
	NO2NO3-N	107	104	104		0.273
EPA 365.1 Rev. 2.0	Total-P	98.4	105	102		2.48
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	103	99.2	100		1.10
	O-Phosphate-P	100	98.2	100		1.90
SM 2120 B	Color (true)				0.165	
	Color (true)				15.5	

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
SM 2320 B-97	Total Alkalinity	104				0.0453	
	Total Alkalinity	102				0.275	
SM 2540 C-97	TDS					0.0	
SM 4500 F-C-97	Fluoride	97.9	98.1	98.1			0.0
	Fluoride	98.3	98.5	98.5			0.0
SM 5310 B-00	Organic Carbon	101	101	101			0.0

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1831823, 1831824, 1831825, 1831826, 1831827
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1831823, 1831824, 1831825, 1831826, 1831827
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1831823, 1831824, 1831825, 1831826, 1831827
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1831828, 1831829, 1831830, 1831831, 1831832
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1831828, 1831829, 1831830, 1831831, 1831832
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1831828, 1831829, 1831830, 1831831, 1831832
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1831828, 1831829, 1831830, 1831831, 1831832
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1831833, 1831834, 1831835, 1831836, 1831837
SM 2120 B / E31780	True Color measured at 450 nm	1831823, 1831824, 1831825, 1831826, 1831827
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1831823, 1831824, 1831825, 1831826, 1831827
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1831823, 1831824, 1831825, 1831826, 1831827
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1831823, 1831824, 1831825, 1831826, 1831827
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1831823, 1831824, 1831825, 1831826, 1831827
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1831828, 1831829, 1831830, 1831831, 1831832

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/15/2016			09/15/2016 15:35	Sima Feizi	1831823, 1831824, 1831825, 1831826, 1831827
EPA 300.0 Rev. 2.1	09/15/2016			09/23/2016	Ping Hua	1831823, 1831824, 1831825, 1831826, 1831827
EPA 350.1 Rev. 2.0	09/15/2016			09/16/2016	Sofia Elnemr	1831828, 1831829, 1831830, 1831831, 1831832
EPA 351.2 Rev. 2.0	09/15/2016	09/21/2016	Adrian Shelby	09/22/2016	Christopher Armour	1831831, 1831832
	09/15/2016	09/26/2016	Adrian Shelby	09/28/2016	Christopher Armour	1831828, 1831829, 1831830
EPA 353.2 Rev. 2.0	09/15/2016			09/22/2016	Peter D. Kaus	1831828, 1831829, 1831830, 1831831, 1831832
EPA 365.1 Rev. 2.0	09/15/2016	09/27/2016	Vijayalakshmi Reddy	09/28/2016	Lipi Saha	1831828, 1831829, 1831830
	09/15/2016	09/27/2016	Vijayalakshmi Reddy	09/29/2016	Lipi Saha	1831831, 1831832
EPA 365.1 Rev. 2.0 dissolved	09/15/2016			09/15/2016 15:25	Julia Storbeck	1831836
	09/15/2016			09/15/2016 15:56	Julia Storbeck	1831833
	09/15/2016			09/15/2016 15:57	Julia Storbeck	1831834
	09/15/2016			09/15/2016 16:02	Julia Storbeck	1831835
	09/15/2016			09/15/2016 16:03	Julia Storbeck	1831837
SM 2120 B	09/15/2016			09/15/2016 18:52	Julie Michelle Frank	1831826
	09/15/2016			09/15/2016 18:53	Julie Michelle Frank	1831827
	09/15/2016			09/15/2016 20:01	Julie Michelle Frank	1831823, 1831824
	09/15/2016			09/15/2016 20:03	Julie Michelle Frank	1831825
SM 2320 B-97	09/15/2016			09/22/2016	Dale L. Simmons	1831823, 1831824, 1831825, 1831826, 1831827
SM 2540 C-97	09/15/2016			09/20/2016	Sima Feizi	1831823, 1831824, 1831825, 1831826, 1831827
SM 2540 D-97	09/15/2016			09/20/2016	Sima Feizi	1831823, 1831824, 1831825, 1831826, 1831827
SM 4500 F-C-97	09/15/2016			09/22/2016	Dale L. Simmons	1831823, 1831824, 1831825, 1831826, 1831827
SM 5310 B-00	09/15/2016			09/20/2016	Sofia Elnemr	1831828, 1831829, 1831830, 1831831, 1831832