

WBID 275 21

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By:

Rick Abad

Project ID: SMP

Collected By:

Rick Abad

Sampling Agency:

NW RoC

Location: Sweetwater Cr blw Sandy Landing Rd RQ-2016-10-03-52(WBID 21) Date: 9/28/16 Time: 1103 CST		G4NW0292 Field ID STORET 33030148		☐ Comp ☒ Grab Collection (comp begin or grab) Date _____ Time _____		Eastern Central Date _____ Time _____		Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Matrix (type, e.g., Salt, Fresh, etc) Fresh				Diss. Oxygen 8.0 ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		Temp (C) 22.8		pH 5.1	
Sample Depth 0.3 ☐ ft ☒ m				Sp. Conductance (umho/cm) 17		A					
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.0		Comments					
Location: SWEETWATER CR. ABOVE CEDAR CR. STATE FOREST RD. RQ-2016-10-03-52(WBID 21) Date: 9/28/16 Time: 1232 CST 1144		G4NW0294 Field ID STORET 33030043		☐ Comp ☒ Grab Collection (comp begin or grab) Date _____ Time _____		Eastern Central Date _____ Time _____		Composite end Date _____ Time _____		Bottle Group(s)	
Matrix (type, e.g., Salt, Fresh, etc) Fresh				Diss. Oxygen 7.6 ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		Temp (C) 22.7		pH 5.0	
Sample Depth 0.3 ☐ ft ☒ m				Sp. Conductance (umho/cm) 19		A					
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.0		Comments					
Location: Sweetwater Creek upstream of HWY 4 RQ-2016-10-03-52(WBID 21) Date: 9/28/16 Time: 1232 CST 1232		G4NW0293 Field ID STORET G4NW0293		☐ Comp ☒ Grab Collection (comp begin or grab) Date _____ Time _____		Eastern Central Date _____ Time _____		Composite end Date _____ Time _____		Bottle Group(s)	
Matrix (type, e.g., Salt, Fresh, etc) Fresh				Diss. Oxygen 7.9 ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		Temp (C) 23.0		pH 5.4	
Sample Depth 0.3 ☐ ft ☒ m				Sp. Conductance (umho/cm) 17		A					
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.0		Comments					
Location: Baggett Creek upstream of Hwy 90 RQ-2016-10-03-52(WBID 275) Date: 9/28/16 Time: 1357 CST		G4NW0336 Field ID STORET G4NW0336		☐ Comp ☒ Grab Collection (comp begin or grab) Date _____ Time _____		Eastern Central Date _____ Time _____		Composite end Date _____ Time _____		Bottle Group(s)	
Matrix (type, e.g., Salt, Fresh, etc) Fresh				Diss. Oxygen 7.7 ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		Temp (C) 24.2		pH 6.3	
Sample Depth 0.2 ☐ ft ☒ m				Sp. Conductance (umho/cm) 40		A					
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.0		Comments					

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Rick Abad	9/28/16 1600	Fedex	1	C	9/29/16 10:12

Group: A	Bottle Type: P-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
----------	-------------------	-----------------	-------------------	-------------------------------------	---

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: A	Bottle Type: BP-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
----------	--------------------	-----------------	-------------------	-------------------------------------	---

CHLSUITE-W

Group: A	Bottle Type: P-500ML	# of Bottles: 5	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
----------	----------------------	-----------------	-----------------------------	-------------------------------------	---

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: A	Bottle Type: P-125ML	# of Bottles: 5	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	6
----------	----------------------	-----------------	------------------------	-------------------------------------	---

W-PO4-F

Date of Request: 21-SEP-2016
 Created By: KING_M On: 21-SEP-2016
 Modified By: MATTHEWS_D On: 27-SEP-2016
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest ROC
 Sampling Event: WBID 275 21

Send Coolers To:

Phone: SC-695-0605
 160 W Government st
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 22-SEP-2016
 Biology Request Reviewed By: MATTHEWS_D On: 27-SEP-2016
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 03-OCT-2016
 Received By:

Send Final Report To:

160 W Government st
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Baker Run

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-1L	Number of Bottles: 5	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 5	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 5	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ- 2016 10-03-52

Shipping Method: Fedex

Date/Time of Receipt: 9/29/16 10:25

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	2.1	16		✓			8099 4719 5005

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: W

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☒ Init: C

Coolers Unpacked/Checked by: C Date: 9/29/16 NCRs (Y/N)? N

Event ID: NW-DESI-2016-09-29-02 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: