

Chemical Analysis Report

NW-DIST-2016-10-25-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **WBID1004 462A 784**
Request ID: **RQ-2016-10-24-22**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Michael King

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 22-NOV-2016 12:35

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Perdidio River below Alligator Bayou

Collection Date/Time: 10/24/2016 12:20

Field ID: G5NW0017

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843950	EPA 180.1 Rev. 2.0	Turbidity	2.2		NTU	P313879	
	SM 2320 B-97	Total Alkalinity	22		mg CaCO3/L	P314081	
	SM 2540 D-97	TSS	2	I	mg/L	P314502	
	SM 4500 F-C-97	Fluoride	0.17		mg F/L	P314259	
1843954	EPA 350.1 Rev. 2.0	Ammonia-N	0.031		mg N/L	P314735	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.27	I	mg N/L	P314917	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.30		mg N/L	P313903	
	EPA 365.1 Rev. 2.0	Total-P	0.012		mg P/L	P314531	
	SM 5310 B-00	Organic Carbon	2.8		mg C/L	P313967	
1843958	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P313833	
1843978	EPA 200.7 Rev. 4.4	Iron	270		ug/L	P314077	
	EPA 200.8 Rev. 5.4	Arsenic	0.52		ug/L	P314077	
		Cadmium	0.020	U	ug/L	P314077	
		Chromium	0.12	I	ug/L	P314077	
		Copper	0.14	I	ug/L	P314077	
		Lead	0.095	I	ug/L	P314077	
		Nickel	0.33		ug/L	P314077	
		Silver	0.0050	U	ug/L	P314077	
		Zinc	1.0	U	ug/L	P314077	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 200.7 Rev. 4.4: Batch matrix spike recoveries for iron are unavailable for one of two spiked samples because of high analyte concentration in the QC sample.

EPA 200.8 Rev. 5.4: Batch matrix spike recoveries for arsenic are unavailable for one of two spiked samples because of high analyte concentration in the QC sample.

Sample Location: Perdidio River

Collection Date/Time: 10/24/2016 12:25

Field ID: FIELD BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843951	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P313879	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P314081	
	SM 2540 D-97	TSS	2	U	mg/L	P314502	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P314259	
1843955	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P314737	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P315254	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P314118	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P314536	
	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P313856	
1843959	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P313833	
1843979	EPA 200.7 Rev. 4.4	Iron	30	U	ug/L	P314077	
	EPA 200.8 Rev. 5.4	Arsenic	0.050	U	ug/L	P314077	
		Cadmium	0.020	U	ug/L	P314077	
		Chromium	0.050	U	ug/L	P314077	
		Copper	0.10	U	ug/L	P314077	

Field ID: FIELD BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843979	EPA 200.8 Rev. 5.4	Lead	0.050	U	ug/L	P314077	
		Nickel	0.050	U	ug/L	P314077	
		Silver	0.0050	U	ug/L	P314077	
		Zinc	1.0	U	ug/L	P314077	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 200.7 Rev. 4.4: Batch matrix spike recoveries for iron are unavailable for one of two spiked samples because of high analyte concentration in the QC sample.

EPA 200.8 Rev. 5.4: Batch matrix spike recoveries for arsenic are unavailable for one of two spiked samples because of high analyte concentration in the QC sample.

Sample Location: Perdidio River at Mouth

Collection Date/Time: 10/24/2016 12:45

Field ID: G5NW0018

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843952	EPA 180.1 Rev. 2.0	Turbidity	3.9		NTU	P313879	
	SM 2320 B-97	Total Alkalinity	67		mg CaCO3/L	P314175	
	SM 2540 D-97	TSS	5	I	mg/L	P314505	
	SM 4500 F-C-97	Fluoride	0.60		mg F/L	P314180	
1843956	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P314735	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.54		mg N/L	P314917	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P313903	
	EPA 365.1 Rev. 2.0	Total-P	0.021		mg P/L	P314531	
	SM 5310 B-00	Organic Carbon	5.2		mg C/L	P313967	
1843960	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P313833	
1843980	EPA 200.7 Rev. 4.4	Iron	96	I	ug/L	P313921	
	EPA 200.8 Rev. 5.4	Arsenic	1.36		ug/L	P313921	
		Cadmium	0.060	U	ug/L	P313921	
		Chromium	0.15	U	ug/L	P313921	
		Copper	0.30	U	ug/L	P313921	
		Lead	0.33	I	ug/L	P313921	
		Nickel	0.40	I	ug/L	P313921	
		Silver	0.015	U	ug/L	P313921	
		Zinc	3.0	U	ug/L	P313921	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Perdidio River at Mouth

Collection Date/Time: 10/24/2016 12:50

Field ID: G5NW0018DUPLICATE

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843953	EPA 180.1 Rev. 2.0	Turbidity	3.9		NTU	P313879	
	SM 2320 B-97	Total Alkalinity	67		mg CaCO3/L	P314175	
	SM 2540 D-97	TSS	4	I	mg/L	P314505	
	SM 4500 F-C-97	Fluoride	0.60		mg F/L	P314180	
1843957	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P314735	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.48		mg N/L	P314917	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.006	I	mg N/L	P313903	

Field ID: G5NW0018DUPLICATE

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843957	EPA 365.1 Rev. 2.0	Total-P	0.024		mg P/L	P314538	
	SM 5310 B-00	Organic Carbon	5.1		mg C/L	P313967	
1843961	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P313833	
1843981	EPA 200.7 Rev. 4.4	Iron	98	I	ug/L	P313921	
	EPA 200.8 Rev. 5.4	Arsenic	1.31		ug/L	P313921	
		Cadmium	0.060	U	ug/L	P313921	
		Chromium	0.15	U	ug/L	P313921	
		Copper	0.30	U	ug/L	P313921	
		Lead	0.35	I	ug/L	P313921	
		Nickel	0.36	I	ug/L	P313921	
		Silver	0.015	U	ug/L	P313921	
		Zinc	3.0	U	ug/L	P313921	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Big Lagoon Hwy 292 ICW Bridge Esc Co

Collection Date/Time: 10/24/2016 10:35

Field ID: G5NW0121

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843962	EPA 180.1 Rev. 2.0	Turbidity	2.0		NTU	P313879	
	SM 2320 B-97	Total Alkalinity	107	A	mg CaCO3/L	P314175	
	SM 2540 D-97	TSS	3	U	mg/L	P314505	
	SM 4500 F-C-97	Fluoride	1.1		mg F/L	P314180	
1843965	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P314735	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.28	I	mg N/L	P314915	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P313903	
	EPA 365.1 Rev. 2.0	Total-P	0.013		mg P/L	P314538	
	SM 5310 B-00	Organic Carbon	2.7		mg C/L	P313967	
1843968	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	I	mg P/L	P313833	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Big Lagoon ICW Marker 35 East Old River

Collection Date/Time: 10/24/2016 11:00

Field ID: G5NW0119

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843963	EPA 180.1 Rev. 2.0	Turbidity	1.6		NTU	P313879	
	SM 2320 B-97	Total Alkalinity	107		mg CaCO3/L	P314175	
	SM 2540 D-97	TSS	4	I	mg/L	P314505	
	SM 4500 F-C-97	Fluoride	1.1		mg F/L	P314180	
1843966	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P314735	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.23	I	mg N/L	P314915	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P313903	
	EPA 365.1 Rev. 2.0	Total-P	0.012		mg P/L	P314538	
	SM 5310 B-00	Organic Carbon	2.7		mg C/L	P313967	

Field ID: G5NW0119

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843969	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	I	mg P/L	P313833	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Tee Lake Center

Collection Date/Time: 10/24/2016 13:10

Field ID: G5NW0035

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1843964	EPA 180.1 Rev. 2.0	Turbidity	3.8		NTU	P313879	
	SM 2320 B-97	Total Alkalinity	69		mg CaCO3/L	P314175	
	SM 2540 D-97	TSS	5	I	mg/L	P314505	
	SM 4500 F-C-97	Fluoride	0.54		mg F/L	P314180	
1843967	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P314735	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.54		mg N/L	P314917	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.006	I	mg N/L	P313903	
	EPA 365.1 Rev. 2.0	Total-P	0.025		mg P/L	P314538	
	SM 5310 B-00	Organic Carbon	6.6		mg C/L	P313967	
1843970	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P313833	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P313879

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P313921

Component	Result	Code	Units
Iron	30	U	ug/L

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P314077

Component	Result	Code	Units
Iron	30	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P313921

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.050	U	ug/L
Copper	0.10	U	ug/L
Lead	0.050	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P313921

Component	Result	Code	Units
Nickel	0.050	U	ug/L
Silver	0.0050	U	ug/L
Zinc	1.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P314077

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.050	U	ug/L
Copper	0.10	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.050	U	ug/L
Silver	0.0050	U	ug/L
Zinc	1.0	U	ug/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P314735

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P314737

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P314915

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P314917

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P315254

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P313903

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P314118

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314531

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314536

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314538

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P313833

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-97
Batch ID: P314081

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-97
Batch ID: P314175

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 D-97
Batch ID: P314502

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P314505

Component	Result	Code	Units
TSS	3	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 4500 F-C-97
Batch ID: P314180

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P314259

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P313856

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
Batch ID: P313967

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P313921

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Iron	105		P	85 - 115

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P314077

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Iron	97.8		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P313921

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	97.1		P	85 - 115
Cadmium	99.5		P	85 - 115
Chromium	113		P	85 - 115
Copper	94.6		P	85 - 115
Lead	96.4		P	85 - 115
Nickel	96.3		P	85 - 115
Silver	97.0		P	85 - 115
Zinc	97.5		P	85 - 115

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P314077

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	97.9		P	85 - 115
Cadmium	96.5		P	85 - 115
Chromium	95.3		P	85 - 115
Copper	96.1		P	85 - 115
Lead	94.9		P	85 - 115
Nickel	98.3		P	85 - 115
Silver	94.4		P	85 - 115
Zinc	98.5		P	85 - 115

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P314735

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	104		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P314737

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	103		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P314915

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	97.1		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P314917

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P315254

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P313903

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P314118

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314531

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314536

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314538

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P313833

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	104		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P314081

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 2320 B-97
Batch ID: P314175

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P314180

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.5		P	92 - 103

Reference Method: SM 4500 F-C-97
Batch ID: P314259

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.4		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P313856

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.2		P	85 - 115

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P313967

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	100		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P313921

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1844050	Iron	102	103	P/P	70 - 130

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P314077

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843940	Iron	105		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P313921

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1844050	Arsenic	103	106	P/P	70 - 130
1844050	Cadmium	92.6	95.1	P/P	70 - 130
1844050	Chromium	76.6	79.2	P/P	70 - 130
1844050	Copper	90.9	95.1	P/P	70 - 130
1844050	Lead	105	108	P/P	70 - 130
1844050	Nickel	99.3	101	P/P	70 - 130
1844050	Silver	88.4	89.3	P/P	70 - 130
1844050	Zinc	93.7	95.6	P/P	70 - 130

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P314077

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843940	Arsenic	98.9		P	80 - 120
1843940	Cadmium	98.5		P	80 - 120
1843940	Chromium	97.6		P	80 - 120
1843940	Copper	97.2		P	80 - 120
1843940	Lead	97.6		P	80 - 120
1843940	Nickel	98.1		P	80 - 120
1843940	Silver	95.6		P	80 - 120
1843940	Zinc	100		P	80 - 120
1844919	Cadmium	98.7	99.4	P/P	80 - 120
1844919	Chromium	96.0	96.5	P/P	80 - 120
1844919	Copper	95.5	95.7	P/P	80 - 120
1844919	Lead	98.4	99.9	P/P	80 - 120
1844919	Nickel	95.3	96.8	P/P	80 - 120
1844919	Silver	95.3	95.2	P/P	80 - 120
1844919	Zinc	99.9	102	P/P	80 - 120

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P314735

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843232	Ammonia-N	102	105	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P314737

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843991	Ammonia-N	100	98.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P314915

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843965	Kjeldahl Nitrogen	93.9	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P314917

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843956	Kjeldahl Nitrogen	101	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P315254

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1845350	Kjeldahl Nitrogen	99.8	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P313903

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843741	NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P314118

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843990	NO2NO3-N	103	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314531

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843737	Total-P	96.4	96.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314536

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843937	Total-P	103	102	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314538

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843967	Total-P	99.8	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P313833

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843970	O-Phosphate-P	102	102	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P314180

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843962	Fluoride	94.4	95.2	P/P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P314259

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1844033	Fluoride	99.2	99.8	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P313856

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843936	Organic Carbon	100		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P313967

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1843954	Organic Carbon	100	102	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P313879

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843935	Turbidity	0.519	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P313921

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1844050	Iron	1.13	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 200.7 Rev. 4.4
 Batch ID: P314077

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1844919	Iron	3.88	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
 Batch ID: P313921

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1844050	Arsenic	2.94	Spike	P	0 - 20
1844050	Cadmium	2.64	Spike	P	0 - 20
1844050	Chromium	3.27	Spike	P	0 - 20
1844050	Copper	4.30	Spike	P	0 - 20
1844050	Lead	2.92	Spike	P	0 - 20
1844050	Nickel	2.10	Spike	P	0 - 20
1844050	Silver	0.920	Spike	P	0 - 20
1844050	Zinc	2.10	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
 Batch ID: P314077

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1844919	Arsenic	2.18	Spike	P	0 - 20
1844919	Cadmium	0.690	Spike	P	0 - 20
1844919	Chromium	0.462	Spike	P	0 - 20
1844919	Copper	0.196	Spike	P	0 - 20
1844919	Lead	1.48	Spike	P	0 - 20
1844919	Nickel	1.47	Spike	P	0 - 20
1844919	Silver	0.0996	Spike	P	0 - 20
1844919	Zinc	1.78	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P314735

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843232	Ammonia-N	2.35	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P314737

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843991	Ammonia-N	0.464	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P314915

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843965	Kjeldahl Nitrogen	6.14	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P314917

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843956	Kjeldahl Nitrogen	1.32	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P315254

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1845350	Kjeldahl Nitrogen	0.200	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P313903

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843741	NO2NO3-N	0.491	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P314118

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843990	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314531

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843737	Total-P	0.0731	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314536

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843937	Total-P	0.780	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P314538

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843967	Total-P	1.64	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P313833

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843970	O-Phosphate-P	0.294	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-97
Batch ID: P314081

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1844033	Total Alkalinity	0.466	Sample	P	0 - 4.8

Reference Method: SM 2320 B-97
Batch ID: P314175

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843962	Total Alkalinity	0.393	Sample	P	0 - 4.8

Reference Method: SM 4500 F-C-97
Batch ID: P314180

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843962	Fluoride	0.473	Spike	P	0 - 3.0

Reference Method: SM 4500 F-C-97
Batch ID: P314259

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1844033	Fluoride	0.473	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P313856

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843936	Organic Carbon	1.04	Spike	P	0 - 20

Reference Method: SM 5310 B-00
Batch ID: P313967

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1843954	Organic Carbon	2.03	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A72418
Included Lab Sample IDs: 1843958, 1843959, 1843960, 1843961, 1843968, 1843969, 1843970

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	101	102	P/P	90 - 110
O-Phosphate-P	101	99.9	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A72418

Included Lab Sample IDs: 1843958, 1843959, 1843960, 1843961, 1843968, 1843969, 1843970

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	102	101	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A72424

Included Lab Sample IDs: 1843955

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.8	101	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A72431

Included Lab Sample IDs: 1843950, 1843951, 1843952, 1843953, 1843962, 1843963, 1843964

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A72436

Included Lab Sample IDs: 1843954, 1843956, 1843957, 1843965, 1843966, 1843967

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	98.0	96.5	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A72451

Included Lab Sample IDs: 1843954, 1843956, 1843957, 1843965, 1843966, 1843967

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	103	101	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A72482

Included Lab Sample IDs: 1843980, 1843981

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Iron	103	103	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A72483

Included Lab Sample IDs: 1843950, 1843951

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A72497

Included Lab Sample IDs: 1843955

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.0	99.0	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A72507

Included Lab Sample IDs: 1843980, 1843981

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	97.2	99.5	P/P	90 - 110
Cadmium	98.5	96.5	P/P	90 - 110
Nickel	95.6	101	P/P	90 - 110
Silver	96.8	96.3	P/P	90 - 110
Zinc	96.5	99.7	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A72515

Included Lab Sample IDs: 1843952, 1843953, 1843962, 1843963, 1843964

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	96.6	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A72515

Included Lab Sample IDs: 1843952, 1843953, 1843962, 1843963, 1843964

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	100	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A72534

Included Lab Sample IDs: 1843978, 1843979

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	96.9	96.9	P/P	90 - 110
Arsenic	97.3	96.9	P/P	90 - 110
Cadmium	94.1	95.1	P/P	90 - 110
Cadmium	95.1	96.1	P/P	90 - 110
Chromium	94.0	94.2	P/P	90 - 110
Chromium	94.5	94.0	P/P	90 - 110
Copper	95.0	95.4	P/P	90 - 110
Copper	95.7	95.0	P/P	90 - 110
Lead	92.3	94.0	P/P	90 - 110
Lead	93.5	92.3	P/P	90 - 110
Nickel	96.5	97.0	P/P	90 - 110
Nickel	97.6	96.5	P/P	90 - 110
Silver	92.7	94.2	P/P	90 - 110
Silver	94.2	95.1	P/P	90 - 110
Zinc	96.7	98.0	P/P	90 - 110
Zinc	98.5	96.7	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A72536

Included Lab Sample IDs: 1843950, 1843951

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	100	P/P	90 - 110
Fluoride	100	99.5	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4
Run ID: A72540
Included Lab Sample IDs: 1843978, 1843979

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Iron	97.1	98.2	P/P	90 - 110
Iron	97.5	97.1	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A72549
Included Lab Sample IDs: 1843980, 1843981

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chromium	94.7	95.1	P/P	90 - 110
Copper	96.4	96.5	P/P	90 - 110
Lead	93.6	94.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A72656
Included Lab Sample IDs: 1843954, 1843955, 1843956, 1843957, 1843965, 1843966, 1843967

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	102	P/P	90 - 110
Total-P	103	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A72666
Included Lab Sample IDs: 1843954, 1843955, 1843956, 1843957, 1843965, 1843966, 1843967

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	100	P/P	90 - 110
Ammonia-N	100	99.7	P/P	90 - 110
Ammonia-N	101	99.7	P/P	90 - 110
Ammonia-N	99.7	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A72786
Included Lab Sample IDs: 1843954, 1843956, 1843957, 1843965, 1843966, 1843967

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	106	P/P	90 - 110
Kjeldahl Nitrogen	103	106	P/P	90 - 110
Kjeldahl Nitrogen	106	99.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A72866
Included Lab Sample IDs: 1843955

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	104	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					0.519	
EPA 200.7 Rev. 4.4	Iron	105	102	103			1.13
	Iron	97.8	105				3.88
EPA 200.8 Rev. 5.4	Arsenic	97.1	103	106			2.94
	Arsenic	97.9	98.9				2.18
	Cadmium	99.5	92.6	95.1			2.64
	Cadmium	96.5	98.5	98.7	99.4		0.690
	Chromium	113	76.6	79.2			3.27
	Chromium	95.3	97.6	96.0	96.5		0.462
	Copper	94.6	90.9	95.1			4.30
	Copper	96.1	97.2	95.5	95.7		0.196
	Lead	96.4	105	108			2.92
	Lead	94.9	97.6	98.4	99.9		1.48
	Nickel	96.3	99.3	101			2.10
	Nickel	98.3	98.1	95.3	96.8		1.47
	Silver	97.0	88.4	89.3			0.920
	Silver	94.4	95.6	95.3	95.2		0.0996
	Zinc	97.5	93.7	95.6			2.10
	Zinc	98.5	100	99.9	102		1.78
EPA 350.1 Rev. 2.0	Ammonia-N	104	102	105			2.35
	Ammonia-N	103	100	98.8			0.464
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	97.1	93.9	101			6.14
	Kjeldahl Nitrogen	100	101	103			1.32
	Kjeldahl Nitrogen	103	99.8	100			0.200
EPA 353.2 Rev. 2.0	NO2NO3-N	102	102	102			0.491
	NO2NO3-N	104	103	103			0.0
EPA 365.1 Rev. 2.0	Total-P	101	96.4	96.4			0.0731
	Total-P	100	103	102			0.780
	Total-P	103	99.8	102			1.64
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	104	102	102			0.294
SM 2320 B-97	Total Alkalinity	103				0.466	
	Total Alkalinity	103				0.393	
SM 4500 F-C-97	Fluoride	99.5	94.4	95.2			0.473
	Fluoride	98.4	99.2	99.8			0.473
SM 5310 B-00	Organic Carbon	99.2	100				1.04
	Organic Carbon	100	100	102			2.03

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1843950, 1843951, 1843952, 1843953, 1843962, 1843963, 1843964
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	1843978, 1843979, 1843980, 1843981
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	1843978, 1843979, 1843980, 1843981
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1843954, 1843955, 1843956, 1843957, 1843965, 1843966, 1843967
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1843954, 1843955, 1843956, 1843957, 1843965, 1843966, 1843967
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1843954, 1843955, 1843956, 1843957, 1843965, 1843966, 1843967
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1843954, 1843955, 1843956, 1843957, 1843965, 1843966, 1843967

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1843958, 1843959, 1843960, 1843961, 1843968, 1843969, 1843970
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1843950, 1843951, 1843952, 1843953, 1843962, 1843963, 1843964
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1843950, 1843951, 1843952, 1843953, 1843962, 1843963, 1843964
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1843950, 1843951, 1843952, 1843953, 1843962, 1843963, 1843964
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1843954, 1843955, 1843956, 1843957, 1843965, 1843966, 1843967

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	10/25/2016			10/25/2016 16:42	Sima Feizi	1843950, 1843951, 1843952, 1843953, 1843962, 1843963, 1843964
EPA 200.7 Rev. 4.4	10/25/2016	10/26/2016	Elliott D. Healy	10/27/2016	Betina Topolski	1843980, 1843981
	10/25/2016	10/27/2016	Elliott D. Healy	10/31/2016	Joshua Ayres	1843978, 1843979
EPA 200.8 Rev. 5.4	10/25/2016	10/26/2016	Elliott D. Healy	10/28/2016	Charles J. Peterson	1843980
	10/25/2016	10/26/2016	Elliott D. Healy	10/29/2016	Charles J. Peterson	1843981
	10/25/2016	10/26/2016	Elliott D. Healy	10/31/2016	Charles J. Peterson	1843980, 1843981
	10/25/2016	10/27/2016	Elliott D. Healy	10/29/2016	Charles J. Peterson	1843978, 1843979
EPA 350.1 Rev. 2.0	10/25/2016			11/07/2016	Sofia Elnemr	1843954, 1843955, 1843956, 1843957, 1843965, 1843966, 1843967
EPA 351.2 Rev. 2.0	10/25/2016	11/10/2016	Martin Acosta	11/14/2016	Joseph Suarez	1843954, 1843956, 1843957, 1843965, 1843966, 1843967
	10/25/2016	11/16/2016	Adrian Shelby	11/17/2016	Joseph Suarez	1843955
EPA 353.2 Rev. 2.0	10/25/2016			10/26/2016	Beverly Y. Sanders	1843954, 1843956, 1843957, 1843965, 1843966, 1843967
	10/25/2016			10/28/2016	Beverly Y. Sanders	1843955
EPA 365.1 Rev. 2.0	10/25/2016	11/03/2016	Vijayalakshmi Reddy	11/07/2016	Lipi Saha	1843954, 1843955, 1843956, 1843957, 1843965, 1843966, 1843967
EPA 365.1 Rev. 2.0 dissolved	10/25/2016			10/25/2016 16:40	Julia Storbeck	1843970
	10/25/2016			10/25/2016 16:48	Julia Storbeck	1843959
	10/25/2016			10/25/2016 16:52	Julia Storbeck	1843960
	10/25/2016			10/25/2016 16:53	Julia Storbeck	1843961
	10/25/2016			10/25/2016 17:16	Julia Storbeck	1843958
	10/25/2016			10/25/2016 17:17	Julia Storbeck	1843968
	10/25/2016			10/25/2016 17:18	Julia Storbeck	1843969
SM 2320 B-97	10/25/2016			10/28/2016	Dale L. Simmons	1843950, 1843951
	10/25/2016			10/29/2016	Dale L. Simmons	1843952, 1843953, 1843962, 1843963, 1843964
SM 2540 D-97	10/25/2016			10/28/2016	Yijie Li	1843950, 1843951, 1843952, 1843953, 1843962, 1843963, 1843964
SM 4500 F-C-97	10/25/2016			10/29/2016	Dale L. Simmons	1843952, 1843953, 1843962, 1843963, 1843964
	10/25/2016			11/01/2016	Dale L. Simmons	1843950, 1843951
SM 5310 B-00	10/25/2016			10/26/2016	Julie Michelle Frank	1843955
	10/25/2016			10/27/2016	Julie Michelle Frank	1843954, 1843956, 1843957, 1843965, 1843966, 1843967