



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

PAGE 1 OF 1

Data Qualified?
Yes / No

June 2016

STORET Station Name: GITLHR Little River @ Malay Landing Date: 07/13/16
(mm/dd/yyyy)
STORET Station ID: GITLHR0008 WBID: 3428 Latitude: 30.33876
(Decimal Degrees)
County: Jefferson RQ: 2016-06-13-17 ORG ID: 2IFLTLHR Longitude: -83.98506
(Decimal Degrees)
Receiving Body of Water: Whisper River Field ID: GITLHR0008

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment		
<u>Colby Marshall</u> <u>Jon Weeks</u>					☒	☒	☒	☒	☒	☒ Sample Container	☐ Van Dorn	☐ Pole
					☐	☐	☐	☐	☐	☐ Carboy	☒ Syringe	☐
					☐	☐	☐	☐	☐	☐ Dipper	☐ Other	
					Equipment ID							
										Collection Method		
										☐ Wading	☐ Via Boat	
										☐ From Shore	☐ Canoe/Kayak	
										☐ Other (note below)	☐ Electric Motor	
										☒ Gasoline Motor		


Water Level: Dry / Low / <u>Normal</u> / High / Flooded										Matrix: <u>Fresh</u> / Marine / DI	
Meter ID# <u>600Kum #12</u>		Photos: Yes / <u>No</u>		Tide Falling: Yes / No / <u>NA</u>							
Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (umhos/cm)	Temp. (C°)	
<u>EST</u>	<u>1050</u>	<u>0.3</u>	<u>0.9</u>	<u>4.5</u>	<u>51</u>	<u>7.1</u>	<u>0.15</u>	<u>0.85</u>	<u>316</u>	<u>21.0</u>	
CEN											

Biological Samples Collected: <u>None</u> <u>HA</u> <u>SCI</u> <u>LVS</u> <u>RPS</u> <u>LVI</u> Other									
Parameter Suite	Parameter Methods					Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP					☒ Ice ☒ H2SO4	<u>CA525900</u>	<u>9/16</u>	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP					☐ Ice ☐ HNO2			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter					☒ Ice			
Chlorophyll	☒ CHLSUITE-W					☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS					☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY					☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC					☐ Formalin			
Microbiology	☐ E Coli ☐ F Coli ☐ Entero ☐ QPCR					☐ Ice			
Periphyton	☐ ALGAE-ID					☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R					☐ Ice			
	☐ W-PC-AA-SF ☐ W-UHERB-AA ☐ W-GLYPH					☐ Other			

Notes:	Place Label Here (If Available)
--------	------------------------------------

Signature: <u>[Signature]</u>	Date: <u>7/13/16</u>
Field Parameters Entered into LIMS: <u>Jim 7/25/16</u>	Field Parameters QC in LIMS: <u>CM 7/25/16</u>
Date Migrated to STORET: <u>7/13/16</u>	Field Sheets Scanned/Saved: <u>7/25/16</u>

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).

DEP FORM FD 9000-32: LINEAR VEGETATION SURVEY FIELD SHEET

Waterbody: Little River Date: 7/13/16 County: Telford Storet Number: GITT1170008
 Analyst: Marshall Wood Signature: G. Marshall Wood

Comments:

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

HERBACEOUS SPECIES	Meter Mark										Specimen collected (check)	HERBACEOUS SPECIES	Meter Mark										Specimen collected (check)
	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100			0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	
Alternanthera philoxeroides												Micranthemum glomeratum											
Bacopa caroliniana												Micranthemum umbrosum											
Bacopa monnieri												Myriophyllum aquaticum											
Bidens mitis												Najas guadelupensis											
Boehmeria cylindrica												Nuphar luteum											
Centella asiatica												Orontium aquaticum											
Ceratophyllum demersum												Panicum hemitomon											
Chara												Panicum repens											
Cicuta maculata												Panicum rigidulum											
Cladium jamaicense												Pistia stratioides											
Colocasia esculenta												Polygonum glabra											
Commelina diffusa												Polygonum hydropiperoides											
Commelina virginica												Polygonum punctatum											
Crinum americanum												Pontederia cordata											
Diodia virginiana												Potamogeton illinoensis											
Eichhornia crassipes												Ruellia simplex											
Eleocharis (wispy viviparus)												Sacciolepis striata											
Hydrilla verticillata												Sagittaria kurziana											
Hydrocotyle												Sagittaria lancifolia											
Hygrophila polysperma												Sagittaria latifolia											
Hymenocallis												Salvinia minima											
Lachnanthes caroliniana												Samolus parviflora											
Landoltia punctata												Saururus cernuus = Unknown											
Lemna												Sparganium americanum											
Limnophila sessiflora												Typha											
Ludwigia leptocarpa												Vallisneria americana											
Ludwigia palustris												Zizania aquatica											
Ludwigia peruviana												Nymphaea odorata											
Ludwigia repens												Rhynchospora sp.											
Luziola fluitans												Unknown											
Limnolobos sp.												Labelia cardinalis											
Cobombia caroliniana												Rhynchospora inundata											
Unknown (Saururus)																							
Cephalanthus																							
If no Dominant or Co-Dominant were selected, indicate with "X"																							
Indicate % cover macrophytes per section																							
0-5% Macrophyte Coverage																							
>5 and ≤10% Macrophyte Coverage																							
>10 and ≤25% Macrophyte Coverage																							
>25 and ≤50% Macrophyte Coverage																							
> 50% Macrophyte Coverage																							

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: Little River @ Malony Landing County: Jefferson Date: 7/13/16 Investigators: Marshall Woods

STORET Station Number: GITCHR0008

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	N			60	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		21		5	N		78
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
10	1	N			70	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		6		5	N		43
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
20	1	N			80	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		0		5	N		0
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
30	1	N			90	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		0		5	N		0
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
40	1	N			100	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		45		5	N		25
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
50	1	N				1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		0		5	N		
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		

Secchi depth 2.9 (3)
 Estimated?

points ranked 4-6 27 ^{cm}
 total points assessed 99
 % points ranked 4-6 2

Check accompanying data collected at same site/date.
 Algal mat sample ✓ ^{cm}
 Linear Veg Survey ✓
 Habitat Assessment ✓
 SCI/Biorecon ✓
 Water sample ✓
 RQ- 2016-06-13-17

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.
 Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.
 Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.
 Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>6034</u>		STORET STATION NUMBER: <u>GTLHR0008</u>	DATE (MM/DD/YY): <u>01/13/2016</u>	RECEIVING BODY OF WATER: <u>Wacissa River</u>
REMARKS:	COUNTY: <u>Jefferson</u>	LOCATION: <u>Little River</u>	FIELD ID/NAME: <u>GTLHR0008</u>	

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock)	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>10</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Substrate Availability <u>20</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity <u>15</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>20</u> Primary Score <u>65</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>20</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas.
Right Bank <u>10</u> Left Bank <u>10</u>	10 9	8 7 6	5 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>10</u> Left Bank <u>10</u>	10 9	8 7 6	5 4	3 2 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>10</u> Left Bank <u>10</u> Secondary Score <u>80</u>	10 9	8 7 6	5 4	3 2 1

145

TOTAL SCORE

Date: <u>7/13/16</u>	Analyst: <u>Sonwoods / Marshall</u>	Signature: <u>[Signature]</u>
----------------------	-------------------------------------	-------------------------------

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID GITHR0008 ORG ID ZILHR LATITUDE _____
 COUNTY Jefferson STORET # GITHR0008 LONGITUDE _____
 DATE 7/13/16 TIME 1050 SAMPLING AGENCY 8034
 SITE NAME Little River
 FIELD ID/NAME GITHR0008 RECEIVING BODY OF WATER Wacissa River

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural <u>15</u> Silviculture <u>80</u> Field/Pasture <u>5</u> Agricultural _____ Residential _____ Commercial _____ Industry _____ Other (Specify) _____							Landscape Development Intensity Index (LDI) _____
Local Watershed Erosion (select one): ☒ None ☐ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution: ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy				Typical Width (m) Depth (m)/Velocity (m/sec) Transect <u>4.25</u> m wide <u>0.25</u> m/s <u>0.25</u> m/s <u>0.25</u> m/s <u>0.4</u> m deep <u>0.6</u> m deep <u>0.5</u> m deep			
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: <u>7/8</u> Right Bank: <u>7/8</u>		Hydrologic Modification Score (per FT 3101) _____					
High Water Mark: <u>0.75</u> + <u>0.5</u> = <u>1.25</u> (m) (above present water level) (present depth) (above bed)		Artificially Impounded ☐ Yes ☒ No					
Artificially ☒ No ☐ Mostly recovered, more sinuous Channelized: ☐ Some recovery ☐ Recent, severe		Canopy Cover % ☐ Open ☒ Lightly Shaded (11-45%) ☐ Heavily Shaded ☐ Moderate Shaded (46-80%)					

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse	Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify): _____	Smothering of Substrates Sand Smothering: None ☒ Slight ☒ Moderate ☐ Severe Silt Smothering: None ☐ Slight ☒ Moderate ☐ Severe Algae Smothering: None ☐ Slight ☒ Moderate ☐ Severe
--	---	---

SUBSTRATE TYPE

Assessment Tool: ☐ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon				WATER QUALITY							
	Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. Sat (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)			
Top:	<u>0.3</u>	<u>21.0</u>	<u>7.1</u>	<u>4.5</u>	<u>51</u>	<u>3/6</u>	<u>0.15</u>	<u>0.6</u>			
Mid:									☒ VOB		
Bottom:									TOTAL DEPTH		
Meter ID: <u>600XLM #12</u>											
Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐				Water Surface Oils Normal ☒ Sheen ☐ Globbs ☐ Slick ☐ Other ☐							
Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: <u>SA5259020</u> Exp: <u>9/16</u>				Color Tannic ☐ Green (Algae) ☐ Clear ☒ Other (Specify) ☐							
Algae Sample Taken? ☐ Yes ☒ No Sample Preserved? ☐ Yes ☐ No Lot Number: _____ Exp: _____				Clarity Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque ☐							

ABUNDANCE	Not Obs.	Rare	Common	Abundant
Periphyton:	☐	☒	☐	☐
Fish:	☐	☐	☒	☐
Aquatic Plants:	☐	☐	☐	☒
Iron/Sulfur Bacteria:	☒	☐	☐	☐

System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify) _____

AMBIENT FIELD CONDITIONS / NOTES:

☒ The antecedent hydrologic conditions have been met to my best knowledge.

SAMPLING TEAM

Woods/marshall

SIGNATURE:

[Signature]

DATE:

7/13/16