



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

February 2016

PAGE 1 OF 1

Data Qualified?
Yes / No

STORET Station Name: Six Mile Creek

Date: 03/28/2016
(mm/dd/yyyy)

STORET Station ID: 275942468220599

Latitude: 27°59'42.40 N
(Decimal Degrees)

WBID: 1536 B RQ- 2016-03-28-18 ORG ID: 81 FLTPA

Longitude: 82°20'59.90 W
(Decimal Degrees)

Receiving Body of Water: Tampa Bay

Field ID: G1SW0048

County: _____

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Matt Bearden									
Ashley Salmonson					X		X		
Stephen Chingerman						X		X	X

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Equipment ID: _____		


Collection Method	
☒ Wading	☐ Via Boat
☐ From Shore	☐ Canoe/Kayak
☐ Other (note below)	☐ Electric Motor
	☐ Gasoline Motor

Water Level: Dry / Low / Normal / High / Flooded
Matrix: Fresh / Marine / DI
Meter ID# 611-10N Photos: Yes / No
Tide Falling: Yes / No / NA

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1030	0.3	5.0	7.9	93	8.1	0.3	1.1	533	23.8
CEN	1030	4.0		5.8	69	7.7	0.3		524	23.3

Biological Samples Collected: None HA SCI LVS RPS LVI Other _____

Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4			☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
BOD	☒ BOD-UNIN	☒ Ice			
Physical/Aggregate (Kit A)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Kit B)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Microbiology	☐ E Coli ☐ F Coli ☐ Entero ☐ QPCR	☐ Ice			
Periphyton	☐ ALGAE-ID	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-PC-AA-SF ☐ W-UHERB-AA ☐ W-GLYPH	☐ Ice ☐ Other			



Notes:	RQ-2016-03-28-18 Date: 03/28/16 Time:	 G1SW0048 275942468220599
Signature: <u>Stephen Chingerman</u>	Date: <u>03/28/2016</u>	

Field Parameters Entered into LIMS: _____ (Initials/Date) Field Parameters QC in LIMS: _____ (Initials/Date)
Date Migrated to STORET: _____ (Initials/Date) Field Sheets Scanned/Saved: _____ (Initials/Date)

DEP-SOP-001/01: Form FD 9000-3 (9/19/12)
PHYSICAL/CHEMICAL CHARACTERIZATION FIELD SHEET

SAMPLE ID _____ ORG ID _____ LATITUDE _____
 COUNTY _____ STORET # _____ LONGITUDE _____
 DATE _____ TIME _____ SAMPLING AGENCY _____
 SITE NAME _____
 FIELD ID/NAME _____ RECEIVING BODY OF WATER _____

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category) : Forest/Natural Silviculture Field/Pasture Agricultural Residential Commercial Industry Other (Specify)							Landscape Development Intensity Index (LDI)
Local Watershed Erosion (select one) : ☐ None ☐ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution : ☐ No evidence ☐ Slight ☐ Moderate ☐ Heavy				Typical Width (m) Depth (m)/Velocity (m/sec) Transect m wide m/s m/s m/s			
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank : Right Bank :		Hydrologic Modification Score (per FT 3101)		m/s m deep			
High Water Mark: + = (m) (above present water level) (present depth) (above bed)				Artificially Impounded ☐ Yes ☐ No			
Artificially ☐ No ☐ Mostly recovered, more sinuous Channelized : ☐ Some recovery ☐ Recent, severe		Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☐ Heavily Shaded ☐ Moderate Shaded (46-80%)					

SEDIMENT / SUBSTRATE

Sediment Oils ☐ Absent ☐ Slight ☐ Moderate ☐ Profuse	Sediment Odors ☐ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify) : _____	Smothering of Substrates Sand Smothering: None ☐ Slight ☐ Moderate ☐ Severe ☐ Silt Smothering: None ☐ Slight ☐ Moderate ☐ Severe ☐ Algae Smothering: None ☐ Slight ☐ Moderate ☐ Severe ☐
---	---	--

SUBSTRATE TYPE Assessment Tool: ☐ SCI ☐ RPS ☐ LVS ☐ LCI ☐ BioRecon <table style="width:100%;"> <thead> <tr> <th></th> <th>% Coverage</th> <th>INVERT # Times Sampled</th> <th>PERI # Times Sampled</th> </tr> </thead> <tbody> <tr><td>Woody Debris (Snags)</td><td> </td><td> </td><td> </td></tr> <tr><td>Undercut Banks / Roots</td><td> </td><td> </td><td> </td></tr> <tr><td>Leaf Packs or Mat</td><td> </td><td> </td><td> </td></tr> <tr><td>Aquatic Vegetation</td><td> </td><td> </td><td> </td></tr> <tr><td>Rock or Shell Rubble..</td><td> </td><td> </td><td> </td></tr> <tr><td>Sand.....</td><td> </td><td> </td><td> </td></tr> <tr><td>Mud / Muck / Silt</td><td> </td><td> </td><td> </td></tr> <tr><td>Other</td><td> </td><td> </td><td> </td></tr> <tr><td>Other</td><td> </td><td> </td><td> </td></tr> </tbody> </table>					% Coverage	INVERT # Times Sampled	PERI # Times Sampled	Woody Debris (Snags)				Undercut Banks / Roots				Leaf Packs or Mat				Aquatic Vegetation				Rock or Shell Rubble..				Sand.....				Mud / Muck / Silt				Other				Other				<table style="width:100%;"> <tr> <th colspan="2">WATER QUALITY</th> <th>Depth (M)</th> <th>Temp. (°C)</th> <th>pH (SU)</th> <th>D.O. (MG/L)</th> <th>D.O. (%)</th> <th>Cond. (UMHO/CM)</th> <th>Salinity (PPT)</th> <th>SECCHI (M)</th> </tr> <tr> <td>Top :</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Mid:</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td>☐ VOB</td> </tr> <tr> <td>Bottom</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table> Meter ID:								WATER QUALITY		Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)	Top :										Mid:									☐ VOB	Bottom									
	% Coverage	INVERT # Times Sampled	PERI # Times Sampled																																																																																								
Woody Debris (Snags)																																																																																											
Undercut Banks / Roots																																																																																											
Leaf Packs or Mat																																																																																											
Aquatic Vegetation																																																																																											
Rock or Shell Rubble..																																																																																											
Sand.....																																																																																											
Mud / Muck / Silt																																																																																											
Other																																																																																											
Other																																																																																											
WATER QUALITY		Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)																																																																																		
Top :																																																																																											
Mid:									☐ VOB																																																																																		
Bottom																																																																																											
ABUNDANCE <table style="width:100%;"> <thead> <tr> <th></th> <th>Absent</th> <th>Rare</th> <th>Common</th> <th>Abundant</th> </tr> </thead> <tbody> <tr><td>Periphyton:</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>Fish:</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>Aquatic Plants:</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>Iron/Sulfur Bacteria:</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> </tbody> </table>					Absent	Rare	Common	Abundant	Periphyton:	☐	☐	☐	☐	Fish:	☐	☐	☐	☐	Aquatic Plants:	☐	☐	☐	☐	Iron/Sulfur Bacteria:	☐	☐	☐	☐	<table style="width:100%;"> <tr> <td> Water Odors Normal ☐ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐ </td> <td> Water Surface Oils Normal ☐ Sheen ☐ Globs ☐ Slick ☐ Other ☐ </td> </tr> <tr> <td> Water Sample Taken? ☐ Yes ☐ No Sample Preserved? ☐ Yes ☐ No Lot Number: _____ Exp: _____ </td> <td> Color Tannic ☐ Green (Algae) ☐ Clear ☐ Other (Specify) </td> </tr> <tr> <td> Algae Sample Taken? ☐ Yes ☐ No Sample Preserved? ☐ Yes ☐ No Lot Number: _____ Exp: _____ </td> <td> Clarity Clear ☐ Slightly Turbid ☐ Turbid ☐ Opaque ☐ </td> </tr> </table>								Water Odors Normal ☐ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐	Water Surface Oils Normal ☐ Sheen ☐ Globs ☐ Slick ☐ Other ☐	Water Sample Taken? ☐ Yes ☐ No Sample Preserved? ☐ Yes ☐ No Lot Number: _____ Exp: _____	Color Tannic ☐ Green (Algae) ☐ Clear ☐ Other (Specify)	Algae Sample Taken? ☐ Yes ☐ No Sample Preserved? ☐ Yes ☐ No Lot Number: _____ Exp: _____	Clarity Clear ☐ Slightly Turbid ☐ Turbid ☐ Opaque ☐																																																	
	Absent	Rare	Common	Abundant																																																																																							
Periphyton:	☐	☐	☐	☐																																																																																							
Fish:	☐	☐	☐	☐																																																																																							
Aquatic Plants:	☐	☐	☐	☐																																																																																							
Iron/Sulfur Bacteria:	☐	☐	☐	☐																																																																																							
Water Odors Normal ☐ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐	Water Surface Oils Normal ☐ Sheen ☐ Globs ☐ Slick ☐ Other ☐																																																																																										
Water Sample Taken? ☐ Yes ☐ No Sample Preserved? ☐ Yes ☐ No Lot Number: _____ Exp: _____	Color Tannic ☐ Green (Algae) ☐ Clear ☐ Other (Specify)																																																																																										
Algae Sample Taken? ☐ Yes ☐ No Sample Preserved? ☐ Yes ☐ No Lot Number: _____ Exp: _____	Clarity Clear ☐ Slightly Turbid ☐ Turbid ☐ Opaque ☐																																																																																										
System Type: Stream ☐ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify)				WEATHER CONDITIONS / NOTES: ☐ The antecedent hydrologic conditions have been met to my best knowledge.																																																																																							
SAMPLING TEAM _____				SIGNATURE : _____				DATE : _____																																																																																			

Waterbody:	Date:	County:	Storet Number:
Analyst:		Signature:	

Comments:

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

[illegible]

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: <u>Sixmile Creek</u>					County: <u>Hillsborough</u>		Date: <u>03/28/2016</u>		Investigators: <u>M. Beriden A. Salmeron S.C.</u>	
									STORET Station Number:	

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	3			60	1	3		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		960		5	N		960
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	3				9	3		
10	1	3			70	1	3		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		960		5	N		960
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	3				9	3		
20	1	3			80	1	3		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		960		5	N		960
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	3				9	3		
30	1	3			90	1	3		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		960		5	N		960
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	3				9	3		
40	1	3			100	1	3		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		960		5	N		960
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	4				9	3		
50	1	3			Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached. Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank. Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6. Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.				
	2	N							
	3	N							
	4	N							
	5	N		960					
	6	N							
	7	N							
	8	N							
	9	3							

Secchi depth	
Estimated?	

# points ranked 4-6	1
total points assessed	99
% points ranked 4-6	

Check accompanying data collected at same site/date.	
Algal mat sample	
Linear Veg Survey	
Habitat Assessment	✓
SCI/Biorecon	
Water sample	✓
RQ- 2016-03-28-	

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>SW ROC</u>		STORET STATION NUMBER:	DATE (MM/DD/YYYY): <u>3/28/16</u>	RECEIVING BODY OF WATER:
REMARKS:	COUNTY: <u>HILLS BOROUGH</u>	LOCATION: <u>6 MILE CREEK</u>		FIELD ID/NAME:

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock)	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>4</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Substrate Availability <u>3</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity <u>2</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>6</u> Primary Score <u>15</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>1</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas.
Right Bank <u>9</u> Left Bank <u>9</u>	10 9	8 7 6	5 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>2</u> Left Bank <u>2</u>	10 9	8 7 6	5 4	3 2 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>2</u> Left Bank <u>2</u> Secondary Score <u>27</u>	10 9	8 7 6	5 4	3 2 1

42 TOTAL SCORE

Date: <u>3/28/16</u>	Analyst: <u>M. BEARDEN, A. SALMERON</u>	Signature: <u>MH BA</u>
-------------------------	--	----------------------------

S. CLINGERMAN

Guidelines for Hydrological Disturbance Scoring

This gradient rating is for human disturbances, not natural events (e.g., hurricanes, extreme droughts).

Best 1-2 points	Flow regime as naturally occurs (slow and fairly continual release of water after rains), few impervious surfaces in watershed; high connectivity with ground water and surface features delivering water (e.g., sandhills, wetlands; no ditches, berms, etc.)
Slight disturbance 3-4 points	Flow regime minimally changed; some water withdrawals; some wetland drainage, some impervious surfaces in watershed, some ditching
Moderately altered 5-6 points	Flow regime moderately altered; hydrograph moderately flashy (scouring after rain events with subsequent reductions in flow), groundwater pumping evident; much wetland drainage, topographic alterations reduce natural water input; more impervious surfaces throughout watershed, dams/control structures change normal water delivery schedule
Poor 7-8 points	Flow regime highly altered; hydrograph very flashy (scouring after rain events with subsequent reductions in flow, leading to stagnant or dry conditions, related to large amounts of impervious surfaces and/or ditching throughout watershed); water withdrawals & impoundments/control structures severely alter flows, large amounts of impervious surfaces
Very poor 9-10 points	Flow regime entirely human controlled; hydrograph very flashy (scouring after rain events with subsequent reductions in flow, leading to stagnant or dry conditions, related to impervious surfaces and ditching throughout watershed); water withdrawals & impoundments fundamentally alter the nature of the ecosystem

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Customer: SW-DIST
Project ID: SMP
Requester: Judy Ashton
Field Report Prepared By: S. Clingerman
Collected By: M. Bearden, A. Salmeron, S. Clingerman
Sampling Agency: FDEP-SuRec

Location		Uceta Yard Drain		Bottle Group(s)		A	
Field	RQ-2016-03-28-18	Date: 03/28/16		Time: 0925		Composite end Date	
STOI	G1SW0045	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L Total Res. Chlorine	
Latitude	33° 00' 00" N	Temp (C)		pH		Sample Depth	
Longitude	-117° 00' 00" W	Salinity (ppt)		Comments		ft Sp. Conductance (umho/cm)	
Location		Six Mile Creek		Bottle Group(s)		A	
Field ID	RQ-2016-03-28-18	Date: 03/28/16		Time: 0930		Composite end Date	
STOI	G1SW0048	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L Total Res. Chlorine	
Latitude	33° 00' 00" N	Temp (C)		pH		Sample Depth	
Longitude	-117° 00' 00" W	Salinity (ppt)		Comments		ft Sp. Conductance (umho/cm)	
Location		Six Mile Creek		Bottle Group(s)		A	
Field ID	RQ-2016-03-28-18	Date: 03/28/16		Time: 0930		Composite end Date	
STOI	G1SW0048	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L Total Res. Chlorine	
Latitude	33° 00' 00" N	Temp (C)		pH		Sample Depth	
Longitude	-117° 00' 00" W	Salinity (ppt)		Comments		ft Sp. Conductance (umho/cm)	

Relinquished By:	Date/Time	Shipping Method	Received By:	Date/Time
------------------	-----------	-----------------	--------------	-----------

Group: A	Bottle Type:	P-1L	# of Bottles:	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
BOD-UNIN							
Group: A	Bottle Type:	BP-1L	# of Bottles:	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
CHLSUITE-W							
Group: A	Bottle Type:	P-1L	# of Bottles:	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
TURBIDITY							
W-ALK							
W-CL-IC							
W-COLOR							
W-F							
W-SO4-IC							
W-TDS							
W-TSS							
Group: A	Bottle Type:	P-500ML	# of Bottles:	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
W-TOC							
Group: A	Bottle Type:	P-125ML	# of Bottles:	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	2
W-PO4-F							

FedEx Express **Package** **US Airbill** FedEx Tracking Number **8099 4719 2977**

1 From Please print and press hard. Sender's FedEx Date **03/28/2016** Account Number

Sender's Name **FEDEX** Phone **813 470-5770** Company

Address **13051 N. Telecom Pkwy** Day/Evening/Weekend Address **Chw Temple Terrace** State **FL** ZIP **33637**

2 Your Internal Billing Reference Recipient's Name **SAMPLE RECEIVING** Phone **850 245-8085**

3 To Company **FLORIDA DEP/CHEMISTRY SECTION** Address **2600 BLAIRSTONE RD** Day/Evening/Weekend Address **TALLAHASSEE** State **FL** ZIP **32399**

Address **2600 BLAIRSTONE RD** Day/Evening/Weekend Address **TALLAHASSEE** State **FL** ZIP **32399**

Shipping online just got easier. Go to fedex.com/ife

Form ID No. **0215**

4 Express Package Service *To meet timelines.

Next Business Day *For packages up to 150 lbs. For packages over 150 lbs., see the FedEx Express Freight US Manual.

☐ FedEx First Overnight *Subject to select destinations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.
☒ FedEx Priority Overnight *Subject to select destinations. Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.
☐ FedEx Standard Overnight *Subject to select destinations. Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.
☐ Next Business Day *Subject to select destinations. Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.

5 Packaging *Declared value limit \$500.
☐ FedEx Envelope* ☐ FedEx Pak* ☐ Box ☐ Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.
☐ Saturday Delivery *Not available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.
☐ No Signature Required *Package may be left without obtaining a signature for delivery.
☐ Direct Signature *Signature at recipient's address may sign for delivery.
☐ Indirect Signature *Signature at shipper's address may sign for delivery for residential deliveries only.
☐ One box must be checked.
☐ Yes ☐ As per attached Shipper's Declaration. ☐ Shipper's Declaration. ☐ Dry Ice ☐ Dry Ice 1865 ☐ Cargo Aircraft Only

7 Payment Bill to: Enter FedEx Acct. No. or Credit Card No. below.
☐ Sender ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check
FedEx Acct. No. **4490-2262-9** Recipient's Name **SAMPLE RECEIVING**
Total Packages **1** Total Weight **50** lbs. Total Declared Value*

Your liability is limited to USD\$100 unless you declare a higher value. See back for details. By using this airbill, you agree to the terms, conditions and restrictions on the back of this airbill and to the current FedEx Service Guide. Making errors may result in loss of liability. FedEx SPS • First #0131 • ©1994-2015 FedEx • PRINTED IN U.S.A. SMI

PULL AND RETAIN THIS COPY BEFORE AFFIXING TO THE PACKAGE. NO POUCH NEEDED.