



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

PAGE 1 OF 1

February 2016

Data Qualified?
Yes / No

STORET Station Name: Ueta Yard Drain

Date: 03/28/2016
(mm/dd/yyyy)

STORET Station ID: 24040118

Latitude: 27° 57' 50.00 N
(Decimal Degrees)

WBID: 1599 RQ-2016-03-28-18

ORG ID: 21FITPA

Longitude: 82° 23' 02.50 W
(Decimal Degrees)

Receiving Body of Water: Tampa Bay

Field ID: G1SW0045

County: Hillsborough

Sampling Team Members						WQ Measurements		Sample Collection	Documentation	Preservation	Preservation Check
Matt Bearden						X	X	X			
Ashley Salmeron											
Stephen Cingerman								X	X	X	X

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Equipment ID		


Collection Method		
☒ Wading	Via Boat	
☐ From Shore	☐ Canoe/Kayak	
☐ Other (note below)	☐ Electric Motor	
	☐ Gasoline Motor	

Water Level: Dry / Low / <u>Normal</u> / High / Flooded	Matrix: <u>Fresh</u> / Marine / DI
Meter ID# <u>Lil Jon</u>	Photos: <u>Yes</u> / No
	Tide Falling: Yes / No / <u>NA</u>

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (µmhos/cm)	Temp. (C°)
<u>EST</u>	<u>0925</u>	<u>0.1</u>	<u>0.1</u>	<u>5.5</u>	<u>63</u>	<u>7.5</u>	<u>0.3</u>	<u>0.1</u>	<u>653</u>	<u>22.8</u>
CEN								"S"		

Biological Samples Collected: None HA SCI LVS RPS LVI Other

Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4			☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO2			☐ <2
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
BOD	☒ BOD-UNIN	☒ Ice			
Physical/Aggregate (Kit A)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Kit B)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococcus ☐ QPCR	☐ Ice			
Periphyton	☐ ALGAE-ID	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-PC-AA-SF ☐ W-UHERB-AA ☐ W-GLYPH	☐ Ice ☐ Other			



Notes:	RQ-2016-03-28-18 Date: 03/28/16 Time: G1SW0045
--------	---

Signature: <u>Stephen Cingerman</u>	Date: <u>03/28/2016</u>
-------------------------------------	-------------------------

Field Parameters Entered into LIMS: _____ (Initials/Date)	Field Parameters QC in LIMS: _____ (Initials/Date)
Date Migrated to STORET: _____ (Initials/Date)	Field Sheets Scanned/Saved: _____ (Initials/Date)

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID 01SW0045 ORG ID 21PLTPA LATITUDE 27° 57' 50.00 N
 COUNTY Hillsborough STORET # 2404018 LONGITUDE 82° 23' 02.50 W
 DATE 3/28/2016 TIME 0925 SAMPLING AGENCY FDEP
 SITE NAME Uceta yard drain
 FIELD ID/NAME 2404018 RECEIVING BODY OF WATER Tampa Bay

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural ☐ Silviculture ☐ Field/Pasture ☐ Agricultural ☐ Residential ☒ 50% Commercial ☐ Industry ☒ 50% Other (Specify) ☐							Landscape Development Intensity Index (LDI) ☐
Local Watershed Erosion (select one): ☐ None ☒ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution: ☐ No evidence ☐ Slight ☒ Moderate ☐ Heavy				Typical Width (m) ☐ Depth (m)/Velocity (m/sec) ☐ Transect ☐			
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: ☐ <18 Right Bank: ☐ <18				Hydrologic Modification Score (per FT 3101) ☐ 6			
High Water Mark: ☐ 1.5 + ☐ 0.1 = ☐ 1.6 (m) (above present water level) (present depth) (above bed)				Artificially Impounded ☐ Yes ☐ No			
Artificially ☐ No ☐ Mostly recovered, more sinuous Channelized: ☒ Some recovery ☐ Recent, severe				Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☐ Heavily Shaded ☒ Moderate Shaded (46-80%)			

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse		Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify):		Smothering of Substrates Sand Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐ Silt Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐ Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐	
SUBSTRATE TYPE Assessment Tool: ☐ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon Woody Debris (Snags) ☐ ☐ ☐ Undercut Banks / Roots ☐ ☐ ☐ Leaf Packs or Mat ☐ ☐ ☐ Aquatic Vegetation ☐ ☐ ☐ Rock or Shell Rubble ☐ ☐ ☐ Sand ☐ ☐ ☐ Mud / Muck / Silt ☐ ☐ ☐ Other ☐ ☐ ☐ Other ☐ ☐ ☐			WATER QUALITY Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat (%) Cond. (UMHO/CM) Salinity (PPT) SECCHI (M) Top: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Mid: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Bottom: ☐ 0.1 ☐ 22.8 ☐ 7.5 ☐ 5.5 ☐ 63 ☐ 653 ☐ 0.3 Meter ID: ☐ 111 Jon Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐ Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: Exp: Algae Sample Taken? ☐ Yes ☒ No Sample Preserved? ☐ Yes ☒ No Lot Number: Exp:		
Water Surface Oils Normal ☐ Sheen ☒ Globbs ☐ Slick ☐ Other ☐ Color Tannic ☐ Green (Algae) ☐ Clear ☒ Other (Specify) ☐ Clarity Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque ☐			System Type: Stream ☐ Lake ☐ Wetland ☐ Estuary ☐ Other (Specify) ☒ ditch AMBIENT FIELD CONDITIONS / NOTES: ☐ The antecedent hydrologic conditions have been met to my best knowledge.		

SAMPLING TEAM

A. Salmeron, M. Bearden, S. Clingerman


SIGNATURE

[Signature]

DATE

3/28/16

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).

Location: Uceta Yard Drain

Date: 3/28/14

Sampler: Aselmeron, M. Bearden

100 m: Latitude _____
Longitude _____

0 m: Latitude _____
Longitude _____

Substrates: Code key, draw proportionate habitat abundance. %

☐ S Snags _____

☐ R Roots/undercut banks _____

☐ P Leaf Packs (or mats) _____

☐ A Aquatic Macrophytes _____

☐ K Rocks _____

☐ _____

☐ Pools total # observed = _____
range expected = _____

Average width 2 m

Average depth 0.1 m

Velocity measured at _____ meter mark.

WQ & chemistry taken at 50 meter mark.

Habitat Smothering:
Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:
Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:

hydrocotyle

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>FDLP</u>	STORET STATION NUMBER: <u>2404118</u>	DATE (MM/DD/YY): <u>03/28/16</u>	RECEIVING BODY OF WATER: <u>Tampa Bay</u>
REMARKS:	COUNTY: <u>Hillsborough</u>	LOCATION: <u>Uceta Yard drain</u>	FIELD ID/NAME: <u>61SW0045</u>

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock)	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>2</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 (2) 1
Substrate Availability <u>+</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 3 2 (1)
Water Velocity <u>2</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 (2) 1
Habitat Smothering <u>2</u> ----- Primary Score <u>7</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 (2) 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>2</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 (2) 1
Bank Stability Right Bank <u>2</u> Left Bank <u>5</u> <u>++ -</u>	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the root zone with few raw, eroded areas. 10 9	Only meets 2 of the 3 requirements for optimal bank stability. 8 7 6	Only meets 1 of the 3 requirements for optimal bank stability. (5) 4	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas. 3 (2) 1
Riparian Buffer Zone Width Right Bank <u>1</u> Left Bank <u>2</u>	Width of vegetation greater than 18 m 10 9	Width of vegetation >12 to 18m 8 7 6	Width of vegetation 6 to 12 m. human activities close to system 5 4	Less than 6 m of buffer zone due to intensive human activities 3 (2) (1)
Riparian Zone Vegetation Quality Right Bank <u>2</u> Left Bank <u>2</u> ----- Secondary Score <u>16</u>	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance. 10 9	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed. 8 7 6	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious. 5 4	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). 3 (2) 1

23 **TOTAL SCORE**

Date:	Analyst:	Signature:
-------	----------	------------

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: <u>Uceta yard drain</u>					County: <u>Hillsborough</u>		Date: <u>03/28/2016</u>		Investigators: <u>A. Salmeron, M. Bearden</u>	
									STORET Station Number: <u>24040118</u>	

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	
0	1	N			60	1	X			
	2					2				
	3					3				
	4					4				
	5			96		5			60	
	6					6				
	7					7				
	8					8				
	9					9				
10	1	N			70	1	N			
	2					2				
	3					3				
	4					4				
	5			64		5			74	
	6					6				
	7					7				
	8					8				
	9					9				
20	1	N			80	1	N			
	2					2				
	3					3				
	4					4				
	5			14		5			18	
	6					6				
	7					7				
	8					8				
	9					9				
30	1	N			90	1	N			
	2					2				
	3					3				
	4					4				
	5			50		5			5	
	6					6				
	7					7				
	8					8				
	9					9				
40	1	N			100	1	N			
	2					2				
	3					3				
	4					4				
	5			83		5			83	
	6					6				
	7					7				
	8					8				
	9					9				
50	1	N				1	N			
	2					2				
	3					3				
	4					4				
	5			42		5				
	6					6				
	7					7				
	8					8				
	9					9				

Secchi depth	
Estimated?	

# points ranked 4-6	
total points assessed	
% points ranked 4-6	

Check accompanying data collected at same site/date.	
Algal mat sample	
Linear Veg Survey	
Habitat Assessment	
SCI/Biorecon	
Water sample	
RQ-	

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densimeter quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

Waterbody: Ureta yard drain

Date: 3/28/16

County: Hillsborough

Storet Number: G1SW 0045

Analyst: M. Bearden, A. Salmeron

Signature: Jonny Salmeron

Comments: less than 2m²

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

[illegible]

Page 1 of 2
last revised Nov 10, 2015

Requester: Judy Ashton

Field Report Prepared By: S. Clingerman

Collected By:

Collected By: M. Bearden, A. Salmeron, S. Clingerman

Sampling Agency:

FDEP - SuRoc

Location		Uceta Yard Drain		Collection (comp begin or grab)		Date 03/28/2016 Time 0925		Composite end		Bottle Group(s)	
Field		RQ-2016-03-28-18		Comp		Date 03/28/2016 Time 0925		Date		(See pg 2)	
STOI		Date: 03/28/16		Grab		Time 0925		Date			
Latitude		Time:		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine			
				FRESH		5.5		mg/L			
				Temp (C)		pH		Sp. Conductance			
				22.8		7.5		(umho/cm)		653	
				Salinity (ppt)		Comments					
				0.3							
Location		Sixmile Creek		Collection (comp begin or grab)		Date 03/28/2016 Time 1030		Composite end		Bottle Group(s)	
Field ID		RQ-2016-03-28-18		Comp		Date 03/28/2016 Time 1030		Date		A	
STORET		Date: 03/28/16		Grab		Time 1030		Date			
Latitude		Time:		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine			
				FRESH		9.3		mg/L			
				Temp (C)		pH		Sp. Conductance			
				23.8		8.1		(umho/cm)		533	
				Salinity (ppt)		Comments					
				0.3							
Location				Collection (comp begin or grab)		Date		Composite end		Bottle Group(s)	
Field ID				Comp		Date		Date			
STORET				Grab		Time		Date			
Latitude				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine			
						5.5		mg/L			
				Temp (C)		pH		Sp. Conductance			
				23.8		7.5		(umho/cm)			
				Salinity (ppt)		Comments					
				0.3							
Location				Collection (comp begin or grab)		Date		Composite end		Bottle Group(s)	
Field ID				Comp		Date		Date			
STORET				Grab		Time		Date			
Latitude				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine			
						5.5		mg/L			
				Temp (C)		pH		Sp. Conductance			
				23.8		7.5		(umho/cm)			
				Salinity (ppt)		Comments					
				0.3							
Location				Collection (comp begin or grab)		Date		Composite end		Bottle Group(s)	
Field ID				Comp		Date		Date			
STORET				Grab		Time		Date			
Latitude				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine			
						5.5		mg/L			
				Temp (C)		pH		Sp. Conductance			
				23.8		7.5		(umho/cm)			
				Salinity (ppt)		Comments					
				0.3							
Location				Collection (comp begin or grab)		Date		Composite end		Bottle Group(s)	
Field ID				Comp		Date		Date			
STORET				Grab		Time		Date			
Latitude				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		Total Res. Chlorine			
						5.5		mg/L			
				Temp (C)		pH		Sp. Conductance			
				23.8		7.5		(umho/cm)			
				Salinity (ppt)		Comments					
				0.3							

Group: A	Bottle Type:	P-1L	# of Bottles:	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
BOD-UNIN							
Group: A	Bottle Type:	BP-1L	# of Bottles:	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
CHLSUITE-W							
Group: A	Bottle Type:	P-1L	# of Bottles:	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
TURBIDITY							
W-ALK							
W-CL-IC							
W-COLOR							
W-F							
W-SO4-IC							
W-TDS							
W-TSS							
Group: A	Bottle Type:	P-500ML	# of Bottles:	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
W-TOC							
Group: A	Bottle Type:	P-125ML	# of Bottles:	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	2
W-PO4-F							

FedEx Express **Package** **US Airbill** **FedEx Tracking Number** **8099 4719 2977**

1 From Please print and press hard.

Date **03/28/2016** Sender's FedEx Account Number

Sender's Name **FDEX** Phone **8131470-5770**

Company

Address **13051 N. Telleron Pkwy**

City **Tempe Terrace** State **FL** ZIP **33637**

2 Your Internal Billing Reference

First 24 characters will appear on invoice.

3 To Recipient's Name **SAMPLE RECEIVING** Phone **(850) 245-8085**

Company **FLORIDA DEP/CHEMISTRY SECTION**

Address **2600 BLAIRSTONE RD**

Address **TALLAHASSEE** State **FL** ZIP **32399**

City **TALLAHASSEE** State **FL** ZIP **32399**

0122645602

Form ID No. **0215**

4 Express Package Service

For packages up to 150 lbs. For packages over 150 lbs, use the FedEx Express Freight US Airbill.

☐ FedEx First Overnight

☐ FedEx Priority Overnight

☐ FedEx Standard Overnight

☐ FedEx 2Day

☐ FedEx Express Saver

☐ FedEx Envelope*

☐ FedEx Pak*

☐ FedEx Box

☐ FedEx Tube

☐ Other

5 Packaging

☐ No Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

☐ Signature Required

Form ID No. **0215**

6 Special Handling and Delivery Signature Options

For packages up to 150 lbs. For packages over 150 lbs, use the FedEx Express Freight US Airbill.

☐ Saturday Delivery

☐ Sunday Delivery

☐ Monday Delivery

☐ Tuesday Delivery

☐ Wednesday Delivery

☐ Thursday Delivery

☐ Friday Delivery

☐ Saturday Delivery

☐ Sunday Delivery

☐ Monday Delivery

☐ Tuesday Delivery

☐ Wednesday Delivery

☐ Thursday Delivery

☐ Friday Delivery

☐ Saturday Delivery

☐ Sunday Delivery

☐ Monday Delivery

☐ Tuesday Delivery

☐ Wednesday Delivery

☐ Thursday Delivery

☐ Friday Delivery

☐ Saturday Delivery

☐ Sunday Delivery

☐ Monday Delivery

☐ Tuesday Delivery

Form ID No. **0215**

7 Payment

For packages up to 150 lbs. For packages over 150 lbs, use the FedEx Express Freight US Airbill.

☐ Cash/Check

☐ Credit Card

☐ Third Party

☐ Recipient

☐ Sender

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

☐ Bill to

Form ID No. **0215**

8 Total Packages

For packages up to 150 lbs. For packages over 150 lbs, use the FedEx Express Freight US Airbill.

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages

☐ Total Packages